

Login Checklist

RQ-2023-04-24-09

Login Station ID: #4

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 05/ 4 /2023@09:30

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
2.8				10		X			585947351277

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes X No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes _____ No X

CONTAINER CHECK

Evidence Tape on Bottles?

Yes _____ No _____ NA X

Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken?

Yes _____ No _____

Containers intact? Yes X No _____

Caps on tight?

Yes X No _____

Sufficient Sample Volume:

Yes X No _____

If **NO** is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes _____ No X Init: TL

Chlorine detected? (One container checked per Field ID)

Yes _____ No _____ Init: _____

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH< 2.0?

Yes X No _____ NA _____ Init: TL

**W-1-4-DIOX (Green dot on container) preserved to pH< 4.0?

Yes _____ No _____ NA X Init: TL

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: TL

Date: 05/ 4 /2023

Event contains NCRs(Y/N)? N

EventID: WQAP-2023-05-04-01

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	IR TEMP GUN #4 Exp:10/17/2023
pH Test Strips 0 – 6	LOT# 223819AV Exp: AUG 30, 2023
pH Paper 0 – 3	N/A
pH Paper 0 – 13	LOT# 207621 Exp: March 15, 2024
Chlorine Test Strips	LOT# 1196 Exp: Feb. 2024

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____



Cyanobacteria Bloom Response Field Data Sheet (2022-08-15 v1)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ - 2023-04-24-09		Collected By:		Matt Bearden, Leif Boman, Jessie Atchison						
Customer: WQAP		Field Report Prepared By:		Jessie Atchison						
Project ID: BLOOM_RESP		Sampling Agency:		CEROC						
Location: Lake Baldwin - Park Boat Ramp			Comments: 75 and sunny							
Field ID: HABCE0188_LakeBaldwin2			Coordinates: 28.57546, -81.32623							
WIN Secondary Resource Type: Lake			Collection Equip: WaterBottle							
WIN ID: HABCE0188			High Tide Time:		Low Tide Time:					
Matrix:	Fresh	Grab	Tide: ☐ Rising ☐ Falling ☐ Slack ☒ N/A							
Water Quality										
Date	Time ☒ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPT _h)
05/03/2023	12:31	95.2	7.84	25.1	8.03	0.3	0.8	0.8	279.9	0.13
Bloom Observations										
Algal Bloom Observed? ☐ Yes ☒ No										
Water Clarity		☒ Clear ☐ Slightly Turbid ☐ Turbid ☐ Opaque								
Bloom Color		☐ Green ☐ Red ☐ Brown ☐ Other:								
Algae Type		☐ Planktonic ☐ Filamentous ☐ Other:								
Algae Accumulation		☐ Mat ☐ Specks ☐ Scum ☐ Glob								
Algae Distribution		☐ Surface-Entire ☐ Surf-Localized ☐ Surf-Windblown ☐ Suspended ☐ Benthic ☐ Epiphytic								
Parameter Suite		Parameter Methods			Preservation		pH Check	#Bottles Sent to Lab	Bottle Group	
Algal ID (PT-50mL)		☐ ALGAL-ID			☐ Ice					
Bloom ID (PT-50mL)		☒ BLOOM-ID			☒ Ice			1	A	
Chlorophyll (BP-1L)		☒ CHLSUITE-W			☒ Ice			1	B	
Toxins (P-125/BG-250)		☒ W-MCYST-AA ☒ W-SAXTN-MS ☐ OV-TOXN			☒ Ice			1	B	
		☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP			☒ Ice ☒ H2SO4		☒ <2	1	B	
Preserved Nutrients (500mL HDPE)		SA3013020			1/25/24					
		Acid Lot:			Exp:					
Filtered Nutrients (P125mL)		☒ W-PO4-F			☒ Field Filtered 0.45µm Filter		☒ Ice	1	B	
		Filter Lot # 17769663								
Quantitative Algae		☐ DTY-QN-C / PKD-QN-C			☐ Ice ☐ Lugols					
Relinquished By:		Date/Time		Number of Coolers Shipped		Received By:		Date/Time		
Jessie Atchison		05/03/2023 12:31		1		TL		5/4/23 @ 10:11		



Cyanobacteria Bloom Response Field Data Sheet (2022-08-15 v1)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ - 2023-04-24-09		Collected By:		Matt Bearden, Leif Boman, Jessie Atchison						
Customer: WQAP		Field Report Prepared By:		Jessie Atchison						
Project ID: BLOOM_RESP		Sampling Agency:		CEROC						
Location: LAKE MAITLAND KRAFT AZALEA GARDEN			Comments: 75 and windy							
Field ID: HABCE0177_LakeMaitland2			Coordinates: 28.61149, -81.34416							
WIN Secondary Resource Type: Lake			Collection Equip: WaterBottle							
WIN ID: HABCE0177			High Tide Time:		Low Tide Time:					
Matrix: Fresh	Grab	Tide: ☐ Rising ☐ Falling ☐ Slack ☒ N/A								
Water Quality										
Date	Time ☒ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPTH)
05/03/2023	11:43	100	8.21	25.3	7.69	0.3	1.2	0.8	213.3	0.1
Bloom Observations										
Algal Bloom Observed? ☒ Yes ☐ No										
Water Clarity		☐ Clear		☒ Slightly Turbid		☐ Turbid		☐ Opaque		
Bloom Color		☒ Green		☐ Red		☐ Brown		☐ Other:		
Algae Type		☒ Planktonic		☐ Filamentous		☐ Other:				
Algae Accumulation		☐ Mat		☒ Specks		☐ Scum		☐ Glob		
Algae Distribution		☐ Surface-Entire		☐ Surf-Localized		☐ Surf-Windblown		☒ Suspended		☐ Benthic ☐ Epiphytic
Parameter Suite		Parameter Methods				Preservation		pH Check	#Bottles Sent to Lab	Bottle Group
Algal ID (PT-50mL)		☐ ALGAL-ID				☐ Ice				
Bloom ID (PT-50mL)		☒ BLOOM-ID				☒ Ice			1	A
Chlorophyll (BP-1L)		☒ CHLSUITE-W				☒ Ice			1	B
Toxins (P-125/BG-250)		☒ W-MCYST-AA ☒ W-SAXTN-MS ☐ OV-TOXN				☒ Ice			1	B
Preserved Nutrients (500mL HDPE)		☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP				☒ Ice ☒ H2SO4		☒ <2	1	B
		SA3013020				1/25/24				
		Acid Lot:				Exp:				
Filtered Nutrients (P125mL)		☒ W-PO4-F		☒ Field Filtered 0.45µm Filter		☒ Ice			1	B
				Filter Lot # 17769663						
Quantitative Algae		☐ DTY-QN-C / PKD-QN-C				☐ Ice ☐ Lugols				
Relinquished By:		Date/Time		Number of Coolers Shipped		Received By:		Date/Time		
Jessie Atchison		05/03/2023 11:48		1		TL		5/4/23 @ 10:11		

Date of Request: 03-MAR-2023
 Created By: BOMAN_L On: 03-MAR-2023
 Modified By: JASROTIA_P On: 05-APR-2023
 Customer: WQAP
 Project: BLOOM-RESP
 Division: Division of Environmental Assessment and Restoration
 District: Central
 Event Description: Algal Bloom Response - CEROC

Send Coolers To:

Phone: 407-897-4181
 3319 Maguire Blvd Ste 232

 Orlando, FL 32803
 Attn: Leif Boman
 Cooler Ship EMail: Leif.Boman@FloridaDep.gov

Priority: 1
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 05-APR-2023
 Biology Request Reviewed By: JASROTIA_P On: 05-APR-2023
 Sampling Kit Required: YES Ship on: 14-APR-2023
 Sampling Kit Shipped: YES On: 07-APR-2023
 Sampling Kit Packed By: LEBRUN_T
 Preservatives Needed: NO
 Date to Receive Samples: 24-APR-2023
 Logged In By: LEBRUN_T On: 04-MAY-2023

Send Final Report To:

3319 Maguire Blvd. Suite 232

 Orlando, FL 32803
 Attn: Jessie Atchison
 Report Notification EMail: Jessie.Atchison@FloridaDEP.gov

Comments: Unless peak algal bloom season, may analyze toxin after consultation with Biology's Taxonomy Manager.

Bottle Group A - Priority 1
 For algal dominant taxon.

Bottle Group B - Priority 1
 For toxin testing, nutrients, chlorophyll, algal full ID

There are multiple bottles per Group in case multiple sample targets or sample locations are needed. Samplers use best professional judgement to decide which samples are appropriate to collect for a particular response. All sets of bottles do not have to be filled at one time.

Please print two copies of algal job labels at login

Two coolers please. Thank you!

Bottle Group A (Biological) With 6 Samples:

Bottle Type: PT-50ML	Number of Bottles: 6	Preserved With: ICE
BLOOM-ID	Template: DEFAULT	(SOP-AB18) Assessment of dominant algal taxa in bloom or mat sample

Bottle Group B (Water) With 6 Samples:

Bottle Type: BP-1L	Number of Bottles: 6	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10150 B) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: P-125ML	Number of Bottles: 6	Preserved With: ICE
W-MCYST-AA	Template: DEFAULT	(EPA 8321B) Microcystins in water matrices by HPLC/MS/MS
W-SAXTN-MS	Template: DEFAULT	(EPA 8321B) Saxitoxin in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 6	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices

Bottle Type: P-125ML	Number of Bottles: 6	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

