

Login Checklist

RQ- 2023-02-27-58

Login Station ID: #1

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 3/ 2 /23 @ 8:52

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
		YES	HNO ₃		Formalin	Present?		*Intact?	
	Yes					No	Yes	No	
1.6				10		✓			5859 4733 2569

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes ☒ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes _____ No ☒

CONTAINER CHECK

Evidence Tape on Bottles?

Yes _____ No _____ NA ☒ Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken?

Yes _____ No _____ Containers intact? Yes ☒ No _____

Caps on tight?

Yes ☒ No _____

Sufficient Sample Volume:

Yes ☒ No _____

If **NO** is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes _____ No ☒ Init: 16K

Chlorine detected? (One container checked per Field ID)

Yes _____ No _____ Init: _____

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH< 2.0?

Yes ☒ No _____ NA _____ Init: 16K

**W-1-4-DIOX (Green dot on container) preserved to pH< 4.0?

Yes _____ No _____ NA ☒ Init: 16K

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: 16K

Date: 3/ 2 /23

Event contains NCRs(Y/N)? N

EventID: Algal Bloom Response - Orange Co

— Date Received: 02-MAR-2023 09:52

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Infrared Thermometer ID:	IR TEMP GUN #1 Exp:10/17/2023
pH Test Strips 0 – 6	Lot# 223819AV Exp:8/30/23
pH Paper 0 – 3	
pH Paper 0 – 13	Lot# 207621 Exp:3/15/24
Chlorine Test Strips	Lot# 0129 Exp:3/23

Additional Comments:

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Tracking # 585947332569



Cyanobacteria Bloom Response Field Data Sheet (2019-12-16 v4)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ-2023-02-27-58		Collected By: RENK								
Customer: WQAP	Field Report Prepared By: RENK									
Project ID: BLOOM-RESP	Sampling Agency: Orange EPD									
Win ID: HABOC0014 Lake Martha - NE Shore Field ID: HABOC0014_LakeMartha		Comments: Hot, Light breeze Syringe: 2298556								
WIN ID: HABOC0014		Coordinates: 28.609558, -81.272099								
Matrix: Fresh		Collection Equip: Sample bottles, Syringe								
Grab		High Tide Time: — Low Tide Time: —								
Tide: ☐ Rising ☐ Falling ☐ Slack ☒ N/A										
Water Quality										
Date	Time ☒ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPT)
3/1/23	1155	79.0	6.5	25.5	6.5	0.3	5.3	1.6	178	
Bloom Observations										
Algal Bloom Observed? ☐ Yes ☒ No										
Water Surface	☒ Clear	☐ Scum	☐ Globs	☐ Slick						
Water Clarity	☒ Clear	☐ Slightly Turbid	☐ Turbid	☐ Opaque						
Bloom Color	☐ Green	☐ Red	☐ Brown	☐ Other: _____	☒ N/A					
Algae Distribution	☒ Suspended in water column	☐ On surface	☐ Other: _____	☐ N/A						
Water Odors	☒ Normal	☐ Sewage	☐ Petroleum	☐ Chemical	☐ Other: _____					
Parameter Suite	Parameter Methods		Preservation		pH Check	#Bottles Sent to Lab	Bottle Group			
Bloom ID (PT-50mL)	☒ BLOOM-ID		☒ Ice			1	A			
Chlorophyll (BP-1L)	☒ CHLSUITE-W		☒ Ice			1	B			
Toxins (BG-WD250)	☒ W-MCYST-AA / W-SAXTN-MS		☒ Ice			1	B			
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP		☒ Ice ☒ H2SO4 ☒ <2			1	B			
Acid Lot: CAS 7664-93-9		Exp: 1/17/2024								
Filtered Nutrients (P125mL)	☒ W-PO4-F		☒ Field Filtered 0.45µm Filter		☒ Ice	1	B			
Filter Lot # 17413308										
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C		☐ Ice		Lugols? Y / N					
Relinquished By: RENK	Date/Time: 3/1/2023	Number of Coolers Shipped: 1		Received By: KH		Date/Time: 3.2.23 / 0952				



Cyanobacteria Bloom Response Field Data Sheet (2019-12-16 v4)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ-2023-02-27-58		Collected By: RENK								
Customer: WQAP	Field Report Prepared By: RENK									
Project ID: BLOOM-RESP	Sampling Agency: Orange EPD									
Win ID: HABOC0013 Lake Burkett - Center Field ID: HABOC0013_LakeBurkett		Comments: WATER SKI BOAT BUZZING ME THE ENTIRETY OF SYMEX: 2298556 SAMPLING								
		Coordinates: 28.610256, -81.268014								
		Collection Equip: Sample bottles, syringe								
WIN ID: HABOC0013	High Tide Time: —	Low Tide Time: —								
Matrix: Fresh	Grab ☒	Tide: ☐ Rising ☐ Falling ☐ Slack ☒ N/A								
Water Quality										
Date	Time ☒ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPTH)
3/1/23	1140	101.0	8.4	24.8	7.1	0.3	3.3	1.7	141	
Bloom Observations										
Algal Bloom Observed? ☐ Yes ☒ No										
Water Surface	☒ Clear	☐ Scum	☐ Globs	☐ Slick						
Water Clarity	☒ Clear	☐ Slightly Turbid	☐ Turbid	☐ Opaque						
Bloom Color	☐ Green	☐ Red	☐ Brown	Other: ☒ N/A						
Algae Distribution	☒ Suspended in water column	☐ On surface	Other: ☐ N/A							
Water Odors	☒ Normal	☐ Sewage	☐ Petroleum	☐ Chemical	Other: _____					
Parameter Suite	Parameter Methods		Preservation	pH Check	#Bottles Sent to Lab	Bottle Group				
Bloom ID (PT-50mL)	☒ BLOOM-ID		☒ Ice		1	A				
Chlorophyll (BP-1L)	☒ CHLSUITE-W		☒ Ice		1	B				
Toxins (BG-WD250)	☒ W-MCYST-AA / W-SAXTN-MS		☒ Ice		1	B				
	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP		☒ Ice ☒ H2SO4 ☒ 2		1	B				
Preserved Nutrients (500mL HDPE)	Acid Lot: CAS 7664-93-9		Exp: 1/17/2024							
Filtered Nutrients (P125mL)	☒ W-PO4-F		☒ Field Filtered 0.45µm Filter		☒ Ice	1	B			
	Filter Lot # 17413308									
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C		☐ Ice	Lugols? Y / N						
Relinquished By: RENK	Date/Time: 3/1/2023	Number of Coolers Shipped: 1		Received By: KK	Date/Time: 3-2-23 10952					

Printed: 3/2/2023 10:52:23

Page 1 of 1

Date of Request: 17-FEB-2023
 Created By: BEARDEN_M On: 17-FEB-2023
 Modified By: AYRES_J On: 23-FEB-2023
 Customer: WQAP
 Project: BLOOM-RESP
 Division: Division of Environmental Assessment and Restoration
 District:
 Event Description: Algal Bloom Response - Orange Co

Send Coolers To:

Phone: 407-897-4123
 3319 Maguire Blvd

 Orlando, FL 32803
 Attn: Matthew Bearden - FDEP
 Cooler Ship EMail: matthew.bearden@dep.state.fl.us

Priority: 1
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 23-FEB-2023
 Biology Request Reviewed By: AYRES_J On: 23-FEB-2023
 Sampling Kit Required: NO Ship on:
 Sampling Kit Shipped:
 Sampling Kit Packed By:
 Preservatives Needed: NO
 Date to Receive Samples: 01-MAR-2023
 Logged In By: PENDLETO_C On: 01-MAR-2023

Send Final Report To:

3319 Maguire Blvd

 Orlando, FL 32083
 Attn: Matthew Bearden
 Report Notification EMail:
 matthew.bearden@dep.state.fl.us;jessie.atchison@floridadep.gov

Comments: Bottle Group A – Priority 1
 For algal dominant taxon

 Bottle Group B – Priority 1
 For toxin testing, nutrients, chlorophyll

 Bottle Group C | Priority 1
 HAB Blank - Nutrients and toxin testing

There are multiple bottles per Group in case multiple sample targets or sample locations are needed. Samplers use best professional judgement to decide which samples are appropriate to collect for a particular response. All sets of bottles do not have to be filled at one time.
 Please print two copies of algal job labels at login.

Bottle Group A (Biological) With 4 Samples:

Bottle Type: PT-50ML Number of Bottles: 4 Preserved With: ICE
 BLOOM-ID Template: DEFAULT (SOP-AB18) Assessment of dominant algal taxa in bloom or mat sample

Bottle Group B (Water) With 4 Samples:

Bottle Type: BP-1L Number of Bottles: 4 Preserved With: ICE
 CHLSUITE-W Template: DEFAULT (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: P-125ML Number of Bottles: 4 Preserved With: ICE
 W-MCYST-AA Template: DEFAULT (EPA 8321B) Microcystins in water matrices by HPLC/MS/MS
 W-SAXTN-MS Template: DEFAULT (EPA 8321B) Saxitoxin in water matrices by HPLC/MS/MS

Bottle Type: P-500ML Number of Bottles: 4 Preserved With: ICE And H2SO4
 W-NH3 Template: DEFAULT (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
 W-NO2NO3 Template: DEFAULT (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
 W-S-A-TP Template: DEFAULT (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
 W-TKN Template: DEFAULT (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices

Bottle Type: P-125ML Number of Bottles: 4 Preserved With: FILTER-ICE
 W-PO4-F Template: DEFAULT (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.