

RQ- 2023 - 04 - 10 - 05 - ³⁵ ~~178~~

Login Checklist

Login Station ID: # 2

Shipping Method: ~~EedEx~~ | UPS | HD | Greyhound

Date/Time of Receipt: 04/13/2023 / 09:09

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
2.4C				10		X			5859 4733 7321

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included? Yes X No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes _____ No X

CONTAINER CHECK

Evidence Tape on Bottles? Yes _____ No _____ NA X Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken? Yes _____ No _____ Containers intact? Yes X No _____

Caps on tight? Yes X No _____

Sufficient Sample Volume: Yes X No _____

If NO is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes _____ No X Init: ABS /

Chlorine detected? (One container checked per Field ID) Yes _____ No X Init: ABS /

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH< 2.0? Yes X No _____ NA _____ Init: ABS /

**W-1-4-DIOX (Green dot on container) preserved to pH< 4.0? Yes _____ No _____ NA X Init: ABS /

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: ABS / Date: 04/13/2023 Event contains NCRs (Y/N)? N

EventID: WQAP - 2023 - 04 - 13 - 03

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	IRTG # 2 EXP:10/17/2023
pH Test Strips 0 – 6	LOT#223819AV EXP:8/30/23
pH Paper 0 – 3	N/A
pH Paper 0 – 13	LOT#207621 EXP:3/15/2024
Chlorine Test Strips	LOT#207621 EXP:3/15/2024

1196/2024/02 abs/04/03/23

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: ABS

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Tracking# 5859 4733 7321



Cyanobacteria Bloom Response Field Data Sheet (2019-12-16 v4)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ-2023-04-10-35		Collected By:	Mike Linger
Customer:	WQAP	Field Report Prepared By:	Mike Linger
Project ID:	BLOOM-RESP	Sampling Agency:	Orange EPD

Comments:

Win ID: HABOC0014
Lake Martha - NE Shore
Field ID: HABOC0014_LakeMartha

Syringe: 2298556

Coordinates:		28.609558, -81.272099	
Collection Equip:		Sample bottles, syringe	
WIN ID:	HABOC0014	High Tide Time:	—
Matrix:	Fresh	Tide:	☐ Rising ☐ Falling ☐ Slack ☒ N/A

Water Quality

Date	Time ☒ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPTH)
4/12/23	0945	87.1	7.3	23.9	6.8	0.3	2.3	1.0	191	✓

Bloom Observations

Algal Bloom Observed?	☐ Yes	☒ No
Water Surface	☒ Clear	☐ Scum
Water Clarity	☒ Clear	☐ Slightly Turbid
Bloom Color	☐ Green	☐ Red
Algae Distribution	☐ Suspended in water column	☐ On surface
Water Odors	☒ Normal	☐ Sewage

Parameter Suite	Parameter Methods	Preservation	pH Check	#Bottles Sent to Lab	Bottle Group
Bloom ID (PT-50mL)	☒ BLOOM-ID	☒ Ice		1	A
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☐ Ice		1	B
Toxins (BG-WD250)	☒ W-MCYST-AA ☒ W-SAXTN-MS	☒ Ice		1	B
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP	☒ Ice ☒ H2SO4	☒ <2	1	B
Filtered Nutrients (P125mL)	☒ W-PO4-F	☒ Field Filtered 0.45µm Filter		1	B
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C	☐ Ice	Lugols? Y / N		
Relinquished By:	Date/Time	Number of Coolers Shipped	Received By:	Date/Time	
Mike Linger	4/12/23 1600		ABP	04-13-23 09:09	



Cyanobacteria Bloom Response Field Data Sheet (2019-12-16 v4)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ-2023-04-10-35

Customer:	WQAP	Collected By:	Mike Linger
Project ID:	BLOOM-RESP	Field Report Prepared By:	Mike Linger
		Sampling Agency:	Orange EPD

Comments:

Win ID: HABOC0013

Lake Burkett - Center

Field ID: HABOC0013_LakeBurkett

Syringe: 2298556

Coordinates: 28.610256, -81.268014

Collection Equip: Sample bottles, syringe

WIN ID: HABOC0013

High Tide Time: — Low Tide Time: —

Matrix: Fresh

Grab

Tide: ☐ Rising ☐ Falling ☐ Slack ☒ N/A

Water Quality

Date	Time ☒ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPT)
4/12/23	0920	88.0	7.4	24.0	6.9	0.3	3.0	1.6	152	—

Bloom Observations

Algal Bloom Observed? ☐ Yes ☒ No

Water Surface	☒ Clear	☐ Scum	☐ Globs	☐ Slick
Water Clarity	☒ Clear	☐ Slightly Turbid	☐ Turbid	☐ Opaque
Bloom Color	☐ Green	☐ Red	☐ Brown	☐ Other: _____ ☐ N/A
Algae Distribution	☐ Suspended in water column		☐ On surface	☐ Other: _____ ☐ N/A
Water Odors	☒ Normal	☐ Sewage	☐ Petroleum	☐ Chemical ☐ Other: _____

Parameter Suite	Parameter Methods	Preservation	pH Check	#Bottles Sent to Lab	Bottle Group
Bloom ID (PT-50mL)	☒ BLOOM-ID	☒ Ice		1	A
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☒ Ice		1	B
Toxins (BG-WD250)	☒ W-MCYST-AA ☒ W-SAXTN-MS	☒ Ice		1	B
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP	☒ Ice ☒ H2SO4	☒ <2	1	B
	Acid Lot: SA3013020	Exp: 1/25/24			
Filtered Nutrients (P125mL)	☒ W-PO4-F ☒ Field Filtered 0.45µm Filter	☒ Ice		1	B
	Filter Lot #: 17413308				
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C	☐ Ice	Lugols? Y / N		
Relinquished By:	Date/Time	Number of Coolers Shipped	Received By:	Date/Time	
Mike Linger	4/12/23 1600		APB	04-13-23 09:09	

Date of Request: 16-MAR-2023
 Created By: BEARDEN_M On: 16-MAR-2023
 Modified By: JASROTIA_P On: 22-MAR-2023
 Customer: WQAP
 Project: BLOOM-RESP
 Division: Division of Environmental Assessment and Restoration
 District:
 Event Description: Algal Bloom Response - Orange Co

Send Coolers To:

Phone: 407-897-4123
 3319 Maguire Blvd

 Orlando, FL 32803
 Attn: Matthew Bearden - FDEP
 Cooler Ship EMail: matthew.bearden@dep.state.fl.us

Priority: 1
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 22-MAR-2023
 Biology Request Reviewed By: JASROTIA_P On: 22-MAR-2023
 Sampling Kit Required: NO Ship on:
 Sampling Kit Shipped:
 Sampling Kit Packed By:
 Preservatives Needed: NO
 Date to Receive Samples: 14-APR-2023
 Logged In By: SHAIK_A On: 13-APR-2023

Send Final Report To:

3319 Maguire Blvd

 Orlando, FL 32083
 Attn: Matthew Bearden
 Report Notification EMail:
 matthew.bearden@dep.state.fl.us;jessie.atchison@floridadep.gov
 v

Comments: Bottle Group A – Priority 1
 For algal dominant taxon

Bottle Group B – Priority 1
 For toxin testing, nutrients, chlorophyll

Bottle Group C | Priority 1
 HAB Blank - Nutrients and toxin testing

There are multiple bottles per Group in case multiple sample targets or sample locations are needed. Samplers use best professional judgement to decide which samples are appropriate to collect for a particular response. All sets of bottles do not have to be filled at one time.

Please print two copies of algal job labels at login.

Bottle Group A (Biological) With 2 Samples:

Bottle Type: PT-50ML Number of Bottles: 2 Preserved With: ICE
 BLOOM-ID Template: DEFAULT (SOP-AB18) Assessment of dominant algal taxa in bloom or mat sample

Bottle Group B (Water) With 2 Samples:

Bottle Type: BP-1L Number of Bottles: 2 Preserved With: ICE
 CHLSUITE-W Template: DEFAULT (SM 10150 B) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: P-125ML Number of Bottles: 2 Preserved With: ICE
 W-MCYST-AA Template: DEFAULT (EPA 8321B) Microcystins in water matrices by HPLC/MS/MS
 W-SAXTN-MS Template: DEFAULT (EPA 8321B) Saxitoxin in water matrices by HPLC/MS/MS

Bottle Type: P-500ML Number of Bottles: 2 Preserved With: ICE And H2SO4
 W-NH3 Template: DEFAULT (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
 W-NO2NO3 Template: DEFAULT (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
 W-S-A-TP Template: DEFAULT (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
 W-TKN Template: DEFAULT (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices

Bottle Type: P-125ML Number of Bottles: 2 Preserved With: FILTER-ICE
 W-PO4-F Template: DEFAULT (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L