

Chemical Analysis Report

WQAP-2023-05-19-03

Florida DEP Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Algal Bloom Response - CEROC**
Request ID: **RQ-2023-05-15-67**
Customer: **WQAP**
Project ID: **BLOOM-RESP**

Send Reports to:
FL Dept. of Environmental Protection
3319 Maguire Blvd. Suite 232
Orlando, FL 32803
Attn: Jessie Atchison

For additional information please contact
Colin Wright, Ph.D.
Chris Bowen, B.S.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Colin Wright, Program Administrator

Date Certified: 05-JUN-2023 15:25

A handwritten signature in black ink, reading "Colin Wright", is displayed on a light blue rectangular background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Nutrients and Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: LAKE OSCEOLA CANTON AVE

Collection Date/Time: 05/18/2023 11:01

Field ID: HABCE0176_LakeOsceola

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2411256	EPA 8321B	Anatoxin-a	0.25	U	ug/L	P430083	
		Cylindrospermopsin	0.10	U	ug/L	P430082	
		Desmethyl microcystin LR	0.25	U	ug/L	P430082	
		Microcystin HILR	0.25	U	ug/L	P430082	
		Microcystin HtyR	0.25	U	ug/L	P430082	
		Microcystin LA	0.10	U	ug/L	P430082	
		Microcystin LF	0.10	U	ug/L	P430082	
		Microcystin LR	0.25	U	ug/L	P430082	
		Microcystin LW	0.25	U	ug/L	P430082	
		Microcystin LY	0.10	U	ug/L	P430082	
		Microcystin RR	0.10	U	ug/L	P430082	
		Microcystin WR	0.50	U	ug/L	P430082	
		Neosaxitoxin	0.50	U	ug/L	P430083	
		Microcystin YR	0.25	U	ug/L	P430082	
		Saxitoxin	0.50	U	ug/L	P430083	
		Nodularin-R	0.10	U	ug/L	P430082	
2411263	EPA 350.1 Rev. 2.0	Ammonia-N	0.064		mg N/L	P430565	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.1		mg N/L	P430321	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.053		mg N/L	P430678	
	EPA 365.1 Rev. 2.0	Total-P	0.022		mg P/L	P430214	
2411268	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P430132	

Sample Location: Lake Minnehaha - E Dock

Collection Date/Time: 05/18/2023 09:52

Field ID: HABCE0194_LakeMinnehaha3

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2411257	EPA 8321B	Anatoxin-a	0.25	U	ug/L	P430083	
		Cylindrospermopsin	0.14	I	ug/L	P430082	
		Desmethyl microcystin LR	0.25	U	ug/L	P430082	
		Microcystin HILR	0.25	U	ug/L	P430082	
		Microcystin HtyR	0.25	U	ug/L	P430082	
		Microcystin LA	0.10	U	ug/L	P430082	
		Microcystin LF	0.10	U	ug/L	P430082	
		Microcystin LR	0.25	U	ug/L	P430082	
		Microcystin LW	0.25	U	ug/L	P430082	
		Microcystin LY	0.10	U	ug/L	P430082	
		Microcystin RR	0.10	U	ug/L	P430082	
		Microcystin WR	0.50	U	ug/L	P430082	
		Neosaxitoxin	0.50	U	ug/L	P430083	
		Microcystin YR	0.25	U	ug/L	P430082	
		Saxitoxin	0.50	U	ug/L	P430083	
		Nodularin-R	0.10	U	ug/L	P430082	
2411264	EPA 350.1 Rev. 2.0	Ammonia-N	0.013		mg N/L	P430565	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.74		mg N/L	P430321	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P430678	
	EPA 365.1 Rev. 2.0	Total-P	0.036		mg P/L	P430214	
2411269	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P430132	

Sample Location: Lake Rowena near NE corner

Collection Date/Time: 05/18/2023 12:55

Field ID: HABCE0057_LakeRowena

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2411253	EPA 8321B	Anatoxin-a	0.25	U	ug/L	P430083	
		Cylindrospermopsin	0.10	U	ug/L	P430082	
		Desmethyl microcystin LR	0.25	U	ug/L	P430082	
		Microcystin HILR	0.25	U	ug/L	P430082	
		Microcystin HtyR	0.25	U	ug/L	P430082	
		Microcystin LA	2.4		ug/L	P430082	
		Microcystin LF	0.10	U	ug/L	P430082	
		Microcystin LR	0.55	I	ug/L	P430082	
		Microcystin LW	0.25	U	ug/L	P430082	
		Microcystin LY	0.31	I	ug/L	P430082	
		Microcystin RR	0.10	U	ug/L	P430082	
		Microcystin WR	0.50	U	ug/L	P430082	
		Neosaxitoxin	0.50	U	ug/L	P430083	
		Microcystin YR	0.25	U	ug/L	P430082	
		Saxitoxin	0.50	U	ug/L	P430083	
		Nodularin-R	0.10	U	ug/L	P430082	
2411260	EPA 350.1 Rev. 2.0	Ammonia-N	0.005		mg N/L	P430565	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.83		mg N/L	P430321	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P430677	
	EPA 365.1 Rev. 2.0	Total-P	0.041		mg P/L	P430214	
2411265	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P430132	

Sample Location: SUNSET LAKE W SHORE

Collection Date/Time: 05/18/2023 12:22

Field ID: HABCE0165_SunsetLake

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2411254	EPA 8321B	Anatoxin-a	0.25	U	ug/L	P430083	
		Cylindrospermopsin	0.10	U	ug/L	P430082	
		Desmethyl microcystin LR	0.25	U	ug/L	P430082	
		Microcystin HILR	0.25	U	ug/L	P430082	
		Microcystin HtyR	0.25	U	ug/L	P430082	
		Microcystin LA	0.10	U	ug/L	P430082	
		Microcystin LF	0.10	U	ug/L	P430082	
		Microcystin LR	0.25	U	ug/L	P430082	
		Microcystin LW	0.25	U	ug/L	P430082	
		Microcystin LY	0.10	U	ug/L	P430082	
		Microcystin RR	0.10	U	ug/L	P430082	
		Microcystin WR	0.50	U	ug/L	P430082	
		Neosaxitoxin	0.50	U	ug/L	P430083	
		Microcystin YR	0.25	U	ug/L	P430082	
		Saxitoxin	0.50	U	ug/L	P430083	
		Nodularin-R	0.10	U	ug/L	P430082	
2411261	EPA 350.1 Rev. 2.0	Ammonia-N	0.014		mg N/L	P430565	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.2		mg N/L	P430321	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P430677	
	EPA 365.1 Rev. 2.0	Total-P	0.032		mg P/L	P430214	
2411266	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P430132	

Sample Location: LAKE VIRGINIA DINKY DOCK

Collection Date/Time: 05/18/2023 10:35

Field ID: HABCE0172_LakeVirginia1

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2411255	EPA 8321B	Anatoxin-a	0.25	U	ug/L	P430083	
		Cylindrospermopsin	0.18	I	ug/L	P430082	
		Desmethyl microcystin LR	0.25	U	ug/L	P430082	
		Microcystin HILR	0.25	U	ug/L	P430082	
		Microcystin HtyR	0.25	U	ug/L	P430082	
		Microcystin LA	0.10	U	ug/L	P430082	
		Microcystin LF	0.10	U	ug/L	P430082	
		Microcystin LR	0.25	U	ug/L	P430082	
		Microcystin LW	0.25	U	ug/L	P430082	
		Microcystin LY	0.10	U	ug/L	P430082	
		Microcystin RR	0.10	U	ug/L	P430082	
		Microcystin WR	0.50	U	ug/L	P430082	
		Neosaxitoxin	0.50	U	ug/L	P430083	
		Microcystin YR	0.25	U	ug/L	P430082	
		Saxitoxin	0.50	U	ug/L	P430083	
		Nodularin-R	0.10	U	ug/L	P430082	
2411262	EPA 350.1 Rev. 2.0	Ammonia-N	0.006		mg N/L	P430565	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.0		mg N/L	P430321	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P430678	
	EPA 365.1 Rev. 2.0	Total-P	0.021		mg P/L	P430214	
2411267	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P430132	

Quality Assurance Report Method Blank Results

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P430565

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P430321

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P430677

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P430678

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P430214

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P430132

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 8321B
Batch ID: P430082

Component	Result	Code	Units
Cylindrospermopsin	0.10	U	ug/L
Desmethyl microcystin LR	0.25	U	ug/L
Microcystin H1LR	0.25	U	ug/L
Microcystin HtyR	0.25	U	ug/L
Microcystin LA	0.10	U	ug/L
Microcystin LF	0.10	U	ug/L
Microcystin LR	0.25	U	ug/L
Microcystin LW	0.25	U	ug/L
Microcystin LY	0.10	U	ug/L
Microcystin RR	0.10	U	ug/L
Microcystin WR	0.50	U	ug/L
Microcystin YR	0.25	U	ug/L
Nodularin-R	0.10	U	ug/L

Quality Assurance Report

Method Blank Results

Reference Method: EPA 8321B
Batch ID: P430083

Component	Result	Code	Units
Anatoxin-a	0.25	U	ug/L
Neosaxitoxin	0.50	U	ug/L
Saxitoxin	0.50	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P430565

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	97.4		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P430321

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	98.9		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P430677

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	104		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P430678

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	105		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P430214

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	99.1		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P430132

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	99.8		P	90 - 110

Reference Method: EPA 8321B
Batch ID: P430082

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Cylindrospermopsin	86.5		P	40 - 150
Desmethyl microcystin LR	100		P	40 - 150
Microcystin H1LR	109		P	40 - 150
Microcystin HtyR	90.3		P	40 - 150
Microcystin LA	117		P	40 - 150
Microcystin LF	92.7		P	40 - 150
Microcystin LR	105		P	40 - 150
Microcystin LW	87.8		P	40 - 150
Microcystin LY	119		P	40 - 150
Microcystin RR	84.9		P	40 - 150
Microcystin WR	90.9		P	40 - 150
Microcystin YR	98.9		P	40 - 150
Nodularin-R	99.7		P	40 - 150

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 8321B
Batch ID: P430083

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Anatoxin-a	89.6		P	40 - 150
Neosaxitoxin	87.6		P	40 - 150
Saxitoxin	81.2		P	40 - 150

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P430565

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2411219	Ammonia-N	99.0	100	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P430321

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2411275	Kjeldahl Nitrogen	105	102	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P430677

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2411202	NO2NO3-N	105	105	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P430678

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2411262	NO2NO3-N	106	106	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P430214

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2411261	Total-P	99.6	99.7	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P430132

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2411203	O-Phosphate-P	96.5	96.7	P/P	90 - 110

Reference Method: EPA 8321B
Batch ID: P430082

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2411009	Cylindrospermopsin	103	100	P/P	40 - 150
2411009	Desmethyl microcystin LR	124	133	P/P	40 - 150
2411009	Microcystin HilR	132	127	P/P	40 - 150
2411009	Microcystin HtyR	118	113	P/P	40 - 150
2411009	Microcystin LA	125	140	P/P	40 - 150
2411009	Microcystin LF	107	110	P/P	40 - 150
2411009	Microcystin LR	142	139	P/P	40 - 150
2411009	Microcystin LW	121	102	P/P	40 - 150
2411009	Microcystin LY	130	109	P/P	40 - 150
2411009	Microcystin RR	102	103	P/P	40 - 150
2411009	Microcystin WR	129	116	P/P	40 - 150
2411009	Microcystin YR	116	122	P/P	40 - 150
2411009	Nodularin-R	122	118	P/P	40 - 150

Quality Assurance Report

Matrix Spike Accuracy

Reference Method: EPA 8321B
Batch ID: P430083

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2411009	Anatoxin-a	90.6	88.7	P/P	40 - 150
2411009	Neosaxitoxin	67.9	67.2	P/P	40 - 150
2411009	Saxitoxin	68.5	68.6	P/P	40 - 150

Quality Assurance Report Precision

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P430565

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2411219	Ammonia-N	1.17	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P430321

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2411275	Kjeldahl Nitrogen	1.92	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P430677

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2411202	NO2NO3-N	0.0	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P430678

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2411262	NO2NO3-N	0.473	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P430214

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2411261	Total-P	0.117	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P430132

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2411203	O-Phosphate-P	0.207	Spike	P	0 - 20

Reference Method: EPA 8321B
Batch ID: P430082

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2411009	Cylindrospermopsin	2.24	Spike	P	0 - 30
2411009	Desmethyl microcystin LR	6.38	Spike	P	0 - 30
2411009	Microcystin HtLR	3.49	Spike	P	0 - 30
2411009	Microcystin HtyR	4.71	Spike	P	0 - 30
2411009	Microcystin LA	10.9	Spike	P	0 - 30
2411009	Microcystin LF	3.05	Spike	P	0 - 30
2411009	Microcystin LR	2.20	Spike	P	0 - 30
2411009	Microcystin LW	16.9	Spike	P	0 - 30
2411009	Microcystin LY	17.6	Spike	P	0 - 30

Quality Assurance Report Precision

Reference Method: EPA 8321B
Batch ID: P430082

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2411009	Microcystin RR	0.546	Spike	P	0 - 30
2411009	Microcystin WR	11.2	Spike	P	0 - 30
2411009	Microcystin YR	4.74	Spike	P	0 - 30
2411009	Nodularin-R	2.92	Spike	P	0 - 30

Reference Method: EPA 8321B
Batch ID: P430083

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2411009	Anatoxin-a	2.07	Spike	P	0 - 30
2411009	Neosaxitoxin	0.963	Spike	P	0 - 30
2411009	Saxitoxin	0.236	Spike	P	0 - 30

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2411253

Field Sample ID: HABCE0057_LakeRowena

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Microcystin LR ethyl-d5	104	P	30 - 160
EPA 8321B	Saxitoxin-15N7	72.2	P	30 - 160

Lab Sample ID: 2411254

Field Sample ID: HABCE0165_SunsetLake

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Microcystin LR ethyl-d5	127	P	30 - 160
EPA 8321B	Saxitoxin-15N7	72.1	P	30 - 160

Lab Sample ID: 2411255

Field Sample ID: HABCE0172_LakeVirginia1

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Microcystin LR ethyl-d5	120	P	30 - 160
EPA 8321B	Saxitoxin-15N7	75.1	P	30 - 160

Lab Sample ID: 2411256

Field Sample ID: HABCE0176_LakeOsceola

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Microcystin LR ethyl-d5	116	P	30 - 160
EPA 8321B	Saxitoxin-15N7	76.7	P	30 - 160

Lab Sample ID: 2411257

Field Sample ID: HABCE0194_LakeMinnehaha3

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Microcystin LR ethyl-d5	103	P	30 - 160
EPA 8321B	Saxitoxin-15N7	73.3	P	30 - 160

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A119285

Included Lab Sample IDs: 2411265, 2411266, 2411267, 2411268, 2411269

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	98.9	99.2	P/P	90 - 110
O-Phosphate-P	99.2	99.5	P/P	90 - 110

Reference Method: EPA 8321B

Run ID: A119318

Included Lab Sample IDs: 2411253, 2411254, 2411255, 2411256, 2411257

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Cylindrospermopsin	85.7	89.2	P/P	50 - 160
Desmethyl microcystin LR	118	120	P/P	50 - 160
Microcystin HILR	121	119	P/P	50 - 160
Microcystin HtyR	99.2	104	P/P	50 - 160
Microcystin LA	129	114	P/P	50 - 160
Microcystin LF	112	117	P/P	50 - 160
Microcystin LR	118	134	P/P	50 - 160
Microcystin LW	111	108	P/P	50 - 160
Microcystin LY	114	118	P/P	50 - 160
Microcystin RR	91.5	89.8	P/P	50 - 160
Microcystin WR	112	105	P/P	50 - 160
Microcystin YR	114	110	P/P	50 - 160
Nodularin-R	102	107	P/P	50 - 160

Reference Method: EPA 8321B

Run ID: A119320

Included Lab Sample IDs: 2411253, 2411254, 2411255, 2411256, 2411257

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Anatoxin-a	90.4	90.3	P/P	50 - 160
Neosaxitoxin	84.5	80.9	P/P	50 - 160
Saxitoxin	83.6	83.2	P/P	50 - 160

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A119379

Included Lab Sample IDs: 2411260, 2411261, 2411262, 2411263, 2411264

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	97.0	99.5	P/P	90 - 110
Total-P	98.0	99.0	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A119401

Included Lab Sample IDs: 2411260, 2411261, 2411262, 2411263, 2411264

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	102	98.8	P/P	90 - 110
Kjeldahl Nitrogen	96.5	102	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A119472

Included Lab Sample IDs: 2411260, 2411261, 2411262, 2411263, 2411264

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	98.0	99.1	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A119514

Included Lab Sample IDs: 2411260, 2411261, 2411262, 2411263, 2411264

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	104	105	P/P	90 - 110
NO2NO3-N	105	105	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision	MS
						SMP	
EPA 350.1 Rev. 2.0	Ammonia-N	97.4	99.0	100			1.17
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	98.9	105	102			1.92
EPA 353.2 Rev. 2.0	NO2NO3-N	104	105	105			0.0
	NO2NO3-N	105	106	106			0.473
EPA 365.1 Rev. 2.0	Total-P	99.1	99.6	99.7			0.117
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	99.8	96.5	96.7			0.207
EPA 8321B	Anatoxin-a	89.6	90.6	88.7			2.07
	Cylindrospermopsin	86.5	100	103			2.24
	Desmethyl microcystin LR	100	124	133			6.38
	Microcystin H1LR	109	132	127			3.49
	Microcystin HtyR	90.3	118	113			4.71
	Microcystin LA	117	125	140			10.9
	Microcystin LF	92.7	107	110			3.05
	Microcystin LR	105	142	139			2.20
	Microcystin LW	87.8	121	102			16.9
	Microcystin LY	119	130	109			17.6
	Microcystin RR	84.9	103	102			0.546
	Microcystin WR	90.9	129	116			11.2
	Microcystin YR	98.9	122	116			4.74
	Neosaxitoxin	87.6	67.9	67.2			0.963
	Nodularin-R	99.7	118	122			2.92
	Saxitoxin	81.2	68.5	68.6			0.236

Reference Method Descriptions

Method	Description	Associated Samples
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2411260, 2411261, 2411262, 2411263, 2411264
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2411260, 2411261, 2411262, 2411263, 2411264
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2411260, 2411261, 2411262, 2411263, 2411264
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2411260, 2411261, 2411262, 2411263, 2411264
EPA 365.1 Rev. 2.0 dissolved	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2411265, 2411266, 2411267, 2411268, 2411269
EPA 8321B	Microcystins in water matrices by HPLC/MS/MS	2411253, 2411254, 2411255, 2411256, 2411257
EPA 8321B	Saxitoxin in water matrices by HPLC/MS/MS	2411253, 2411254, 2411255, 2411256, 2411257

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 350.1 Rev. 2.0	05/19/2023			05/30/2023 14:39	Khloe J Berg	2411260
	05/19/2023			05/30/2023 14:41	Khloe J Berg	2411261
	05/19/2023			05/30/2023 14:42	Khloe J Berg	2411262
	05/19/2023			05/30/2023 14:43	Khloe J Berg	2411263
	05/19/2023			05/30/2023 14:45	Khloe J Berg	2411264
EPA 351.2 Rev. 2.0	05/19/2023	05/24/2023 11:48	Dana G. Hughes	05/25/2023 10:29	Samantha L Bates	2411260
	05/19/2023	05/24/2023 11:48	Dana G. Hughes	05/25/2023 10:31	Samantha L Bates	2411261
	05/19/2023	05/24/2023 11:48	Dana G. Hughes	05/25/2023 10:33	Samantha L Bates	2411262
	05/19/2023	05/24/2023 11:48	Dana G. Hughes	05/25/2023 10:34	Samantha L Bates	2411263
	05/19/2023	05/24/2023 11:48	Dana G. Hughes	05/25/2023 10:39	Samantha L Bates	2411264
EPA 353.2 Rev. 2.0	05/19/2023			06/01/2023 09:58	Beverly Y. Sanders	2411260
	05/19/2023			06/01/2023 09:59	Beverly Y. Sanders	2411261
	05/19/2023			06/01/2023 10:06	Beverly Y. Sanders	2411262
	05/19/2023			06/01/2023 10:13	Beverly Y. Sanders	2411263
	05/19/2023			06/01/2023 10:14	Beverly Y. Sanders	2411264
EPA 365.1 Rev. 2.0	05/19/2023	05/23/2023 14:40	Simonne.V. Calhoun	05/24/2023 11:54	Simonne.V. Calhoun	2411261, 2411262
	05/19/2023	05/23/2023 14:40	Simonne.V. Calhoun	05/24/2023 11:55	Simonne.V. Calhoun	2411263
	05/19/2023	05/23/2023 14:40	Simonne.V. Calhoun	05/24/2023 11:56	Simonne.V. Calhoun	2411264
	05/19/2023	05/23/2023 14:40	Simonne.V. Calhoun	05/24/2023 12:23	Simonne.V. Calhoun	2411260
EPA 365.1 Rev. 2.0 dissolved	05/19/2023			05/19/2023 15:11	Elise M. Gillis	2411265
	05/19/2023			05/19/2023 15:16	Elise M. Gillis	2411266
	05/19/2023			05/19/2023 15:17	Elise M. Gillis	2411267
	05/19/2023			05/19/2023 15:18	Elise M. Gillis	2411268
	05/19/2023			05/19/2023 15:19	Elise M. Gillis	2411269
EPA 8321B	05/19/2023	05/22/2023 09:00	Touraj Touran	05/22/2023 14:22	Touraj Touran	2411253
	05/19/2023	05/22/2023 09:00	Touraj Touran	05/22/2023 14:39	Touraj Touran	2411254
	05/19/2023	05/22/2023 09:00	Touraj Touran	05/22/2023 14:56	Touraj Touran	2411255
	05/19/2023	05/22/2023 09:00	Touraj Touran	05/22/2023 15:13	Touraj Touran	2411256
	05/19/2023	05/22/2023 09:00	Touraj Touran	05/22/2023 15:30	Touraj Touran	2411257
	05/19/2023	05/22/2023 09:00	Touraj Touran	05/23/2023 00:38	Touraj Touran	2411253
	05/19/2023	05/22/2023 09:00	Touraj Touran	05/23/2023 00:52	Touraj Touran	2411254
	05/19/2023	05/22/2023 09:00	Touraj Touran	05/23/2023 01:06	Touraj Touran	2411255
	05/19/2023	05/22/2023 09:00	Touraj Touran	05/23/2023 01:19	Touraj Touran	2411256
	05/19/2023	05/22/2023 09:00	Touraj Touran	05/23/2023 01:33	Touraj Touran	2411257