

Chemical Analysis Report

WQAP-2023-02-22-01

Florida DEP Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Algal Bloom Response - CEROC**
Request ID: **RQ-2023-02-27-21**
Customer: **WQAP**
Project ID: **BLOOM-RESP**

Send Reports to:
FL Dept. of Environmental Protection
3319 Maguire Blvd. Suite 232
Orlando, FL 32803
Attn: Matt Bearden

For additional information please contact
Colin Wright, Ph.D.
Chris Bowen, B.S.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Thekkekalathil Chandrasekhar, Environmental Consultant

Date Certified: 10-MAR-2023 09:50



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Nutrients and Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Lake Ola - NE Shore

Collection Date/Time: 02/21/2023 10:37

Field ID: HABCE0164_LakeOla

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2389087	EPA 8321B	Anatoxin-a	0.25	U	ug/L	P426161	
		Cylindrospermopsin	0.10	U	ug/L	P426160	
		Desmethyl microcystin LR	0.25	U	ug/L	P426160	
		Microcystin HILR	0.25	U	ug/L	P426160	
		Microcystin HtyR	0.25	U	ug/L	P426160	MS
		Microcystin LA	0.22	I	ug/L	P426160	MS
		Microcystin LF	0.10	U	ug/L	P426160	
		Microcystin LR	0.25	U	ug/L	P426160	
		Microcystin LW	0.25	U	ug/L	P426160	
		Microcystin LY	0.10	U	ug/L	P426160	MS
		Microcystin RR	0.10	U	ug/L	P426160	
		Microcystin WR	0.50	U	ug/L	P426160	
		Neosaxitoxin	0.50	U	ug/L	P426161	
		Microcystin YR	0.25	U	ug/L	P426160	MS
		Saxitoxin	0.50	U	ug/L	P426161	
		Nodularin-R	0.10	U	ug/L	P426160	MS
2389090	EPA 350.1 Rev. 2.0	Ammonia-N	0.016		mg N/L	P426531	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.75		mg N/L	P426405	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.021		mg N/L	P426409	
	EPA 365.1 Rev. 2.0	Total-P	0.014		mg P/L	P426385	
2389093	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P426264	

Sample Location: Lake Virginia - Dinky Dock

Collection Date/Time: 02/21/2023 12:38

Field ID: HABCE0172_LakeVirginia1

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2389088	EPA 8321B	Anatoxin-a	0.25	U	ug/L	P426161	
		Cylindrospermopsin	0.10	U	ug/L	P426160	
		Desmethyl microcystin LR	0.25	U	ug/L	P426160	
		Microcystin HILR	0.25	U	ug/L	P426160	
		Microcystin HtyR	0.25	U	ug/L	P426160	MS
		Microcystin LA	0.40	I	ug/L	P426160	MS
		Microcystin LF	0.10	U	ug/L	P426160	
		Microcystin LR	0.38	I	ug/L	P426160	
		Microcystin LW	0.25	U	ug/L	P426160	
		Microcystin LY	0.10	U	ug/L	P426160	MS
		Microcystin RR	0.10	U	ug/L	P426160	
		Microcystin WR	0.50	U	ug/L	P426160	
		Neosaxitoxin	0.50	U	ug/L	P426161	
		Microcystin YR	0.25	U	ug/L	P426160	MS
		Saxitoxin	0.50	U	ug/L	P426161	
		Nodularin-R	0.10	U	ug/L	P426160	MS
2389091	EPA 350.1 Rev. 2.0	Ammonia-N	0.004	I	mg N/L	P426531	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.63		mg N/L	P426405	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P426409	
	EPA 365.1 Rev. 2.0	Total-P	0.037		mg P/L	P426385	
2389094	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P426257	

Sample Location: Lake Osceola - Canton Ave

Collection Date/Time: 02/21/2023 13:37

Field ID: HABCE0176_LakeOsceola

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2389089	EPA 8321B	Anatoxin-a	0.25	U	ug/L	P426161	
		Cylindrospermopsin	0.10	U	ug/L	P426160	
		Desmethyl microcystin LR	0.25	U	ug/L	P426160	
		Microcystin HILR	0.25	U	ug/L	P426160	
		Microcystin HtyR	0.25	U	ug/L	P426160	MS
		Microcystin LA	0.80		ug/L	P426160	MS
		Microcystin LF	0.10	U	ug/L	P426160	
		Microcystin LR	0.31	I	ug/L	P426160	
		Microcystin LW	0.25	U	ug/L	P426160	
		Microcystin LY	0.10	U	ug/L	P426160	MS
		Microcystin RR	0.10	U	ug/L	P426160	
		Microcystin WR	0.50	U	ug/L	P426160	
		Neosaxitoxin	0.50	U	ug/L	P426161	
		Microcystin YR	0.25	U	ug/L	P426160	MS
		Saxitoxin	0.50	U	ug/L	P426161	
		Nodularin-R	0.10	U	ug/L	P426160	MS
2389092	EPA 350.1 Rev. 2.0	Ammonia-N	0.007		mg N/L	P426531	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.57		mg N/L	P426405	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.030		mg N/L	P426409	
	EPA 365.1 Rev. 2.0	Total-P	0.025		mg P/L	P426385	
2389095	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P426257	

Quality Assurance Report

Method Blank Results

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P426531

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P426405

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P426409

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P426385

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P426257

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P426264

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 8321B
Batch ID: P426160

Component	Result	Code	Units
Cylindrospermopsin	0.10	U	ug/L
Desmethyl microcystin LR	0.25	U	ug/L
Microcystin H1LR	0.25	U	ug/L
Microcystin HtyR	0.25	U	ug/L
Microcystin LA	0.10	U	ug/L
Microcystin LF	0.10	U	ug/L
Microcystin LR	0.25	U	ug/L
Microcystin LW	0.25	U	ug/L
Microcystin LY	0.10	U	ug/L
Microcystin RR	0.10	U	ug/L
Microcystin WR	0.50	U	ug/L
Microcystin YR	0.25	U	ug/L
Nodularin-R	0.10	U	ug/L

Quality Assurance Report

Method Blank Results

Reference Method: EPA 8321B
Batch ID: P426161

Component	Result	Code	Units
Anatoxin-a	0.25	U	ug/L
Neosaxitoxin	0.50	U	ug/L
Saxitoxin	0.50	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P426531

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	97.0		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P426405

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	104		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P426409

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	99.5		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P426385

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	102		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P426257

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	98.5		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P426264

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	99.3		P	90 - 110

Reference Method: EPA 8321B
Batch ID: P426160

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Cylindrospermopsin	109		P	40 - 150
Desmethyl microcystin LR	97.4		P	40 - 150
Microcystin H1LR	102		P	40 - 150
Microcystin HtyR	101		P	40 - 150
Microcystin LA	140		P	40 - 150
Microcystin LF	114		P	40 - 150
Microcystin LR	91.5		P	40 - 150
Microcystin LW	96.9		P	40 - 150
Microcystin LY	139		P	40 - 150
Microcystin RR	120		P	40 - 150
Microcystin WR	104		P	40 - 150
Microcystin YR	108		P	40 - 150
Nodularin-R	114		P	40 - 150

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 8321B
Batch ID: P426161

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Anatoxin-a	67.0		P	40 - 150
Neosaxitoxin	75.4		P	40 - 150
Saxitoxin	70.3		P	40 - 150

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P426531

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2389113	Ammonia-N	98.6	100	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P426405

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2389090	Kjeldahl Nitrogen	97.1	102	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P426409

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2389090	NO2NO3-N	98.4	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P426385

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2389023	Total-P	98.4	98.2	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P426257

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2389117	O-Phosphate-P	98.3	97.9	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P426264

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2389093	O-Phosphate-P	97.7	97.3	P/P	90 - 110

Reference Method: EPA 8321B
Batch ID: P426160

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2388804	Cylindrospermopsin	135	118	P/P	40 - 150
2388804	Desmethyl microcystin LR	138	141	P/P	40 - 150
2388804	Microcystin HilR	137	149	P/P	40 - 150
2388804	Microcystin HtyR	156	146	F/P	40 - 150
2388804	Microcystin LA	173	160	F/F	40 - 150
2388804	Microcystin LF	136	125	P/P	40 - 150
2388804	Microcystin LR	135	137	P/P	40 - 150
2388804	Microcystin LW	123	135	P/P	40 - 150
2388804	Microcystin LY	151	147	F/P	40 - 150
2388804	Microcystin RR	115	113	P/P	40 - 150
2388804	Microcystin WR	133	142	P/P	40 - 150
2388804	Microcystin YR	156	159	F/F	40 - 150
2388804	Nodularin-R	179	168	F/F	40 - 150

Quality Assurance Report

Matrix Spike Accuracy

Reference Method: EPA 8321B
Batch ID: P426161

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2388804	Anatoxin-a	70.1	70.2	P/P	40 - 150
2388804	Neosaxitoxin	52.4	56.1	P/P	40 - 150
2388804	Saxitoxin	48.5	51.4	P/P	40 - 150

Quality Assurance Report Precision

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P426531

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2389113	Ammonia-N	1.11	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P426405

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2389090	Kjeldahl Nitrogen	3.76	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P426409

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2389090	NO2NO3-N	1.37	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P426385

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2389023	Total-P	0.127	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P426257

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2389117	O-Phosphate-P	0.408	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P426264

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2389093	O-Phosphate-P	0.410	Spike	P	0 - 20

Reference Method: EPA 8321B
Batch ID: P426160

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2388804	Cylindrospermopsin	13.4	Spike	P	0 - 30
2388804	Desmethyl microcystin LR	2.79	Spike	P	0 - 30
2388804	Microcystin HtIR	8.41	Spike	P	0 - 30
2388804	Microcystin HtyR	7.02	Spike	P	0 - 30
2388804	Microcystin LA	8.02	Spike	P	0 - 30
2388804	Microcystin LF	8.70	Spike	P	0 - 30
2388804	Microcystin LR	1.41	Spike	P	0 - 30
2388804	Microcystin LW	9.35	Spike	P	0 - 30
2388804	Microcystin LY	2.23	Spike	P	0 - 30

Quality Assurance Report Precision

Reference Method: EPA 8321B
Batch ID: P426160

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2388804	Microcystin RR	1.96	Spike	P	0 - 30
2388804	Microcystin WR	7.13	Spike	P	0 - 30
2388804	Microcystin YR	1.58	Spike	P	0 - 30
2388804	Nodularin-R	6.26	Spike	P	0 - 30

Reference Method: EPA 8321B
Batch ID: P426161

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2388804	Anatoxin-a	0.108	Spike	P	0 - 30
2388804	Neosaxitoxin	6.70	Spike	P	0 - 30
2388804	Saxitoxin	5.86	Spike	P	0 - 30

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report
Surrogates

Lab Sample ID: 2389087
Field Sample ID: HABCE0164_LakeOla

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Microcystin LR ethyl-d5	61.8	P	30 - 160
EPA 8321B	Neosaxitoxin-15N7	62.4	P	30 - 160

Lab Sample ID: 2389088
Field Sample ID: HABCE0172_LakeVirginia1

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Microcystin LR ethyl-d5	65.9	P	30 - 160
EPA 8321B	Neosaxitoxin-15N7	57.3	P	30 - 160

Lab Sample ID: 2389089
Field Sample ID: HABCE0176_LakeOsceola

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Microcystin LR ethyl-d5	71.5	P	30 - 160
EPA 8321B	Neosaxitoxin-15N7	52.8	P	30 - 160

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A117608

Included Lab Sample IDs: 2389094, 2389095

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	98.0	97.9	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A117611

Included Lab Sample IDs: 2389093

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	98.4	98.2	P/P	90 - 110

Reference Method: EPA 8321B

Run ID: A117635

Included Lab Sample IDs: 2389087, 2389088, 2389089

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Cylindrospermopsin	72.5	89.9	P/P	50 - 160
Desmethyl microcystin LR	96.1	91.2	P/P	50 - 160
Microcystin H1IR	90.1	93.4	P/P	50 - 160
Microcystin HtyR	87.5	89.7	P/P	50 - 160
Microcystin LA	104	104	P/P	50 - 160
Microcystin LF	81.7	107	P/P	50 - 160
Microcystin LR	90.1	91.5	P/P	50 - 160
Microcystin LW	72.7	92.1	P/P	50 - 160
Microcystin LY	103	92.1	P/P	50 - 160
Microcystin RR	76.4	89.2	P/P	50 - 160
Microcystin WR	94.3	96.3	P/P	50 - 160
Microcystin YR	90.0	78.7	P/P	50 - 160
Nodularin-R	94.7	100	P/P	50 - 160

Reference Method: EPA 8321B

Run ID: A117636

Included Lab Sample IDs: 2389087, 2389088, 2389089

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Anatoxin-a	74.4	69.8	P/P	50 - 160
Neosaxitoxin	87.5	81.1	P/P	50 - 160
Saxitoxin	78.6	75.8	P/P	50 - 160

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A117680

Included Lab Sample IDs: 2389090, 2389091, 2389092

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	99.5	97.5	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A117718

Included Lab Sample IDs: 2389090, 2389091, 2389092

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	95.2	97.2	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A117733

Included Lab Sample IDs: 2389090, 2389091, 2389092

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	97.7	98.0	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A117803

Included Lab Sample IDs: 2389090, 2389091, 2389092

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	105	108	P/P	90 - 110
Kjeldahl Nitrogen	105	105	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision	
					LCS	MS
EPA 350.1 Rev. 2.0	Ammonia-N	97.0	98.6	100		1.11
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	104	97.1	102		3.76
EPA 353.2 Rev. 2.0	NO2NO3-N	99.5	98.4	100		1.37
EPA 365.1 Rev. 2.0	Total-P	102	98.4	98.2		0.127
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	98.5	98.3	97.9		0.408
	O-Phosphate-P	99.3	97.7	97.3		0.410
EPA 8321B	Anatoxin-a	67.0	70.1	70.2		0.108
	Cylindrospermopsin	109	118	135		13.4
	Desmethyl microcystin LR	97.4	141	138		2.79
	Microcystin H1LR	102	149	137		8.41
	Microcystin HtyR	101	146	156		7.02
	Microcystin LA	140	160	173		8.02
	Microcystin LF	114	136	125		8.70
	Microcystin LR	91.5	137	135		1.41
	Microcystin LW	96.9	123	135		9.35
	Microcystin LY	139	151	147		2.23
	Microcystin RR	120	113	115		1.96
	Microcystin WR	104	142	133		7.13
	Microcystin YR	108	159	156		1.58
	Neosaxitoxin	75.4	52.4	56.1		6.70
	Nodularin-R	114	168	179		6.26
	Saxitoxin	70.3	48.5	51.4		5.86

Reference Method Descriptions

Method	Description	Associated Samples
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2389090, 2389091, 2389092
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2389090, 2389091, 2389092
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2389090, 2389091, 2389092
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2389090, 2389091, 2389092
EPA 365.1 Rev. 2.0 dissolved	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2389093, 2389094, 2389095
EPA 8321B	Microcystins in water matrices by HPLC/MS/MS	2389087, 2389088, 2389089
EPA 8321B	Saxitoxin in water matrices by HPLC/MS/MS	2389087, 2389088, 2389089

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 350.1 Rev. 2.0	02/22/2023			03/01/2023 11:40	Ping Hua	2389090
	02/22/2023			03/01/2023 11:41	Ping Hua	2389091
	02/22/2023			03/01/2023 11:43	Ping Hua	2389092
EPA 351.2 Rev. 2.0	02/22/2023	02/27/2023 12:30	Simonne.V. Calhoun	03/03/2023 18:06	Judith K. Clark	2389090
	02/22/2023	02/27/2023 12:30	Simonne.V. Calhoun	03/03/2023 18:10	Judith K. Clark	2389091
	02/22/2023	02/27/2023 12:30	Simonne.V. Calhoun	03/03/2023 18:15	Judith K. Clark	2389092
EPA 353.2 Rev. 2.0	02/22/2023			02/27/2023 09:18	Beverly Y. Sanders	2389090
	02/22/2023			02/27/2023 09:24	Beverly Y. Sanders	2389091
	02/22/2023			02/27/2023 09:25	Beverly Y. Sanders	2389092
EPA 365.1 Rev. 2.0	02/22/2023	02/27/2023 14:45	Alexis Price	02/28/2023 15:36	James L Waggeberby	2389090
	02/22/2023	02/27/2023 14:45	Alexis Price	02/28/2023 15:37	James L Waggeberby	2389091
	02/22/2023	02/27/2023 14:45	Alexis Price	02/28/2023 15:38	James L Waggeberby	2389092
EPA 365.1 Rev. 2.0 dissolved	02/22/2023			02/22/2023 15:04	James L Waggeberby	2389094
	02/22/2023			02/22/2023 15:05	James L Waggeberby	2389095
	02/22/2023			02/22/2023 16:54	James L Waggeberby	2389093
EPA 8321B	02/22/2023	02/23/2023 08:00	Manjita Shrestha	02/23/2023 10:27	Manjita Shrestha	2389087
	02/22/2023	02/23/2023 08:00	Manjita Shrestha	02/23/2023 10:44	Manjita Shrestha	2389088
	02/22/2023	02/23/2023 08:00	Manjita Shrestha	02/23/2023 11:01	Manjita Shrestha	2389089
	02/22/2023	02/23/2023 13:00	Manjita Shrestha	02/24/2023 00:27	Manjita Shrestha	2389087
	02/22/2023	02/23/2023 13:00	Manjita Shrestha	02/24/2023 00:41	Manjita Shrestha	2389088
	02/22/2023	02/23/2023 13:00	Manjita Shrestha	02/24/2023 00:55	Manjita Shrestha	2389089