

Login Checklist

RQ- 2023-04-17-44

Login Station ID: #1

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 5/ 9 /23 @ 9:26

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
0.6				8		✓			5859 9734 3202

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes ☒ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes _____ No ☒

CONTAINER CHECK

Evidence Tape on Bottles?

Yes _____ No _____ NA ☒ Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken?

Yes _____ No _____ Containers intact? Yes ☒ No _____

Caps on tight?

Yes ☒ No _____

Sufficient Sample Volume:

Yes ☒ No _____

If **NO** is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes _____ No ☒ Init: KK

Chlorine detected? (One container checked per Field ID)

Yes _____ No _____ Init: _____

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH< 2.0?

Yes ☒ No _____ NA _____ Init: KK

**W-1-4-DIOX (Green dot on container) preserved to pH< 4.0?

Yes _____ No _____ NA ☒ Init: KK

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: KK

Date: 5/ 9 /23

Event contains NCRs (Y/N)? N

Event ID: Algal Bloom Response -SOROC
WQAP-2023-05-09-01 (BLOOM-RESP)

— Date Received: 09-MAY-2023 09:26

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Infrared Thermometer ID:	IR TEMP GUN #1 Exp:10/17/2023
pH Test Strips 0 – 6	Lot# 223819AV Exp:8/30/23
pH Paper 0 – 3	
pH Paper 0 – 13	Lot# 207621 Exp:3/15/24
Chlorine Test Strips	Lot# 1196 Exp:2/24

Additional Comments:

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____



Cyanobacteria Bloom Response Field Data Sheet (2022-08-15 v1)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ - 2023-04-17-44		Collected By:		John Barrington, Thomas Baker						
Customer:	WQMP	Field Report Prepared By:		John Barrington						
Project ID:	BLOOM_RESP	Sampling Agency:		SOROC						
Location: Lyons Bay Canal - Ramblin Rose Ln			Comments: Possible bloom observed as brown scum wind blown into dead end canal. Globes of filamentous algae present as well. Field measurements not collected							
Field ID: HAB-SD-050823-1400			Coordinates: 27.13274, -82.46768							
WIN Secondary Resource Type: Canal			Collection Equip: WaterBottle							
WIN ID:			High Tide Time:		Low Tide Time:					
Matrix:	Marine	Grab	Tide: ☐ Rising ☐ Falling ☐ Slack ☐ N/A							
Water Quality										
Date	Time ☒ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPTH)
05/08/2023	14:00					0.3				
Bloom Observations										
Algal Bloom Observed? ☒ Yes ☐ No										
Water Clarity		☐ Clear	☐ Slightly Turbid	☒ Turbid	☐ Opaque					
Bloom Color		☐ Green	☐ Red	☒ Brown	☐ Other:					
Algae Type		☒ Planktonic	☐ Filamentous	☐ Other:						
Algae Accumulation		☐ Mat	☐ Specks	☒ Scum	☐ Glob					
Algae Distribution		☐ Surface-Entire	☐ Surf-Localized	☒ Surf-Windblown	☒ Suspended	☐ Benthic	☐ Epiphytic			
Parameter Suite		Parameter Methods			Preservation		pH Check	#Bottles Sent to Lab	Bottle Group	
Algal ID (PT-50mL)		☐ ALGAL-ID			☐ Ice					
Bloom ID (PT-50mL)		☒ BLOOM-ID			☒ Ice			1	A	
Chlorophyll (BP-1L)		☒ CHLSUITE-W			☒ Ice			1	B	
Toxins (P-125/BG-250)		☒ W-MCYST-AA ☒ W-SAXTN-MS ☐ OV-TOXN			☒ Ice			1	B	
Preserved Nutrients (500mL HDPE)		☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP			☒ Ice ☒ H2SO4		☒ <2	1	B	
		SA3013020			1/25/24					
Acid Lot:					Exp:					
Filtered Nutrients (P125mL)		☒ W-PO4-F		☒ Field Filtered 0.45µm Filter		☒ Ice		1	B	
				Filter Lot # 17589311						
Quantitative Algae		☐ DTY-QN-C / PKD-QN-C			☐ Ice ☐ Lugols					
Relinquished By:		Date/Time		Number of Coolers Shipped		Received By:		Date/Time		
John Barrington		05/08/2023 16:00		1		KK		5.9.23 / 0926		



Cyanobacteria Bloom Response Field Data Sheet (2022-08-15 v1)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ - 2023-04-17-44		Collected By:	John Barrington, Thomas Baker							
Customer:	WQMP	Field Report Prepared By:	John Barrington							
Project ID:	BLOOM_RESP	Sampling Agency:	SOROC							
Location: Lyons Bay Canal - Ramblin Rose Ln		Comments: 05/08/2023 14:05 ET DISource:Aries DI system DILocation: Fort Myers SOROC Container ID/Type: Moto Moto / Carboy								
Field ID: FB_05082023		Coordinates:								
WIN Secondary Resource Type:		Collection Equip:								
WIN ID:		High Tide Time:		Low Tide Time:						
Matrix:	Field Blank	Grab	Tide: ☐ Rising ☐ Falling ☐ Slack ☐ N/A							
Water Quality										
Date	Time ☐ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPTH)
Bloom Observations										
Algal Bloom Observed? ☐ Yes ☐ No										
Water Clarity ☐ Clear ☐ Slightly Turbid ☐ Turbid ☐ Opaque										
Bloom Color ☐ Green ☐ Red ☐ Brown ☐ Other: _____										
Algae Type ☐ Planktonic ☐ Filamentous ☐ Other: _____										
Algae Accumulation ☐ Mat ☐ Specks ☐ Scum ☐ Glob										
Algae Distribution ☐ Surface-Entire ☐ Surf-Localized ☐ Surf-Windblown ☐ Suspended ☐ Benthic ☐ Epiphytic										
Parameter Suite	Parameter Methods					Preservation	pH Check	#Bottles Sent to Lab	Bottle Group	
Algal ID (PT-50mL)	☐ ALGAL-ID					☐ Ice				
Bloom ID (PT-50mL)	☐ BLOOM-ID					☐ Ice				
Chlorophyll (BP-1L)	☐ CHLSUITE-W					☐ Ice				
Toxins (P-125/BG-250)	☒ W-MCYST-AA ☒ W-SAXTN-MS ☐ OV-TOXN					☒ Ice		1	C	
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP					☒ Ice	☒ H2SO4	☐ <2	1	C
	SA3013020 Acid Lot: Exp:					1/25/24				
Filtered Nutrients (P125mL)	☒ W-PO4-F					☒ Field Filtered 0.45µm Filter	☒ Ice		1	C
	Filter Lot # 2278574									
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C					☐ Ice	☐ Lugols			
Relinquished By:	Date/Time	Number of Coolers Shipped			Received By:	Date/Time				
John Barrington	05/08/2023 16:00	1			HR	5.9.23 / 0926				

Date of Request: 06-APR-2023
 Created By: BARRINGT_J On: 06-APR-2023
 Modified By: AYRES_J On: 08-MAY-2023
 Customer: WQAP
 Project: BLOOM-RESP
 Division: Division of Environmental Assessment and Restoration
 District: SOROC
 Event Description: Algal Bloom Response -SOROC

Send Coolers To:

Phone: 239-344-5720
 2295 Victoria AVE
 Suite 364
 Fort Myers, FL 33901
 Attn: John Barrington
 Cooler Ship EMail: john.barrington@floridadep.gov

Priority: 1
 Event Status: A
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 08-MAY-2023
 Biology Request Reviewed By: AYRES_J On: 08-MAY-2023
 Sampling Kit Required: NO Ship on:
 Sampling Kit Shipped: YES On: 10-APR-2023
 Sampling Kit Packed By: PENDLETO_C
 Preservatives Needed: NO
 Date to Receive Samples: 17-APR-2023
 Logged In By: KREUCH_B On: 05-MAY-2023

Send Final Report To:

2295 Victoria AVE
 Suite 364
 Fort Myers, FL 33901
 Attn: John Barrington
 Report Notification EMail:
 kalina.warren@dep.state.fl.us; Cheryl.Swanson@dep.state.fl.us; Nicole.Reistad@floridadep.gov; John.Barrington@floridadep.gov; Gary.Snorek@dep.state.fl.us

Comments: Unless peak algal bloom season, may analyze toxin after consultation with Biology's Taxonomy Manager.

Bottle Group A - Priority 1
 For algal dominant taxon.

Bottle Group B - Priority 1
 For toxins, nutrients, chlorophyll,

There are multiple bottles per Group in case multiple sample targets or sample locations are needed. Samplers use best professional judgement to decide which samples are appropriate to collect for a particular response. All sets of bottles do not have to be filled at one time.

Please print two copies of algal job labels at login

Bottle Group A (Biological) With 8 Samples:

Bottle Type: PT-50ML Number of Bottles: 8 Preserved With: ICE
 BLOOM-ID Template: DEFAULT (SOP-AB18) Assessment of dominant algal taxa in bloom or mat sample

Bottle Group B (Water) With 8 Samples:

Bottle Type: BP-1L Number of Bottles: 8 Preserved With: ICE
 CHLSUITE-W Template: DEFAULT (SM 10150 B) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: P-125ML Number of Bottles: 8 Preserved With: ICE
 W-MCYST-AA Template: DEFAULT (EPA 8321B) Microcystins in water matrices by HPLC/MS/MS
 W-SAXTN-MS Template: DEFAULT (EPA 8321B) Saxitoxin in water matrices by HPLC/MS/MS

Bottle Type: P-500ML Number of Bottles: 8 Preserved With: ICE And H2SO4
 W-NH3 Template: DEFAULT (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
 W-NO2NO3 Template: DEFAULT (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
 W-S-A-TP Template: DEFAULT (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
 W-TKN Template: DEFAULT (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices

Bottle Type: P-125ML Number of Bottles: 8 Preserved With: FILTER-ICE
 W-PO4-F Template: DEFAULT (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group C (Water) With 8 Samples:

Bottle Type: P-125ML Number of Bottles: 8 Preserved With: ICE

Bottle Group C (Water) With 8 Samples:

Bottle Type: P-125ML	Number of Bottles: 8	Preserved With: ICE
W-MCYST-AA	Template: DEFAULT	(EPA 8321B) Microcystins in water matrices by HPLC/MS/MS
W-SAXTN-MS	Template: DEFAULT	(EPA 8321B) Saxitoxin in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 8	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 8	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.