

Chemical Analysis Report

WQAP-2023-07-20-01

Florida DEP Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780


Event Description: **Algae Bloom Response NEROC-as needed**
Request ID: **RQ-2023-05-22-64**
Customer: **WQAP**
Project ID: **BLOOM-RESP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way W
Suite 100
Jacksonville, FL 32256
Attn: Katrin Villinger

For additional information please contact
Colin Wright, Ph.D.
Chris Bowen, B.S.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Kerry Tate, Ph.D., Environmental Administrator

Date Certified: 01-AUG-2023 06:50

A handwritten signature in black ink that reads "Kerry Tate". The signature is written in a cursive, flowing style with a horizontal line extending from the end of the name.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Nutrients and Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

**Sample Location: St. Johns River - N Little Lake George
 (Beecher's Point)**

Collection Date/Time: 07/19/2023 14:45

Field ID: NEHAB0106

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2425347	DEP SOP: NU-094-1	Color (true)	48	A	PCU	P432788	
2425350	EPA 350.1 Rev. 2.0	Ammonia-N	0.003	I	mg N/L	P432866	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.84		mg N/L	P432965	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P432949	
	EPA 365.1 Rev. 2.0	Total-P	0.039		mg P/L	P432885	
2425353	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P432783	
2425356	EPA 8321B	Anatoxin-a	0.25	U	ug/L	P432800	
		Cylindrospermopsin	0.10	U	ug/L	P432738	
		Desmethyl microcystin LR	0.25	U	ug/L	P432738	
		Microcystin HILR	0.25	U	ug/L	P432738	
		Microcystin HtyR	0.25	U	ug/L	P432738	
		Microcystin LA	0.10	U	ug/L	P432738	
		Microcystin LF	0.10	U	ug/L	P432738	
		Microcystin LR	0.25	U	ug/L	P432738	
		Microcystin LW	0.25	U	ug/L	P432738	
		Microcystin LY	0.10	U	ug/L	P432738	
		Microcystin RR	0.10	U	ug/L	P432738	
		Microcystin WR	0.50	U	ug/L	P432738	
		Neosaxitoxin	0.50	U	ug/L	P432800	
		Microcystin YR	0.25	U	ug/L	P432738	
		Saxitoxin	0.50	U	ug/L	P432800	
		Nodularin-R	0.10	U	ug/L	P432738	

Ref. Method and Comment:

EPA 350.1 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: St. Johns River - 5937 W Shores Rd

Collection Date/Time: 07/19/2023 11:10

Field ID: NEHAB0107

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2425348	DEP SOP: NU-094-1	Color (true)	90		PCU	P432788	
2425351	EPA 350.1 Rev. 2.0	Ammonia-N	0.004	I	mg N/L	P432866	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.75		mg N/L	P432965	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.016		mg N/L	P432949	
	EPA 365.1 Rev. 2.0	Total-P	0.085		mg P/L	P432885	
2425354	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.044		mg P/L	P432783	
2425357	EPA 8321B	Anatoxin-a	0.25	U	ug/L	P432800	
		Cylindrospermopsin	0.10	U	ug/L	P432738	
		Desmethyl microcystin LR	0.25	U	ug/L	P432738	
		Microcystin HiLR	0.25	U	ug/L	P432738	
		Microcystin HtyR	0.25	U	ug/L	P432738	
		Microcystin LA	0.10	U	ug/L	P432738	
		Microcystin LF	0.10	U	ug/L	P432738	
		Microcystin LR	0.25	U	ug/L	P432738	
		Microcystin LW	0.25	U	ug/L	P432738	
		Microcystin LY	0.10	U	ug/L	P432738	
		Microcystin RR	0.10	U	ug/L	P432738	
		Microcystin WR	0.50	U	ug/L	P432738	
		Neosaxitoxin	0.50	U	ug/L	P432800	
		Microcystin YR	0.25	U	ug/L	P432738	
		Saxitoxin	0.50	U	ug/L	P432800	
		Nodularin-R	0.10	U	ug/L	P432738	

Ref. Method and Comment:

EPA 350.1 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: Doctors Lake - Pace Island dock

Collection Date/Time: 07/19/2023 10:10

Field ID: NEHAB0055

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2425346	DEP SOP: NU-094-1	Color (true)	74		PCU	P432787	
2425349	EPA 350.1 Rev. 2.0	Ammonia-N	0.077		mg N/L	P432866	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.89		mg N/L	P432965	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.013		mg N/L	P432949	
	EPA 365.1 Rev. 2.0	Total-P	0.11		mg P/L	P432885	
2425352	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.061		mg P/L	P432783	
2425355	EPA 8321B	Anatoxin-a	0.25	U	ug/L	P432800	
		Cylindrospermopsin	0.10	U	ug/L	P432738	
		Desmethyl microcystin LR	0.25	U	ug/L	P432738	
		Microcystin HILR	0.25	U	ug/L	P432738	
		Microcystin HtyR	0.25	U	ug/L	P432738	
		Microcystin LA	0.10	U	ug/L	P432738	
		Microcystin LF	0.10	U	ug/L	P432738	
		Microcystin LR	0.33	I	ug/L	P432738	
		Microcystin LW	0.25	U	ug/L	P432738	
		Microcystin LY	0.10	U	ug/L	P432738	
		Microcystin RR	0.10	U	ug/L	P432738	
		Microcystin WR	0.50	U	ug/L	P432738	
		Neosaxitoxin	0.50	U	ug/L	P432800	
		Microcystin YR	0.25	U	ug/L	P432738	
		Saxitoxin	0.50	U	ug/L	P432800	
		Nodularin-R	0.10	U	ug/L	P432738	

Ref. Method and Comment:

EPA 350.1 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Quality Assurance Report

Method Blank Results

Reference Method: DEP SOP: NU-094-1
Batch ID: P432787

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: DEP SOP: NU-094-1
Batch ID: P432788

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P432866

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P432965

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P432949

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P432885

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P432783

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 8321B
Batch ID: P432738

Component	Result	Code	Units
Cylindrospermopsin	0.10	U	ug/L
Desmethyl microcystin LR	0.25	U	ug/L
Microcystin HILR	0.25	U	ug/L
Microcystin HtyR	0.25	U	ug/L
Microcystin LA	0.10	U	ug/L
Microcystin LF	0.10	U	ug/L
Microcystin LR	0.25	U	ug/L
Microcystin LW	0.25	U	ug/L
Microcystin LY	0.10	U	ug/L
Microcystin RR	0.10	U	ug/L

Quality Assurance Report

Method Blank Results

Reference Method: EPA 8321B
Batch ID: P432738

Component	Result	Code	Units
Microcystin WR	0.50	U	ug/L
Microcystin YR	0.25	U	ug/L
Nodularin-R	0.10	U	ug/L

Reference Method: EPA 8321B
Batch ID: P432800

Component	Result	Code	Units
Anatoxin-a	0.25	U	ug/L
Neosaxitoxin	0.50	U	ug/L
Saxitoxin	0.50	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: DEP SOP: NU-094-1
Batch ID: P432787

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	98.8		P	90 - 110

Reference Method: DEP SOP: NU-094-1
Batch ID: P432788

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	98.6		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P432866

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	95.0		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P432965

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	102		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P432949

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	100		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P432885

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	99.1		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P432783

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	99.9		P	90 - 110

Reference Method: EPA 8321B
Batch ID: P432738

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Cylindrospermopsin	101		P	40 - 160
Desmethyl microcystin LR	110		P	40 - 160
Microcystin HIR	114		P	40 - 160
Microcystin HtyR	102		P	40 - 160
Microcystin LA	108		P	40 - 160
Microcystin LF	94.8		P	40 - 160
Microcystin LR	114		P	40 - 160
Microcystin LW	98.0		P	40 - 160
Microcystin LY	121		P	40 - 160
Microcystin RR	97.7		P	40 - 160

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 8321B
Batch ID: P432738

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Microcystin WR	104		P	40 - 160
Microcystin YR	119		P	40 - 160
Nodularin-R	99.7		P	40 - 160

Reference Method: EPA 8321B
Batch ID: P432800

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Anatoxin-a	119		P	40 - 150
Neosaxitoxin	103		P	40 - 150
Saxitoxin	92.5		P	40 - 150

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P432965

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2425310	Kjeldahl Nitrogen	100	103	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P432949

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2425312	NO2NO3-N	94.6	99.6	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P432885

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2425310	Total-P	106	107	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P432783

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2425389	O-Phosphate-P	99.9	99.6	P/P	90 - 110

Reference Method: EPA 8321B
Batch ID: P432738

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2425337	Cylindrospermopsin	104	103	P/P	40 - 160
2425337	Desmethyl microcystin LR	121	126	P/P	40 - 160
2425337	Microcystin HilR	121	121	P/P	40 - 160
2425337	Microcystin HtyR	109	113	P/P	40 - 160
2425337	Microcystin LA	109	118	P/P	40 - 160
2425337	Microcystin LF	110	107	P/P	40 - 160
2425337	Microcystin LR	128	135	P/P	40 - 160
2425337	Microcystin LW	105	106	P/P	40 - 160
2425337	Microcystin LY	125	131	P/P	40 - 160
2425337	Microcystin RR	103	109	P/P	40 - 160
2425337	Microcystin WR	106	114	P/P	40 - 160
2425337	Microcystin YR	128	137	P/P	40 - 160
2425337	Nodularin-R	112	119	P/P	40 - 160

Reference Method: EPA 8321B
Batch ID: P432800

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2425337	Anatoxin-a	113	106	P/P	40 - 150
2425337	Neosaxitoxin	69.8	62.4	P/P	40 - 150
2425337	Saxitoxin	67.2	66.3	P/P	40 - 150

Quality Assurance Report Precision

Reference Method: DEP SOP: NU-094-1
Batch ID: P432787

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2425307	Color (true)	0.0945	Sample	P	0 - 20

Reference Method: DEP SOP: NU-094-1
Batch ID: P432788

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2425347	Color (true)	0.360	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P432866

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2425349	Ammonia-N	0.469	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P432965

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2425310	Kjeldahl Nitrogen	2.81	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P432949

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2425312	NO2NO3-N	3.52	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P432885

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2425310	Total-P	0.558	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P432783

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2425389	O-Phosphate-P	0.301	Spike	P	0 - 20

Reference Method: EPA 8321B
Batch ID: P432738

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2425337	Cylindrospermopsin	0.900	Spike	P	0 - 30
2425337	Desmethyl microcystin LR	4.04	Spike	P	0 - 30

Quality Assurance Report Precision

Reference Method: EPA 8321B
Batch ID: P432738

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2425337	Microcystin HII R	0.189	Spike	P	0 - 30
2425337	Microcystin Hty R	2.78	Spike	P	0 - 30
2425337	Microcystin LA	8.30	Spike	P	0 - 30
2425337	Microcystin LF	2.38	Spike	P	0 - 30
2425337	Microcystin LR	4.50	Spike	P	0 - 30
2425337	Microcystin LW	0.655	Spike	P	0 - 30
2425337	Microcystin LY	4.59	Spike	P	0 - 30
2425337	Microcystin RR	5.28	Spike	P	0 - 30
2425337	Microcystin WR	7.13	Spike	P	0 - 30
2425337	Microcystin YR	6.74	Spike	P	0 - 30
2425337	Nodularin-R	6.73	Spike	P	0 - 30

Reference Method: EPA 8321B
Batch ID: P432800

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2425337	Anatoxin-a	6.76	Spike	P	0 - 30
2425337	Neosaxitoxin	11.2	Spike	P	0 - 30
2425337	Saxitoxin	1.39	Spike	P	0 - 30

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2425355
Field Sample ID: NEHAB0055

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Anatoxin-a 13C4	88.3	P	30 - 160
EPA 8321B	Anatoxin-a 13C4	88.3	P	30 - 160
EPA 8321B	Microcystin LR ethyl-d5	77.3	P	30 - 160

Lab Sample ID: 2425356
Field Sample ID: NEHAB0106

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Anatoxin-a 13C4	94.9	P	30 - 160
EPA 8321B	Anatoxin-a 13C4	94.9	P	30 - 160
EPA 8321B	Microcystin LR ethyl-d5	75.3	P	30 - 160

Lab Sample ID: 2425357
Field Sample ID: NEHAB0107

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Anatoxin-a 13C4	94.5	P	30 - 160
EPA 8321B	Anatoxin-a 13C4	94.5	P	30 - 160
EPA 8321B	Microcystin LR ethyl-d5	86.7	P	30 - 160

Quality Assurance Report Calibration Verification

Reference Method: EPA 8321B

Run ID: A120514

Included Lab Sample IDs: 2425355, 2425356, 2425357

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Anatoxin-a	113	111	P/P	50 - 160
Neosaxitoxin	99.3	94.4	P/P	50 - 160
Saxitoxin	87.3	87.3	P/P	50 - 160

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A120524

Included Lab Sample IDs: 2425352, 2425353, 2425354

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	96.8	97.5	P/P	90 - 110

Reference Method: DEP SOP: NU-094-1

Run ID: A120528

Included Lab Sample IDs: 2425346, 2425347, 2425348

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	98.5	99.4	P/P	90 - 110
Color (true)	99.4	98.2	P/P	90 - 110

Reference Method: EPA 8321B

Run ID: A120534

Included Lab Sample IDs: 2425355, 2425356, 2425357

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Cylindrospermopsin	98.3	99.8	P/P	60 - 160
Desmethyl microcystin LR	104	107	P/P	50 - 160
Microcystin HILR	110	110	P/P	60 - 160
Microcystin HtyR	100	97.8	P/P	60 - 160
Microcystin LA	105	110	P/P	50 - 160
Microcystin LF	105	99.7	P/P	60 - 160
Microcystin LR	117	120	P/P	60 - 160
Microcystin LW	94.7	93.0	P/P	60 - 160
Microcystin LY	121	120	P/P	60 - 160
Microcystin RR	94.4	96.1	P/P	60 - 160
Microcystin WR	99.0	99.3	P/P	60 - 160
Microcystin YR	116	120	P/P	60 - 160
Nodularin-R	103	106	P/P	60 - 160

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A120559

Included Lab Sample IDs: 2425349, 2425350, 2425351

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	98.9	97.8	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A120590

Included Lab Sample IDs: 2425349, 2425351

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	101	101	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A120592

Included Lab Sample IDs: 2425350

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	100	100	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A120608

Included Lab Sample IDs: 2425349, 2425350, 2425351

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	100	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A120677

Included Lab Sample IDs: 2425349, 2425350, 2425351

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	96.8	96.0	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision	MS
						SMP	
DEP SOP: NU-094-1	Color (true)	98.8				0.0945	
	Color (true)	98.6				0.360	
EPA 350.1 Rev. 2.0	Ammonia-N	95.0					0.469
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	102	100	103			2.81
EPA 353.2 Rev. 2.0	NO2NO3-N	100	94.6	99.6			3.52
EPA 365.1 Rev. 2.0	Total-P	99.1	106	107			0.558
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	99.9	99.9	99.6			0.301
EPA 8321B	Anatoxin-a	119	113	106			6.76
	Cylindrospermopsin	101	104	103			0.900
	Desmethyl microcystin LR	110	121	126			4.04
	Microcystin HiLR	114	121	121			0.189
	Microcystin HtyR	102	109	113			2.78
	Microcystin LA	108	109	118			8.30
	Microcystin LF	94.8	110	107			2.38
	Microcystin LR	114	128	135			4.50
	Microcystin LW	98.0	105	106			0.655
	Microcystin LY	121	125	131			4.59
	Microcystin RR	97.7	103	109			5.28
	Microcystin WR	104	106	114			7.13
	Microcystin YR	119	128	137			6.74
	Neosaxitoxin	103	69.8	62.4			11.2
	Nodularin-R	99.7	112	119			6.73
	Saxitoxin	92.5	67.2	66.3			1.39

Reference Method Descriptions

Method	Description	Associated Samples
DEP SOP: NU-094-1	True Color measured at 450 nm (not valid for NPDES monitoring)	2425346, 2425347, 2425348
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2425349, 2425350, 2425351
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2425349, 2425350, 2425351
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2425349, 2425350, 2425351
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2425349, 2425350, 2425351
EPA 365.1 Rev. 2.0 dissolved	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2425352, 2425353, 2425354
EPA 8321B	Microcystins in water matrices by HPLC/MS/MS	2425355, 2425356, 2425357
EPA 8321B	Saxitoxin in water matrices by HPLC/MS/MS	2425355, 2425356, 2425357

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
DEP SOP: NU-094-1	07/20/2023			07/20/2023 14:18	Alexis Price	2425346
	07/20/2023			07/20/2023 14:22	Alexis Price	2425347
	07/20/2023			07/20/2023 14:23	Alexis Price	2425348
EPA 350.1 Rev. 2.0	07/20/2023			07/21/2023 14:08	Khloe J Berg	2425349
	07/20/2023			07/21/2023 14:12	Khloe J Berg	2425350
	07/20/2023			07/21/2023 14:13	Khloe J Berg	2425351
EPA 351.2 Rev. 2.0	07/20/2023	07/25/2023 15:32	Dana G. Hughes	07/27/2023 09:54	Samantha L Bates	2425349
	07/20/2023	07/25/2023 15:32	Dana G. Hughes	07/27/2023 09:56	Samantha L Bates	2425350
	07/20/2023	07/25/2023 15:32	Dana G. Hughes	07/27/2023 09:58	Samantha L Bates	2425351
EPA 353.2 Rev. 2.0	07/20/2023			07/24/2023 12:54	Judith K. Clark	2425349
	07/20/2023			07/24/2023 12:55	Judith K. Clark	2425350
	07/20/2023			07/24/2023 12:56	Judith K. Clark	2425351
EPA 365.1 Rev. 2.0	07/20/2023	07/24/2023 11:56	Alexis Price	07/24/2023 14:30	Simonne.V. Calhoun	2425349
	07/20/2023	07/24/2023 11:56	Alexis Price	07/24/2023 14:32	Simonne.V. Calhoun	2425351
	07/20/2023	07/24/2023 11:56	Alexis Price	07/24/2023 15:47	Simonne.V. Calhoun	2425350
EPA 365.1 Rev. 2.0 dissolved	07/20/2023			07/20/2023 13:00	James L Waggeberby	2425352
	07/20/2023			07/20/2023 13:01	James L Waggeberby	2425353
	07/20/2023			07/20/2023 13:02	James L Waggeberby	2425354
EPA 8321B	07/20/2023	07/20/2023 12:00	Tae K Lee	07/20/2023 16:02	Juyoung Kim	2425355
	07/20/2023	07/20/2023 12:00	Tae K Lee	07/20/2023 16:19	Juyoung Kim	2425356
	07/20/2023	07/20/2023 12:00	Tae K Lee	07/20/2023 16:36	Juyoung Kim	2425357
	07/20/2023	07/20/2023 12:00	Tae K Lee	07/20/2023 16:44	Hana Lee	2425355
	07/20/2023	07/20/2023 12:00	Tae K Lee	07/20/2023 16:58	Hana Lee	2425356
	07/20/2023	07/20/2023 12:00	Tae K Lee	07/20/2023 17:12	Hana Lee	2425357