

Login Checklist

RQ-2023-06-26-51

Login Station ID: #5

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 7/20/23 @ 9:05

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
2.2				18		X			648484563713
1.4				14		X			648484563724

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes ☒ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes _____ No ☒

CONTAINER CHECK

Evidence Tape on Bottles?

Yes _____ No _____ NA ☒ Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken?

Yes _____ No _____ Containers intact? Yes ☒ No _____

Caps on tight?

Yes ☒ No _____

Sufficient Sample Volume:

Yes ☒ No _____

If **NO** is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes _____ No ☒ Init: CP

Chlorine detected? (One container checked per Field ID)

Yes _____ No _____ Init: _____

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH < 2.0?

Yes ☒ No _____ NA _____ Init: CP

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?

Yes _____ No _____ NA ☒ Init: CP

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: CP

Date: 7/20/23 Event contains NCRs (Y/N)? N

EventID: WQAP-2023-07-20-02

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	IR TEMP GUN #1 Exp:10/17/2023
pH Test Strips 0 – 6	Lot# 223819AV Exp:8/30/23
pH Paper 0 – 3	
pH Paper 0 – 13	Lot# 207621 Exp:3/15/24
Chlorine Test Strips	Lot# 1196 Exp:2/24

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____



Cyanobacteria Bloom Response Field Data Sheet (2023-06-12 v1)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ - 2023-06-26-51		Collected By:		Megan Maloney, Devin Mathias						
Customer:	SWROC		Field Report Prepared By:		Megan Maloney					
Project ID:	BLOOM_RESP		Sampling Agency:		SWROC					
Location: Lake Whistler - at dock			Comments:							
Field ID: HAB-SW-0213			Coordinates: 28.09204, -81.80987							
WIN Secondary Resource Type: Lake			Collection Equip: WaterBottle							
WIN ID: HAB-SW-0125			High Tide Time:		Low Tide Time:					
Matrix:	Fresh	Grab	Tide: ☐ Rising ☐ Falling ☐ Slack ☒ N/A							
Water Quality										
Date	Time ☒ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPTH)
07/19/2023	12:00	78.9	5.85	31.1	7.32	0.3	1.4	1.4	247.7	0.12
Bloom Observations										
Algal Bloom Observed? ☐ Yes ☒ No										
Water Clarity	☒ Clear	☐ Slightly Turbid		☐ Turbid		☐ Opaque				
Bloom Color	☐ Green	☐ Red		☐ Brown		☐ Other:				
Algae Type	☐ Planktonic	☐ Filamentous		☐ Other:						
Algae Accumulation	☐ Mat	☐ Specks		☐ Scum		☐ Glob				
Algae Distribution	☐ Surface-Entire		☐ Surf-Localized		☐ Surf-Windblown		☐ Suspended		☐ Benthic ☐ Epiphytic	
Parameter Suite	Parameter Methods					Preservation		pH Check	#Bottles Sent to Lab	Bottle Group
Algae (PT-50mL)	☐ ALGAL-ID ☒ BLOOM-ID					☒ Ice			1	A
Chlorophyll (BP-1L)	☒ CHLSUITE-W					☒ Ice			1	B
Toxins (P-125/BG-250)	☒ W-MCYST-AA ☒ W-SAXTN-MS ☐ OV-TOXN					☒ Ice			1	B
Physical/Aggregate	☒ W-COLOR					☒ Ice			1	B
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP					☒ Ice ☒ H2SO4		☒ <2	1	B
	SA3013020					01/25/24				
	Acid Lot:		Exp:							
Filtered Nutrients (P125mL)	☒ W-PO4-F		☒ Field Filtered 0.45µm Filter			☒ Ice			1	B
			Filter Lot # 17756911							
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C					☐ Ice ☐ Lugols				
Relinquished By:	Date/Time		Number of Coolers Shipped			Received By:		Date/Time		
Megan Maloney	07/19/2023 16:00		2			CP		7/20/23 0905here		



Cyanobacteria Bloom Response Field Data Sheet (2023-06-12 v1)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ - 2023-06-26-51		Collected By:		Megan Maloney, Devin Mathias						
Customer:	SWROC		Field Report Prepared By:	Megan Maloney						
Project ID:	BLOOM_RESP		Sampling Agency:	SWROC						
Location: Lake Smart - Hibiscus Dr Dock			Comments:							
Field ID: HAB-SW-0214			Coordinates:	28.06300, -81.71214						
WIN Secondary Resource Type: Lake			Collection Equip:	WaterBottle						
WIN ID: HAB-SW-0156			High Tide Time:		Low Tide Time:					
Matrix:	Fresh	Grab	Tide:	☐ Rising ☐ Falling ☐ Slack ☒ N/A						
Water Quality										
Date	Time ☒ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPTH)
07/19/2023	10:45	83.4	6.26	30.3	7.5	0.3	1.4	0.7	185.1	0.09
Bloom Observations										
Algal Bloom Observed? ☐ Yes ☒ No										
Water Clarity	☐ Clear		☒ Slightly Turbid		☐ Turbid	☐ Opaque				
Bloom Color	☐ Green		☐ Red		☐ Brown	☐ Other:				
Algae Type	☐ Planktonic		☐ Filamentous		☐ Other:					
Algae Accumulation	☐ Mat		☐ Specks		☐ Scum	☐ Glob				
Algae Distribution	☐ Surface-Entire		☐ Surf-Localized		☐ Surf-Windblown	☐ Suspended	☐ Benthic	☐ Epiphytic		
Parameter Suite	Parameter Methods				Preservation	pH Check	#Bottles Sent to Lab	Bottle Group		
Algae (PT-50mL)	☐ ALGAL-ID ☒ BLOOM-ID				☒ Ice		1	A		
Chlorophyll (BP-1L)	☒ CHLSUITE-W				☒ Ice		1	B		
Toxins (P-125/BG-250)	☒ W-MCYST-AA ☒ W-SAXTN-MS ☐ OV-TOXN				☒ Ice		1	B		
Physical/Aggregate	☒ W-COLOR				☒ Ice		1	B		
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / ☒ W-NO2NO3 / ☒ W-TKN / ☒ W-S-A-TP				☒ Ice	☒ H2SO4	☒ <2	1	B	
	SA3013020		Acid Lot:		Exp:		01/25/24			
Filtered Nutrients (P125mL)	☒ W-PO4-F		☒ Field Filtered 0.45µm Filter		☒ Ice		1	B		
	Filter Lot # 17756911									
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C				☐ Ice	☐ Lugols				
Relinquished By:	Date/Time	Number of Coolers Shipped			Received By:	Date/Time				
Megan Maloney	07/19/2023 16:00	2			CP	7/20/23 0905				



Cyanobacteria Bloom Response Field Data Sheet (2023-06-12 v1)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ - 2023-06-26-51		Collected By:		Megan Maloney, Devin Mathias						
Customer:	SWROC	Field Report Prepared By:		Megan Maloney						
Project ID:	BLOOM_RESP	Sampling Agency:		SWROC						
Location: Lake Silver			Comments:							
Field ID: HAB-SW-0215			Coordinates: 28.02983, -81.72938							
WIN Secondary Resource Type: Lake			Collection Equip: WaterBottle							
WIN ID: HAB-SW-0215			High Tide Time:		Low Tide Time:					
Matrix:	Fresh	Grab	Tide: ☐ Rising ☐ Falling ☐ Slack ☒ N/A							
Water Quality										
Date	Time ☒ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPTH)
07/19/2023	11:15	107.5	7.96	31.2	8.77	0.3	2.7	1	139.3	0.06
	23:16	107.4	7.97	30.9	8.75	2.2			139.1	0.06
Bloom Observations										
Algal Bloom Observed? ☐ Yes ☒ No										
Water Clarity	☐ Clear ☐ Slightly Turbid ☒ Turbid ☐ Opaque									
Bloom Color	☐ Green ☐ Red ☐ Brown ☐ Other:									
Algae Type	☐ Planktonic ☐ Filamentous ☐ Other:									
Algae Accumulation	☐ Mat ☐ Specks ☐ Scum ☐ Glob									
Algae Distribution	☐ Surface-Entire ☐ Surf-Localized ☐ Surf-Windblown ☐ Suspended ☐ Benthic ☐ Epiphytic									
Parameter Suite	Parameter Methods					Preservation	pH Check	#Bottles Sent to Lab	Bottle Group	
Algae (PT-50mL)	☐ ALGAL-ID ☒ BLOOM-ID					☒ Ice		1	A	
Chlorophyll (BP-1L)	☒ CHLSUITE-W					☒ Ice		1	B	
Toxins (P-125/BG-250)	☒ W-MCYST-AA ☒ W-SAXTN-MS ☐ OV-TOXN					☒ Ice		1	B	
Physical/Aggregate	☒ W-COLOR					☒ Ice		1	B	
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP					☒ Ice ☒ H2SO4	☒ <2	1	B	
	SA3013020 Acid Lot:					Exp: 01/25/24				
Filtered Nutrients (P125mL)	☒ W-PO4-F					☒ Field Filtered 0.45µm Filter	☒ Ice	1	B	
	Filter Lot # 17756911									
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C					☐ Ice ☐ Lugols				
Relinquished By:	Date/Time		Number of Coolers Shipped			Received By:		Date/Time		
Megan Maloney	07/19/2023 16:00		2			CP		7/20/23 0905		



Cyanobacteria Bloom Response Field Data Sheet (2023-06-12 v1)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ - 2023-06-26-51		Collected By:		Megan Maloney, Devin Mathias						
Customer: SWROC		Field Report Prepared By:		Megan Maloney						
Project ID: BLOOM_RESP		Sampling Agency:		SWROC						
Location: Lake Haines - Boat Ramp			Comments:							
Field ID: HAB-SW-0211			Coordinates: 28.09196, -81.71664							
WIN Secondary Resource Type: Lake			Collection Equip: WaterBottle							
WIN ID: HAB-SW-0158			High Tide Time:		Low Tide Time:					
Matrix:	Fresh	Grab	Tide: ☐ Rising ☐ Falling ☐ Slack ☒ N/A							
Water Quality										
Date	Time ☒ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPT)
07/19/2023	09:50	85.4	6.45	29.9	7.8	0.3	1.4	0.3	164	0.08
Bloom Observations										
Algal Bloom Observed? ☒ Yes ☐ No										
Water Clarity		☐ Clear		☐ Slightly Turbid		☒ Turbid		☐ Opaque		
Bloom Color		☒ Green		☐ Red		☐ Brown		☐ Other:		
Algae Type		☒ Planktonic		☐ Filamentous		☐ Other:				
Algae Accumulation		☐ Mat		☒ Specks		☐ Scum		☐ Glob		
Algae Distribution		☐ Surface-Entire		☐ Surf-Localized		☐ Surf-Windblown		☒ Suspended ☐ Benthic ☐ Epiphytic		
Parameter Suite		Parameter Methods				Preservation		pH Check	#Bottles Sent to Lab	Bottle Group
Algae (PT-50mL)		☐ ALGAL-ID ☒ BLOOM-ID				☒ Ice			1	A
Chlorophyll (BP-1L)		☒ CHLSUITE-W				☒ Ice			1	B
Toxins (P-125/BG-250)		☒ W-MCYST-AA ☒ W-SAXTN-MS ☐ OV-TOXN				☒ Ice			1	B
Physical/Aggregate		☒ W-COLOR				☒ Ice			1	B
Preserved Nutrients (500mL HDPE)		☒ W-NH3 / ☒ W-NO2NO3 / ☒ W-TKN / ☒ W-S-A-TP				☒ Ice ☒ H2SO4		☒ <2	1	B
		SA3013020				01/25/24				
		Acid Lot:		Exp:						
Filtered Nutrients (P125mL)		☒ W-PO4-F		☒ Field Filtered 0.45µm Filter		☒ Ice			1	B
				Filter Lot # 17756911						
Quantitative Algae		☐ DTY-QN-C / PKD-QN-C				☐ Ice ☐ Lugols				
Relinquished By:		Date/Time		Number of Coolers Shipped		Received By:		Date/Time		
Megan Maloney		07/19/2023 16:00		2		CP		7/20/23 0905		



Cyanobacteria Bloom Response Field Data Sheet (2023-06-12 v1)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ - 2023-06-26-51		Collected By:		Megan Maloney, Devin Mathias						
Customer:	SWROC	Field Report Prepared By:		Megan Maloney						
Project ID:	BLOOM_RESP	Sampling Agency:		SWROC						
Location: Lake Rochelle - Dock			Comments:							
Field ID: HAB-SW-0212			Coordinates: 28.07770, -81.72953							
WIN Secondary Resource Type: Lake			Collection Equip: WaterBottle							
WIN ID: HAB-SW-0153			High Tide Time:		Low Tide Time:					
Matrix:	Fresh	Grab	Tide: ☐ Rising ☐ Falling ☐ Slack ☒ N/A							
Water Quality										
Date	Time ☒ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPTH)
07/19/2023	10:15	79.8	6.02	30.3	7.25	0.3	1.4	0.4	171.2	0.08
Bloom Observations										
Algal Bloom Observed? ☒ Yes ☐ No										
Water Clarity	☐ Clear	☐ Slightly Turbid	☒ Turbid	☐ Opaque						
Bloom Color	☒ Green	☐ Red	☐ Brown	☐ Other:						
Algae Type	☒ Planktonic	☐ Filamentous	☐ Other:							
Algae Accumulation	☐ Mat	☒ Specks	☐ Scum	☐ Glob						
Algae Distribution	☐ Surface-Entire	☐ Surf-Localized	☐ Surf-Windblown	☒ Suspended	☐ Benthic	☐ Epiphytic				
Parameter Suite	Parameter Methods			Preservation		pH Check	#Bottles Sent to Lab	Bottle Group		
Algae (PT-50mL)	☐ ALGAL-ID ☒ BLOOM-ID			☒ Ice			1	A		
Chlorophyll (BP-1L)	☒ CHLSUITE-W			☒ Ice			1	B		
Toxins (P-125/BG-250)	☒ W-MCYST-AA ☒ W-SAXTN-MS ☐ OV-TOXN			☒ Ice			1	B		
Physical/Aggregate	☒ W-COLOR			☒ Ice			1	B		
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP SA3013020			☒ Ice ☒ H2SO4		☒ <2	1	B		
	Acid Lot:		Exp:							
Filtered Nutrients (P125mL)	☒ W-PO4-F		☒ Field Filtered 0.45µm Filter Filter Lot # 17756911		☒ Ice		1	B		
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C			☐ Ice ☐ Lugols						
Relinquished By:	Date/Time	Number of Coolers Shipped		Received By:		Date/Time				
Megan Maloney	07/19/2023 16:00	2		CP		7/20/23 0905				



Cyanobacteria Bloom Response Field Data Sheet (2023-06-12 v1)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ - 2023-06-26-51		Collected By:		Megan Maloney, Devin Mathias						
Customer: SWROC		Field Report Prepared By:		Megan Maloney						
Project ID: BLOOM_RESP		Sampling Agency:		SWROC						
Location: Lake Whistler - at dock			Comments: 07/19/2023 12:15 ET DISource: Southwest District DILocation: Lake Whistler Container ID/Type: Carboy #1 / Carboy							
Field ID: FB_07192023			Coordinates:							
WIN Secondary Resource Type:			Collection Equip:							
WIN ID:			High Tide Time:		Low Tide Time:					
Matrix: Field Blank		Grab		Tide: ☐ Rising ☐ Falling ☐ Slack ☐ N/A						
Water Quality										
Date	Time ☐ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPTH)
Bloom Observations										
Algal Bloom Observed? ☐ Yes ☐ No										
Water Clarity		☐ Clear		☐ Slightly Turbid		☐ Turbid		☐ Opaque		
Bloom Color		☐ Green		☐ Red		☐ Brown		☐ Other: _____		
Algae Type		☐ Planktonic		☐ Filamentous		☐ Other: _____				
Algae Accumulation		☐ Mat		☐ Specks		☐ Scum		☐ Glob		
Algae Distribution		☐ Surface-Entire		☐ Surf-Localized		☐ Surf-Windblown		☐ Suspended		☐ Benthic ☐ Epiphytic
Parameter Suite		Parameter Methods				Preservation		pH Check	#Bottles Sent to Lab	Bottle Group
Algae (PT-50mL)		☐ ALGAL-ID ☐ BLOOM-ID				☐ Ice				
Chlorophyll (BP-1L)		☐ CHLSUITE-W				☐ Ice				
Toxins (P-125/BG-250)		☒ W-MCYST-AA ☒ W-SAXTN-MS ☐ OV-TOXN				☒ Ice				
Physical/Aggregate		☐ W-COLOR				☒ Ice				
Preserved Nutrients (500mL HDPE)		☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP SA3013020 Acid Lot: Exp:				☒ Ice ☒ H2SO4 01/25/2024		☐ <2	1	B
Filtered Nutrients (P125mL)		☒ W-PO4-F ☒ Field Filtered 0.45µm Filter Filter Lot # 17756911				☒ Ice			1	B
Quantitative Algae		☐ DTY-QN-C / PKD-QN-C				☐ Ice ☐ Lugols				
Relinquished By:		Date/Time		Number of Coolers Shipped		Received By:		Date/Time		
Megan Maloney		07/19/2023 16:00		2		CP		7/20/23 0905		

Date of Request: 12-JUN-2023
 Created By: GRACE_K On: 12-JUN-2023
 Modified By: JASROTIA_P On: 13-JUN-2023
 Customer: WQAP
 Project: BLOOM-RESP
 Division: Division of Environmental Assessment and Restoration
 District:
 Event Description: Algal Bloom Response - SWD

Send Coolers To:

Phone: 8134705878
 13051 N Telecom Parkway
 Suite 101
 Temple Terrace, FL 33637
 Attn: Kevin Grace
 Cooler Ship EMail: kevin.t.grace@floridadep.gov

Priority: 1
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 13-JUN-2023
 Biology Request Reviewed By: JASROTIA_P On: 13-JUN-2023
 Sampling Kit Required: YES Ship on: 21-JUN-2023
 Sampling Kit Shipped: YES On: 21-JUN-2023
 Sampling Kit Packed By: LEBRUN_T
 Preservatives Needed: NO
 Date to Receive Samples: 26-JUN-2023
 Logged In By: PENDLETO_C On: 21-JUL-2023

Send Final Report To:

13051 N Telecom Parkway
 Suite 101
 Temple Terrace, FL 33637
 Attn: Sarah Meyer
 Report Notification EMail:
 sarah.meyer@dep.state.fl.us; kalina.warren@dep.state.fl.us; kevin.t.grace@floridadep.gov

Comments: Unless peak algal bloom season, may analyze toxin after consultation with Biology's Taxonomy Manager.

Bottle Group A- algal dominant taxon
 Bottle Group B - toxin testing, nutrients, chlorophyll, algal full ID

There are multiple bottles per Group in case multiple sample targets or sample locations are needed. Samplers use best professional judgement to decide which samples are appropriate to collect for a particular response. All sets of bottles do not have to be filled at one time.

Please print two copies of algal job labels at login.

Bottle Group A (Biological) With 24 Samples:

Bottle Type: PT-50ML Number of Bottles: 24 Preserved With: ICE
 BLOOM-ID Template: DEFAULT (SOP-AB18) Assessment of dominant algal taxa in bloom or mat sample

Bottle Group B (Water) With 24 Samples:

Bottle Type: BP-1L Number of Bottles: 24 Preserved With: ICE
 CHLSUITE-W Template: DEFAULT (SM 10150 B) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: P-250ML Number of Bottles: 24 Preserved With: ICE
 W-COLOR Template: DEFAULT (DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
 Color (true)

Bottle Type: P-125ML Number of Bottles: 24 Preserved With: ICE
 W-MCYST-AA Template: DEFAULT (EPA 8321B) Microcystins in water matrices by HPLC/MS/MS
 W-SAXTN-MS Template: DEFAULT (EPA 8321B) Saxitoxin in water matrices by HPLC/MS/MS

Bottle Type: P-500ML Number of Bottles: 24 Preserved With: ICE And H2SO4
 W-NH3 Template: DEFAULT (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
 W-NO2NO3 Template: DEFAULT (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
 W-S-A-TP Template: DEFAULT (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
 W-TKN Template: DEFAULT (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices

Bottle Type: P-125ML Number of Bottles: 24 Preserved With: FILTER-ICE
 W-PO4-F Template: DEFAULT (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.