

RQ-2023 - 09 - 18 - 64

Login Checklist

Login Station ID: # 2

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 09/29/2023 / 09:15

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
2.7C				10		X			6484 8457 7385

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes X No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes _____ No X

CONTAINER CHECK

Evidence Tape on Bottles?

Yes _____ No _____ NA X

Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken?

Yes _____ No _____

Containers intact? Yes X No _____

Caps on tight?

Yes X No _____

Sufficient Sample Volume:

Yes X No _____If NO is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes _____ No X Init: ABS

Chlorine detected? (One container checked per Field ID)

Yes _____ No X Init: ABS

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH < 2.0?

Yes X No _____ NA _____ Init: ABS

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?

Yes _____ No _____ NA X Init: ABS

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: ABS /

Date: 09/29/2023

Event contains NCRs (Y/N)? N

Event ID: SE - DIST - 2023 - 09 - 29 - 01

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	IRTG#2 EXP:10/17/23
pH Test Strips 0 – 6	LOT#223819BVEXP8/15/24
pH Paper 0 – 3	N/A
pH Paper 0 – 13	LOT207621EXP:3/15/24
Chlorine Test Strips	2313 2025/07

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: ABS

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____



Cyanobacteria Bloom Response Field Data Sheet (2023-06-12 v1)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ - 2023-09-18-64		Collected By:		Jordan Skaggs, Andrew Lueling						
Customer:	21FLWPB	Field Report Prepared By:		JS						
Project ID:	BLOOM_RESP	Sampling Agency:		SEROC						
Location: South Fork New River - Residential Canal W of I-95			Comments: No HAB observed. Entire residential canal covered in Lemna sp.							
Field ID: SEHAB0105			Coordinates: 26.09986, -80.17169							
WIN Secondary Resource Type: Canal			Collection Equip: WaterBottle							
WIN ID: SEHAB0105			High Tide Time:		Low Tide Time:					
Matrix:	Fresh	Grab	Tide: ☐ Rising ☒ Falling ☐ Slack ☐ N/A							
Water Quality										
Date	Time ☒ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPT)
09/28/2023	11:00	28.5	2.14	29	7.27	0.3	1.8	1.7	1120	0.55
	10:55	27.2	2.1	29	7.28	1.3			1122	0.55
Bloom Observations										
Algal Bloom Observed? ☐ Yes ☒ No										
Water Clarity		☒ Clear	☐ Slightly Turbid	☐ Turbid	☐ Opaque					
Bloom Color		☐ Green	☐ Red	☐ Brown	☐ Other:					
Algae Type		☐ Planktonic	☐ Filamentous	☐ Other:						
Algae Accumulation		☐ Mat	☐ Specks	☐ Scum	☐ Glob					
Algae Distribution		☐ Surface-Entire	☐ Surf-Localized	☐ Surf-Windblown	☐ Suspended	☐ Benthic	☐ Epiphytic			
Parameter Suite	Parameter Methods			Preservation		pH Check	#Bottles Sent to Lab	Bottle Group		
Algae (PT-50mL)	☐ ALGAL-ID ☒ BLOOM-ID			☒ Ice			1	A		
Chlorophyll (BP-1L)	☒ CHLSUITE-W			☒ Ice			1	B		
Toxins (P-125/BG-250)	☒ W-MCYST-AA ☒ W-SAXTN-MS ☐ OV-TOXN			☒ Ice			1	B		
Physical/Aggregate	☒ W-COLOR			☒ Ice			1	B		
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP			☒ Ice ☒ H2SO4		☒ <2	1	B		
	SA3193140			07/31/2024						
	Acid Lot:			Exp:						
Filtered Nutrients (P125mL)	☒ W-PO4-F		☒ Field Filtered 0.45um Filter		☒ Ice		1	B		
			Filter Lot # 2298556							
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C			☐ Ice	☐ Lugols					
Relinquished By:	Date/Time	Number of Coolers Shipped		Received By:		Date/Time				
JS	09/28/2023 16:00	1		A.SHAIK		09/29/2023 / 09:15				



Cyanobacteria Bloom Response Field Data Sheet (2023-06-12 v1)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ - 2023-09-18-64		Collected By:		Jordan Skaggs, Andrew Lueling						
Customer:	21FLWPB	Field Report Prepared By:		JS						
Project ID:	BLOOM_RESP	Sampling Agency:		SERO						
Location: South Fork New River - Residential Canal W of I-95		Comments: 09/28/2023 11:20 ET DISource:UF/IFAS IRREC DILocation: UF/IFAS IRREC Container ID/Type: Alex / Carboy								
Field ID: FB_09282023		Coordinates:								
WIN Secondary Resource Type:		Collection Equip:								
WIN ID:		High Tide Time:		Low Tide Time:						
Matrix:	Field Blank	Grab	Tide: ☐ Rising ☐ Falling ☐ Slack ☐ N/A							
Water Quality										
Date	Time ☐ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPT)
Bloom Observations										
Algal Bloom Observed? ☐ Yes ☐ No										
Water Clarity	☐ Clear	☐ Slightly Turbid	☐ Turbid	☐ Opaque						
Bloom Color	☐ Green	☐ Red	☐ Brown	☐ Other: _____						
Algae Type	☐ Planktonic	☐ Filamentous	☐ Other: _____							
Algae Accumulation	☐ Mat	☐ Specks	☐ Scum	☐ Glob						
Algae Distribution	☐ Surface-Entire	☐ Surf-Localized	☐ Surf-Windblown	☐ Suspended	☐ Benthic	☐ Epiphytic				
Parameter Suite	Parameter Methods			Preservation		pH Check	#Bottles Sent to Lab	Bottle Group		
Algae (PT-50mL)	☐ ALGAL-ID ☐ BLOOM-ID			☐ Ice						
Chlorophyll (BP-1L)	☐ CHLSUITE-W			☐ Ice						
Toxins (P-125/BG-250)	☒ W-MCYST-AA ☒ W-SAXTN-MS ☐ OV-TOXN			☒ Ice			1	B		
Physical/Aggregate	☒ W-COLOR			☒ Ice			1	B		
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP			☒ Ice ☒ H2SO4		☒ <2	1	B		
	SA3193140			07/31/2024						
Filtered Nutrients (P125mL)	Acid Lot:			Exp:						
	☒ W-PO4-F			☒ Field Filtered 0.45µm Filter		☒ Ice	1	B		
Quantitative Algae	☒ DTY-QN-C / PKD-QN-C			☐ Ice		☐ Lugols				
	Filter Lot # 2298556									
Relinquished By:	Date/Time	Number of Coolers Shipped		Received By:		Date/Time				
JS	09/28/2023 16:00	1		A.SHAIK		09/29/2023 / 09:15				

Date of Request: 12-SEP-2023
 Created By: SKAGGS_J On: 12-SEP-2023
 Modified By: AYRES_J On: 12-SEP-2023
 Customer: SE-DIST
 Project: BLOOM-RESP
 Division: Division of Environmental Assessment and Restoration
 District: Southeast District
 Event Description: Algal Bloom Response - SE ROC

Send Coolers To:

Phone: (772) 448-5884
 FL Dept. of Environmental Protection
 2199 South Rock Road
 Fort Pierce, FL 34945
 Attn: Jordan Skaggs
 Cooler Ship Email: jordan.skaggs@floridadep.gov

Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 12-SEP-2023
 Biology Request Reviewed By: AYRES_J On: 12-SEP-2023
 Sampling Kit Required: YES Ship on: 18-SEP-2023
 Sampling Kit Shipped: YES On: 18-SEP-2023
 Sampling Kit Packed By: PENDLETO_C
 Preservatives Needed: YES
 Date to Receive Samples: 20-SEP-2023
 Logged In By: SHAIK_A On: 29-SEP-2023

Send Final Report To:

FL Dept. of Environmental Protection
 2199 South Rock Road
 Fort Pierce, FL 34945
 Attn: Andrew Luering
 Report Notification Email:
 jordan.skaggs@floridadep.gov;andrew.luering@floridadep.gov

Comments: **Please send:
 -1 box of sulfuric acid
 -1 box of nitric acid
 -4 extra Fedex labels

Unless peak algal bloom season, may analyze toxin after consultation with Biology's Taxonomy Manager

Bottle Group A - Priority 1
 -For algal dominant taxon

Bottle Group B - Priority 1
 -For toxin testing, nutrients, and chlorophyll

There are multiple bottles per group in case multiple sample targets or sample locations are needed. Samplers use best professional judgement to decide which samples are appropriate to collect for a particular response. All sets of bottles do not have to be filled at one time.

Please print two copies of algal job labels at login.

Bottle Group A (Biological) With 10 Samples:

Bottle Type: PT-50ML Number of Bottles: 10 Preserved With: ICE
 BLOOM-ID Template: DEFAULT (SOP-AB18) Assessment of dominant algal taxa in bloom or mat sample

Bottle Group B (Water) With 10 Samples:

Bottle Type: BP-1L Number of Bottles: 10 Preserved With: ICE
 CHLSUITE-W Template: DEFAULT (SM 10150 B) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: P-250ML Number of Bottles: 10 Preserved With: ICE
 W-COLOR Template: DEFAULT (DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
 Color (true)

Bottle Type: P-125ML Number of Bottles: 10 Preserved With: ICE
 W-MCYST-AA Template: DEFAULT (EPA 8321B) Microcystins in water matrices by HPLC/MS/MS
 W-SAXTN-MS Template: DEFAULT (EPA 8321B) Saxitoxin in water matrices by HPLC/MS/MS

Bottle Type: P-500ML Number of Bottles: 10 Preserved With: ICE And H2SO4

Bottle Group B (Water) With 10 Samples:

Bottle Type: P-500ML	Number of Bottles: 10	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 10	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.