

2023

Login Checklist

RQ-~~10024~~ - 08 - 07 - 55

Login Station ID: # 2

Shipping Method: FedEx | UPS | HD | GreyhoundDate/Time of Receipt: 04/09/2024 / 08:58

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
2.9c				6		x			7281 6628 8252

COOLER CHECK***All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.**

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes X No _____

Micro-Biology Overflow Chain of Custody/ FieldSheet(s) Included?

Yes _____ No X**CONTAINER CHECK**Evidence Tape on Bottles? Yes _____ No _____ NA X Evidence Tape intact? Yes _____ No _____If Criminal, photographs taken? Yes _____ No _____ Containers intact? Yes X No _____Caps on tight? Yes X No _____Sufficient Sample Volume: Yes X No _____If **NO** is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____**CHLORINE CHECK REQUIRED?** (Blue dot on container)Yes _____ No X Init: ABS

Chlorine detected? (One container checked per Field ID)

Yes _____ No _____ Init: ABS

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")**Acid Preserved Samples: pH < 2.0? Yes X No _____ NA _____ Init: ABS**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes _____ No _____ NA X Init: ABS

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: ABS /Date: 04/09/2024Event contains NCRs (Y/N)? nEvent ID: SO - DIST - 2024 - 04 - 09 - 02

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	IRTG#2 EXP:10/16/24
pH Test Strips 0 – 6	LOT#223819BVEXP8/15/24
pH Paper 0 – 3	N/A
pH Paper 0 – 13	LOT228323/EXP:10/1/26
Chlorine Test Strips	3180A 2026/04

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: ABS

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____



Cyanobacteria Bloom Response Field Data Sheet (2023-06-12 v1)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ - 2023-08-07-55		Collected By:		Nicole Reistad, Monica Jaeger						
Customer: SO DIST		Field Report Prepared By:		Nicole Reistad						
Project ID: BLOOM_RESP		Sampling Agency:		SOROC						
Location: Caloosahatchee River - Inlet Drive			Comments:							
Field ID: HAB-SD-040824-1120			Coordinates: 26.63965, -81.90899							
WIN Secondary Resource Type: Canal			Collection Equip: WaterBottle							
WIN ID:			High Tide Time:		Low Tide Time:					
Matrix: Marine		Grab	Tide: ☐ Rising ☐ Falling ☐ Slack ☐ N/A							
Water Quality										
Date	Time ☒ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPT)
04/08/2024	11:20	123.8	10.34	23.5	8.74	0.3	0.8	0.6	5022	2.7
Bloom Observations										
Algal Bloom Observed? ☒ Yes ☐ No										
Water Clarity		☐ Clear	☐ Slightly Turbid	☒ Turbid	☐ Opaque					
Bloom Color		☒ Green	☐ Red	☐ Brown	☐ Other:					
Algae Type		☒ Planktonic	☐ Filamentous	☐ Other:						
Algae Accumulation		☐ Mat	☒ Specks	☐ Scum	☐ Glob					
Algae Distribution		☒ Surface-Entire	☐ Surf-Localized	☐ Surf-Windblown	☒ Suspended	☐ Benthic ☐ Epiphytic				
Parameter Suite		Parameter Methods			Preservation		pH Check	#Bottles Sent to Lab	Bottle Group	
Algae (PT-50mL)		☐ ALGAL-ID ☒ BLOOM-ID			☒ Ice			1	A	
Chlorophyll (BP-1L)		☒ CHLSUITE-W			☒ Ice			1	B	
Toxins (P-125/BG-250)		☒ W-MCYST-AA ☒ W-SAXTN-MS ☐ OV-TOXN			☒ Ice			1	B	
Physical/Aggregate		☒ W-COLOR			☒ Ice			1	B	
Preserved Nutrients (500mL HDPE)		W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP			☒ Ice ☒ H2SO4		☒ <2	1	B	
		SA3340020			12/11/2024					
		Acid Lot:			Exp:					
Filtered Nutrients (P125mL)		☒ W-PO4-F ☒ Field Filtered 0.45um Filter			☒ Ice			1	B	
		Filter Lot # 17589311								
Quantitative Algae		☐ DTY-QN-C / PKD-QN-C			☐ Ice ☐ Lugols					
Relinquished By:		Date/Time		Number of Coolers Shipped		Received By:		Date/Time		
Nicole Reistad		04/08/2024 15:00		1		A.SHAIK		04/09/2024 / 858		

Date of Request: 10-JUL-2023
Created By: BARRINGT_J On: 10-JUL-2023
Modified By: AYRES_J On: 19-JUL-2023
Customer: SO-DIST
Project: BLOOM-RESP
Division:
District: South District
Event Description: Algal Bloom Response -SOROC

Send Coolers To:

Phone: 239-332-6975 SC 748-6975
FLDEP South District Office
2295 Victoria Ave. Suite 314
Fort Myers, FL 33901-3381
Attn: John Barrington
Cooler Ship EMail: john.barrington@floridadep.gov

Priority: 1
Event Status: R
Criminal Investigation: NO
Chemistry Request Reviewed By: AYRES_J On: 19-JUL-2023
Biology Request Reviewed By: SWANSON_C On: 14-JUL-2023
Sampling Kit Required: YES Ship on: 02-AUG-2023
Sampling Kit Shipped: YES On: 31-JUL-2023
Sampling Kit Packed By: SHAIK_A
Preservatives Needed: YES
Date to Receive Samples: 07-AUG-2023
Logged In By: SHAIK_A On: 09-APR-2024

Send Final Report To:

FLDEP South District Office
2295 Victoria Ave. Suite 314
Fort Myers, FL 33901-3381
Attn: John Barrington
Report Notification EMail:
Cheryl.Swanson@dep.state.fl.us;Nicole.Reistad@floridadep.gov;
John.Barrington@floridadep.gov;Gary.Snorek@dep.state.fl.us;Th
omas.Baker@floridadep.gov

Comments: Unless peak algal bloom season, may analyze toxin after consultation with Biology's Taxonomy Manager.

Bottle Group A - Priority 1
For algal dominant taxon.

Bottle Group B - Priority 1
For toxins, nutrients, chlorophyll, color

There are multiple bottles per Group in case multiple sample targets or sample locations are needed. Samplers use best professional judgement to decide which samples are appropriate to collect for a particular response. All sets of bottles do not have to be filled at one time.

Please ship with minimum of 2 coolers

Bottle Group A (Biological) With 8 Samples:

Bottle Type: PT-50ML	Number of Bottles: 8	Preserved With: ICE
BLOOM-ID	Template: DEFAULT	(SOP-AB18) Assessment of dominant algal taxa in bloom or mat sample

Bottle Group B (Water) With 8 Samples:

Bottle Type: BP-1L	Number of Bottles: 8	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10150 B) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML	Number of Bottles: 8	Preserved With: ICE
W-COLOR	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
Color (true)		
Bottle Type: P-125ML	Number of Bottles: 8	Preserved With: ICE
W-MCYST-AA	Template: DEFAULT	(EPA 8321B) Microcystins in water matrices by HPLC/MS/MS
W-SAXTN-MS	Template: DEFAULT	(EPA 8321B) Saxitoxin in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 8	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 8	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.