

Login Checklist

RQ-2024 - 04 - 22 - 59

Login Station ID: # 2

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 05/24/2024 / 09:02

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
2.1C				16		X			7281 6630 566088 

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes X No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes _____ No X

CONTAINER CHECK

Evidence Tape on Bottles?

Yes _____ No _____ NA X Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken?

Yes _____ No _____ Containers intact? Yes X No _____

Caps on tight?

Yes X No _____

Sufficient Sample Volume:

Yes X No _____

If **NO** is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes _____ No X Init: ABS

Chlorine detected? (One container checked per Field ID)

Yes _____ No _____ Init: ABS

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH< 2.0?

Yes X No _____ NA _____ Init: ABS

**W-1-4-DIOX (Green dot on container) preserved to pH< 4.0?

Yes _____ No _____ NA X Init: ABS

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: ABS /

Date: 05/24/2024

Event contains NCRs(Y/N)? N

Event ID: SO- DIST - 2024 - 05 - 24 - 01

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	IRTG#2 EXP:10/16/24
pH Test Strips 0 – 6	LOT#223819BVEXP8/15/24
pH Paper 0 – 3	N/A
pH Paper 0 – 13	LOT228323/EXP:10/1/26
Chlorine Test Strips	3180A 2026/04

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: ABS

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____



Cyanobacteria Bloom Response Field Data Sheet (2023-06-12 v1)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ - 2024-04-22-59		Collected By:		Nicole Reistad, Monica Jaeger, Samantha Gelinas						
Customer: SO DIST		Field Report Prepared By:		Nicole Reistad						
Project ID: BLOOM_RESP		Sampling Agency:		SOROC						
Location: Hancock Creek - Seaside Key Ct Canal				Comments:						
Field ID: HAB-SD-0192				Coordinates: 26.65472, -81.91157						
WIN Secondary Resource Type: Canal				Collection Equip: WaterBottle						
WIN ID: HAB-SD-0192				High Tide Time: Low Tide Time:						
Matrix: Fresh		Grab		Tide: ☒ Rising ☐ Falling ☐ Slack ☐ N/A						
Water Quality										
Date	Time ☒ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPTH)
05/23/2024	11:40	111.9	8.56	29.7	7.55	0.3	0.8	0.6	3399	1.77
Bloom Observations										
Algal Bloom Observed? ☒ Yes ☐ No										
Water Clarity		☐ Clear		☐ Slightly Turbid		☒ Turbid		☐ Opaque		
Bloom Color		☒ Green		☐ Red		☐ Brown		☐ Other:		
Algae Type		☒ Planktonic		☐ Filamentous		☐ Other:				
Algae Accumulation		☐ Mat		☒ Specks		☐ Scum		☐ Glob		
Algae Distribution		☒ Surface-Entire		☐ Surf-Localized		☒ Surf-Windblown		☐ Suspended		☐ Benthic ☐ Epiphytic
Parameter Suite		Parameter Methods				Preservation		pH Check	#Bottles Sent to Lab	Bottle Group
Algae (PT-50mL)		☐ ALGAL-ID ☒ BLOOM-ID				☒ Ice			1	A
Chlorophyll (BP-1L)		☒ CHLSUITE-W				☒ Ice			1	B
Toxins (P-125/BG-250)		☒ W-MCYST-AA ☒ W-SAXTN-MS ☐ OV-TOXN				☒ Ice			1	B
Physical/Aggregate		☐ W-COLOR				☐ Ice				
Preserved Nutrients (500mL HDPE)		☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP				☒ Ice ☒ H2SO4		☒ <2	1	B
		SA3193140				07/31/2024				
		Acid Lot:		Exp:						
Filtered Nutrients (P125mL)		☐ W-PO4-F		☐ Field Filtered 0.45um Filter		☐ Ice				
				Filter Lot #						
Quantitative Algae		☐ DTY-QN-C / PKD-QN-C				☐ Ice ☐ Lugols				
Relinquished By:		Date/Time		Number of Coolers Shipped		Received By:		Date/Time		
Nicole Reistad		05/23/2024 13:00		1		A.SHAIK		05/24/2024 / 09:02		



Cyanobacteria Bloom Response Field Data Sheet (2023-06-12 v1)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ - 2024-04-22-59		Collected By:		Nicole Reistad, Monica Jaeger, Samantha Gelinas						
Customer: SO DIST		Field Report Prepared By:		Nicole Reistad						
Project ID: BLOOM_RESP		Sampling Agency:		SOROC						
Location: Caloosahatchee River - Meade Canal			Comments: Green water above the weir that runs under Viscaya. Downstream has grass clippings on surface.							
Field ID: HAB-SD-0191			Coordinates: 26.63653, -81.93067							
WIN Secondary Resource Type: Canal			Collection Equip: WaterBottle							
WIN ID: HAB-SD-0191			High Tide Time:		Low Tide Time:					
Matrix: Fresh		Grab		Tide: ☐ Rising ☐ Falling ☐ Slack ☒ N/A						
Water Quality										
Date	Time ☒ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPT_h)
05/23/2024	11:15	105.1	7.82	30.5	7.89	0.3	1.6	1.5	466.7	0.22
	11:19	104.1	7.8	30.5	7.88	1.1			466.7	0.22
Bloom Observations										
Algal Bloom Observed? ☐ Yes ☒ No										
Water Clarity		☐ Clear		☒ Slightly Turbid		☐ Turbid		☐ Opaque		
Bloom Color		☐ Green		☐ Red		☐ Brown		☐ Other:		
Algae Type		☐ Planktonic		☐ Filamentous		☐ Other:				
Algae Accumulation		☐ Mat		☐ Specks		☐ Scum		☐ Glob		
Algae Distribution		☐ Surface-Entire		☐ Surf-Localized		☐ Surf-Windblown		☐ Suspended		☐ Benthic ☐ Epiphytic
Parameter Suite		Parameter Methods				Preservation		pH Check	#Bottles Sent to Lab	Bottle Group
Algae (PT-50mL)		☐ ALGAL-ID ☒ BLOOM-ID				☒ Ice			1	A
Chlorophyll (BP-1L)		☒ CHLSUITE-W				☒ Ice			1	B
Toxins (P-125/BG-250)		☒ W-MCYST-AA ☒ W-SAXTN-MS ☐ OV-TOXN				☒ Ice			1	B
Physical/Aggregate		☐ W-COLOR				☐ Ice				
Preserved Nutrients (500mL HDPE)		☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP SA3193140				☒ Ice ☒ H2SO4		☒ <2	1	B
		Acid Lot:		Exp:		07/31/2024				
Filtered Nutrients (P125mL)		☐ W-PO4-F		☐ Field Filtered 0.45um Filter		☐ Ice				
		Filter Lot #								
Quantitative Algae		☐ DTY-QN-C / PKD-QN-C				☐ Ice ☐ Lugols				
Relinquished By:		Date/Time		Number of Coolers Shipped		Received By:		Date/Time		
Nicole Reistad		05/23/2024 13:00		1		A.SHAIK		05/24/2024 / 09:02		



Cyanobacteria Bloom Response Field Data Sheet (2023-06-12 v1)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ - 2024-04-22-59		Collected By:		Nicole Reistad, Monica Jaeger, Samantha Gelinas						
Customer:	SO DIST		Field Report Prepared By:	Nicole Reistad						
Project ID:	BLOOM_RESP		Sampling Agency:	SOROC						
Location: Caloosahatchee River - Caloosahatchee Drive Canal			Comments:							
Field ID: HAB-SD-0189			Coordinates:	26.78955, -81.22349						
WIN Secondary Resource Type: Canal			Collection Equip:	WaterBottle						
WIN ID: HAB-SD-0189			High Tide Time:	Low Tide Time:						
Matrix:	Fresh	Grab	Tide:	☐ Rising ☐ Falling ☐ Slack ☒ N/A						
Water Quality										
Date	Time ☒ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPT _h)
05/23/2024	09:15	73.1	5.57	29.6	7.55	0.1	0.2	0.2	466.4	0.22
Bloom Observations										
Algal Bloom Observed? ☒ Yes ☐ No										
Water Clarity	☐ Clear	☐ Slightly Turbid	☒ Turbid	☐ Opaque						
Bloom Color	☒ Green	☐ Red	☒ Brown	☐ Other:						
Algae Type	☒ Planktonic	☐ Filamentous	☐ Other:							
Algae Accumulation	☐ Mat	☒ Specks	☐ Scum	☐ Glob						
Algae Distribution	☐ Surface-Entire	☒ Surf-Localized	☒ Surf-Windblown	☒ Suspended	☐ Benthic	☐ Epiphytic				
Parameter Suite	Parameter Methods			Preservation		pH Check	#Bottles Sent to Lab	Bottle Group		
Algae (PT-50mL)	☐ ALGAL-ID ☒ BLOOM-ID			☒ Ice			1	A		
Chlorophyll (BP-1L)	☒ CHLSUITE-W			☒ Ice			1	B		
Toxins (P-125/BG-250)	☒ W-MCYST-AA ☒ W-SAXTN-MS ☐ OV-TOXN			☒ Ice			1	B		
Physical/Aggregate	☐ W-COLOR			☐ Ice						
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / ☒ W-NO2NO3 / ☒ W-TKN / ☒ W-S-A-TP			☒ Ice ☒ H2SO4		☒ <2	1	B		
		SA3193140		07/31/2024						
Acid Lot:				Exp:						
Filtered Nutrients (P125mL)	☐ W-PO4-F		☐ Field Filtered 0.45µm Filter		☐ Ice					
		Filter Lot #								
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C			☐ Ice ☐ Lugols						
Relinquished By:	Date/Time	Number of Coolers Shipped		Received By:		Date/Time				
Nicole Reistad	05/23/2024 13:00	1		A.SHAIK		05/24/2024 / 09:02				



Cyanobacteria Bloom Response Field Data Sheet (2023-06-12 v1)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ - 2024-04-22-59		Collected By:		Nicole Reistad, Monica Jaeger, Samantha Gelinas						
Customer:	SO DIST	Field Report Prepared By:		Nicole Reistad						
Project ID:	BLOOM_RESP	Sampling Agency:		SOROC						
Location: Caloosahatchee River - Little Canal			Comments:							
Field ID: HAB-SD-0190			Coordinates:	26.60847, -81.93642						
WIN Secondary Resource Type: Canal			Collection Equip:	WaterBottle						
WIN ID: HAB-SD-0190			High Tide Time:	14:44	Low Tide Time: 09:01					
Matrix:	Marine	Grab	Tide:	☒ Rising ☐ Falling ☐ Slack ☐ N/A						
Water Quality										
Date	Time ☒ EST ☐ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPTH)
05/23/2024	11:00	21.8	1.65	28.6	7.03	0.25	0.5	0.5	10438	5.86
Bloom Observations										
Algal Bloom Observed? ☐ Yes ☒ No										
Water Clarity	☐ Clear	☐ Slightly Turbid	☒ Turbid	☐ Opaque						
Bloom Color	☐ Green	☐ Red	☐ Brown	☐ Other:						
Algae Type	☐ Planktonic	☐ Filamentous	☐ Other:							
Algae Accumulation	☐ Mat	☐ Specks	☐ Scum	☐ Glob						
Algae Distribution	☐ Surface-Entire	☐ Surf-Localized	☐ Surf-Windblown	☐ Suspended	☐ Benthic	☐ Epiphytic				
Parameter Suite	Parameter Methods			Preservation		pH Check	#Bottles Sent to Lab	Bottle Group		
Algae (PT-50mL)	☐ ALGAL-ID ☒ BLOOM-ID			☒ Ice			1	A		
Chlorophyll (BP-1L)	☒ CHLSUITE-W			☒ Ice			1	B		
Toxins (P-125/BG-250)	☒ W-MCYST-AA ☒ W-SAXTN-MS ☐ OV-TOXN			☒ Ice			1	B		
Physical/Aggregate	☐ W-COLOR			☐ Ice						
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / ☒ W-NO2NO3 / ☒ W-TKN / ☒ W-S-A-TP			☒ Ice ☒ H2SO4 ☒ <2			1	B		
	SA3193140			07/31/2024						
	Acid Lot:			Exp:						
Filtered Nutrients (P125mL)	☐ W-PO4-F			☐ Field Filtered 0.45um Filter		☐ Ice				
				Filter Lot #						
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C			☐ Ice ☐ Lugols						
Relinquished By:	Date/Time	Number of Coolers Shipped		Received By:		Date/Time				
Nicole Reistad	05/23/2024 13:00	1		A.SHAIK		05/24/2024 / 09:02				

Date of Request: 11-APR-2024
Created By: REISTAD_N On: 11-APR-2024
Modified By: JASROTIA_P On: 16-APR-2024
Customer: SO-DIST
Project: BLOOM-RESP
Division: Division of Environmental Assessment and Restoration
District: South District
Event Description: Algal Bloom Response - SOROC

Send Coolers To:

Phone: 239-344-5718
FLDEP South District Office
2295 Victoria Ave. Suite 314
Fort Myers, FL 33901-3381
Attn: Nicole Reistad
Cooler Ship EMail: Nicole.Reistad@FloridaDEP.gov

Priority: 1
Event Status: R
Criminal Investigation: NO
Chemistry Request Reviewed By: AYRES_J On: 15-APR-2024
Biology Request Reviewed By: JASROTIA_P On: 16-APR-2024
Sampling Kit Required: YES Ship on: 17-APR-2024
Sampling Kit Shipped: YES On: 17-APR-2024
Sampling Kit Packed By: KLUG_K
Preservatives Needed: NO
Date to Receive Samples: 22-APR-2024
Logged In By: SHAIK_A On: 24-MAY-2024

Send Final Report To:

FLDEP South District Office
2295 Victoria Ave. Suite 314
Fort Myers, FL 33901-3381
Attn: Nicole Reistad
Report Notification EMail:
Nicole.Reistad@floridadep.gov; Monica.Jaeger@FloridaDEP.gov

Comments: Unless peak algal bloom season, may analyze toxin after consultation with Biology's Taxonomy Manager.

Bottle Group A - Priority 1
For algal dominant taxon.

Bottle Group B - Priority 1
For toxins, nutrients, chlorophyll, color.

There are multiple bottles per Group in case multiple sample targets or sample locations are needed. Samplers use best professional judgement to decide which samples are appropriate to collect for a particular response. All sets of bottles do not have to be filled at one time.

Please ship with minimum of 2 coolers

Bottle Group A (Biological) With 8 Samples:

Bottle Type: PT-50ML Number of Bottles: 8 Preserved With: ICE
BLOOM-ID Template: DEFAULT (SOP-AB18) Assessment of dominant algal taxa in bloom or mat sample

Bottle Group B (Water) With 8 Samples:

Bottle Type: BP-1L Number of Bottles: 8 Preserved With: ICE
CHLSUITE-W Template: DEFAULT (SM 10150 B) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: P-250ML Number of Bottles: 8 Preserved With: ICE
W-COLOR Template: DEFAULT (DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
Color (true)

Bottle Type: P-125ML Number of Bottles: 8 Preserved With: ICE
W-MCYST-AA Template: DEFAULT (EPA 8321B) Microcystins in water matrices by HPLC/MS/MS
W-SAXTN-MS Template: (EPA 8321B) Saxitoxin in water matrices by HPLC/MS/MS

Bottle Type: P-500ML Number of Bottles: 8 Preserved With: ICE And H2SO4
W-NH3 Template: DEFAULT (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3 Template: DEFAULT (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP Template: DEFAULT (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN Template: DEFAULT (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices

Bottle Type: P-125ML Number of Bottles: 8 Preserved With: FILTER-ICE
W-PO4-F Template: DEFAULT (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.