

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID: 155077

RQ- 2024-05-06-50

Project: CMAP HAB

Biology HAB NM

- Notes: (1) Always wait for meter to stabilize before recording any readings.
(2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).
(3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification 4/25/24

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro- meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	<u>S. Slade NM</u>	<u>5/7/24</u>	<u>0726</u>	<u>22.3</u>	<u>760.0</u>	<u>8.7</u>	<u>8.7</u>	<u>100.0</u>		<u>0.493C</u>	<u>P</u> /F	<u>C</u> /F
ICV	<u>S. Slade</u>	<u>5/7/2024</u>	<u>0728</u>	<u>22.2</u>	<u>759.9</u>	<u>8.7</u>	<u>8.7</u>	<u>100.0</u>			<u>P</u> /F	<u>L</u> /F
CCV	<u>NM</u>	<u>5/7/24</u>	<u>1500</u>	<u>22.6</u>	<u>759</u>	<u>8.5</u>	<u>8.32</u>	<u>97.2</u>			<u>P</u> /F	<u>L</u> /F
CCV											P/F	L/F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ hos/cm	Meter Reading μ hos/cm	Pass / Fail	Lab / Field
Calibr.	<u>S. Slade NM</u>	<u>5/7/24</u>	<u>0730</u>	<u>230627B</u>	<u>07/2024</u>	<u>5000</u>	<u>5001</u>	<u>P</u> /F	<u>C</u> /F
ICV	<u>S. Slade</u>	<u>05/07/2024</u>	<u>0732</u>	<u>240110B</u>	<u>01/2025</u>	<u>1006</u>	<u>990</u>	<u>P</u> /F	<u>L</u> /F
CCV	<u>NM</u>	<u>5/7/24</u>	<u>1502</u>	<u>240110A</u>	<u>1/25</u>	<u>100</u>	<u>104</u>	<u>P</u> /F	<u>L</u> /F
CCV								P/F	L/F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	<u>S. Slade NM</u>	<u>5/7/24</u>	<u>0734</u>	<u>236264</u>	<u>12/2025</u>	<u>7.01</u>	<u>23.4</u>	<u>7.01</u>	<u>-21.9</u>	<u>P</u> /F	<u>C</u> /F
Calibr.	<u>S. Slade</u>	<u>05/07/2024</u>	<u>0736</u>	<u>233400</u>	<u>11/2025</u>	<u>4.00</u>	<u>23.3</u>	<u>4.00</u>	<u>154.9</u>	<u>P</u> /F	<u>C</u> /F
Calibr.	<u>S. Slade</u>	<u>05/07/2024</u>	<u>0738</u>	<u>14J0576</u>	<u>06/2024</u>	<u>10.02</u>	<u>23.4</u>	<u>10.02</u>	<u>-185.7</u>	<u>P</u> /F	<u>L</u> /F
ICV	<u>S. Slade</u>	<u>05/07/2024</u>	<u>0740</u>	<u>233400</u>	<u>11/2025</u>	<u>4.00</u>	<u>23.5</u>	<u>4.01</u>	<u>152.6</u>	<u>P</u> /F	<u>L</u> /F
CCV	<u>NM</u>	<u>5/7/24</u>	<u>1507</u>	<u>14J0576</u>	<u>6/24</u>	<u>10.0</u>	<u>22.3</u>	<u>980</u>	<u>72.0</u>	<u>P</u> /F	<u>L</u> /F
CCV										P/F	L/F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ; mV pH 4 Range $+180 \pm 50$; mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 _____, slope from 4 to 7 _____ (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water project)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: 4/25/24

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: _____; Date of last verification: _____

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	<u>NM</u>	<u>5/7/24</u>	<u>0741</u>	<u>0.00</u>	<u>0.00</u>	<u>P</u> /F	<u>C</u> /F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:



Cyanobacteria Bloom Response Field Data Sheet (2023-06-12 v1)

Email scanned submittal forms to lab.receiving@FloridaDEP.gov

RQ - 2024-05-06-50				Collected By:		Nathan Mulkey, C. Stopher Slade					
Customer:		Nathan Mulkey			Field Report Prepared By:		Nathan Mulkey				
Project ID:		BLOOM_RESP			Sampling Agency:		NWROC				
Location: Deerpoint Lake near center					Comments:						
Field ID: NWHAB0018					Coordinates:		30.32334, -85.58006				
WIN Secondary Resource Type: Lake					Collection Equip:		WaterBottle				
WIN ID: NWHAB0018					High Tide Time:		Low Tide Time:				
Matrix:		Fresh		Grab		Tide:		☐ Rising ☐ Falling ☐ Slack ☐ N/A			
Water Quality											
Date	Time ☐ EST ☒ CEN	D.O. (%)	D.O. (mg/L)	Temp (°C)	pH (SU)	Sample Depth (m)	Total Depth (m)	Secchi Disk (m)	Sp. Cond. (µmho/cm)	Salinity (PPTH)	
05/07/2024	11:35	88.7	6.98	27.5	6.92	0.3	1.8	1.4	99.5	0.05	
Bloom Observations											
Algal Bloom Observed? ☒ Yes ☐ No											
Water Clarity		☐ Clear		☒ Slightly Turbid		☐ Turbid		☐ Opaque			
Bloom Color		☒ Green		☐ Red		☐ Brown		☐ Other:			
Algae Type		☐ Planktonic		☒ Filamentous		☐ Other:					
Algae Accumulation		☒ Mat		☐ Specks		☒ Scum		☒ Glob			
Algae Distribution		☐ Surface-Entire		☒ Surf-Localized		☐ Surf-Windblown		☒ Suspended ☐ Benthic ☐ Epiphytic			
Parameter Suite		Parameter Methods				Preservation		pH Check	#Bottles Sent to Lab	Bottle Group	
Algae (PT-50mL)		☒ ALGAL-ID ☒ BLOOM-ID				☒ Ice			1 1	A A	
Chlorophyll (BP-1L)		☒ CHLSUITE-W				☒ Ice			1	C	
Toxins (P-125/BG-250)		☒ W-MCYST-AA ☒ W-SAXTN-MS ☐ OV-TOXN				☒ Ice			1	B	
Physical/Aggregate		☒ W-COLOR				☒ Ice			1	C	
Preserved Nutrients (500mL HDPE)		☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP				☒ Ice ☒ H2SO4		☐ <2	1	C	
		Acid Lot:		3193140		Exp:		07/31/2024			
Filtered Nutrients (P125mL)		☒ W-PO4-F		☒ Field Filtered 0.45um Filter			☒ Ice		1	C	
		Filter Lot #		17460495							
Quantitative Algae		☐ DTY-QN-C / PKD-QN-C				☐ Ice ☐ Lugols					
Relinquished By:		Date/Time		Number of Coolers Shipped			Received By:		Date/Time		
Nathan Mulkey		05/07/2024 15:10		1							