

Chemical Analysis Report

CEN-DIST-2018-04-27-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Lake Jessup_Haynes Creek BMAP**
Request ID: **RQ-2018-04-23-56**
Customer: **CEN-DIST**
Project ID: **LKJES-BMAP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767
Attn: Mike Linger

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Thekkekalathil Chandrasekhar, Chemist Administrator

Date Certified: 21-MAY-2018 16:22



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Nutrients and Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Haynes Creek @ 300m DS of CR 44

Collection Date/Time: 04/26/2018 10:19

Field ID: G1CE0023

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1988195	EPA 8321B	Sucralose**	0.17		ug/L	P345005	

Sample Location: Haynes Creek @ just DS of Burell Lock

Collection Date/Time: 04/26/2018 10:36

Field ID: G1CE0063

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1988196	EPA 8321B	Sucralose**	0.17		ug/L	P345005	

Sample Location: Sweetwater Creek @ Florida Avenue

Collection Date/Time: 04/26/2018 12:45

Field ID: G2CE0123

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1988197	EPA 350.1 Rev. 2.0	Ammonia-N	0.12		mg N/L	P344779	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.1		mg N/L	P344310	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.11		mg N/L	P344336	
	EPA 365.1 Rev. 2.0	Total-P	0.33		mg P/L	P344407	
1988199	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.28		mg P/L	P344389	
1988201	SM 2540 D-97	TSS	7	I	mg/L	P344891	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Salt Creek @ Packard Avenue

Collection Date/Time: 04/26/2018 13:21

Field ID: G2CE0088

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1988198	EPA 350.1 Rev. 2.0	Ammonia-N	0.16		mg N/L	P344779	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.1		mg N/L	P344310	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.14		mg N/L	P344336	
	EPA 365.1 Rev. 2.0	Total-P	0.20		mg P/L	P344407	
1988200	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.16		mg P/L	P344389	
1988202	SM 2540 D-97	TSS	4	I	mg/L	P344891	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 350.1 Rev. 2.0

Batch ID: P344779

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0

Batch ID: P344310

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P344336

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P344407

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P344389

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 8321B
Batch ID: P345005

Component	Result	Code	Units
Sucralose	0.010	U	ug/L

Reference Method: SM 2540 D-97
Batch ID: P344891

Component	Result	Code	Units
TSS	2	U	mg/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P344779

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	103		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P344310

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	104		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P344336

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	100		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P344407

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
-----------	---------	---------	-----------	----------------

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P344407

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	100		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P344389

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	96.8		P	90 - 110

Reference Method: EPA 8321B
Batch ID: P345005

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sucralose	109		P	40 - 150

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P344779

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1988075	Ammonia-N	103	104	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P344310

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1988076	Kjeldahl Nitrogen	103	107	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P344336

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1988076	NO2NO3-N	100	101	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P344407

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1988076	Total-P	104	99.5	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P344389

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1988239	O-Phosphate-P	97.5	99.0	P/P	90 - 110

Reference Method: EPA 8321B
Batch ID: P345005

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
---------------	-----------	---------	---------	-----------	----------------

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 8321B
 Batch ID: P345005

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1991713	Sucralose	97.2	99.2	P/P	40 - 150

Quality Assurance Report Precision

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P344779

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1988075	Ammonia-N	0.970	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P344310

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1988076	Kjeldahl Nitrogen	3.51	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P344336

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1988076	NO2NO3-N	0.625	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P344407

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1988076	Total-P	4.42	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P344389

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1988239	O-Phosphate-P	1.53	Spike	P	0 - 20

Reference Method: EPA 8321B
 Batch ID: P345005

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1991713	Sucralose	1.94	Spike	P	0 - 30

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
 Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 1988195
Field Sample ID: G1CE0023

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Sucralose-d6	107	P	40 - 160

Lab Sample ID: 1988196
Field Sample ID: G1CE0063

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Sucralose-d6	122	P	40 - 160

Quality Assurance Report Calibration Verification

Reference Method: EPA 353.2 Rev. 2.0
Run ID: A83550
Included Lab Sample IDs: 1988197, 1988198

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	99.5	99.5	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Run ID: A83572
Included Lab Sample IDs: 1988199, 1988200

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	97.0	96.0	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Run ID: A83585
Included Lab Sample IDs: 1988197, 1988198

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	94.9	99.5	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Run ID: A83619
Included Lab Sample IDs: 1988197, 1988198

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	102	102	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Run ID: A83700
Included Lab Sample IDs: 1988197, 1988198

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	102	101	P/P	90 - 110

Reference Method: EPA 8321B
Run ID: A83978
Included Lab Sample IDs: 1988195, 1988196

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
-----------	---------	---------	------------	----------------

Quality Assurance Report Calibration Verification

Reference Method: EPA 8321B

Run ID: A83978

Included Lab Sample IDs: 1988195, 1988196

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Sucralose	106	110	P/P	60 - 160

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
EPA 350.1 Rev. 2.0	Ammonia-N	103	103 104			0.970
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	104	103 107			3.51
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	100	100 101			0.625
EPA 365.1 Rev. 2.0	Total-P	100	104 99.5			4.42
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	96.8	97.5 99.0			1.53
EPA 8321B	Sucralose	109	97.2 99.2			1.94

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1988197, 1988198
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1988197, 1988198
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1988197, 1988198
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1988197, 1988198
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1988199, 1988200
EPA 8321B / E31780	Water soluble organic compounds by HPLC/MS/MS	1988195, 1988196
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1988201, 1988202

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 350.1 Rev. 2.0	04/27/2018			05/04/2018 12:25	Ping Hua	1988197
	04/27/2018			05/04/2018 12:27	Ping Hua	1988198
EPA 351.2 Rev. 2.0	04/27/2018	04/30/2018 15:30	Adrian Shelby	05/01/2018 17:21	Joseph Suarez	1988197
	04/27/2018	04/30/2018 15:30	Adrian Shelby	05/01/2018 17:23	Joseph Suarez	1988198
EPA 353.2 Rev. 2.0	04/27/2018			04/30/2018 12:40	Lauren Bottorf	1988197
	04/27/2018			04/30/2018 12:42	Lauren Bottorf	1988198
EPA 365.1 Rev. 2.0	04/27/2018	05/01/2018 14:01	Sima Feizi	05/02/2018 14:12	Lipi Saha	1988197
	04/27/2018	05/01/2018 14:01	Sima Feizi	05/02/2018 14:13	Lipi Saha	1988198
EPA 365.1 Rev. 2.0 dissolved	04/27/2018			04/27/2018 17:41	Megan Treadwell	1988199
	04/27/2018			04/27/2018 17:42	Megan Treadwell	1988200
EPA 8321B	04/27/2018	04/27/2018 14:00	Juyoung Kim	05/15/2018 14:20	Juyoung Kim	1988195
	04/27/2018	04/27/2018 14:00	Juyoung Kim	05/15/2018 14:39	Juyoung Kim	1988196
SM 2540 D-97	04/27/2018			05/02/2018 15:06	Yijie Li	1988201, 1988202