

Chemical Analysis Report

CEN-DIST-2018-06-01-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780


Event Description: **Lake Jessup_Haynes Creek BMAP**
Request ID: **RQ-2018-05-28-38**
Customer: **CEN-DIST**
Project ID: **LKJES-BMAP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767
Attn: Mike Linger

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Kerry Tate, Ph.D., Environmental Administrator

Date Certified: 26-JUN-2018 14:31

A handwritten signature in black ink that reads "Kerry Tate". The signature is written in a cursive, flowing style with a horizontal line above the first few letters of the last name.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Nutrients and Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

**Sample Location: HAYNES CREEK @ JUST DS OF BURELL
LOCK**

Collection Date/Time: 05/31/2018 10:54

Field ID: G1CE0063

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1996732	EPA 8321B	Sucralose**	0.13		ug/L	P346269	

Sample Location: HAYNES CREEK @ 300M DS OF CR 44

Collection Date/Time: 05/31/2018 10:35

Field ID: G1CE0023

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1996733	EPA 8321B	Sucralose**	0.19		ug/L	P346269	

Sample Location: SWEETWATER CREEK @ FLORIDA AVENUE Collection Date/Time: 05/31/2018 12:23

Field ID: G2CE0123

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1996734	EPA 350.1 Rev. 2.0	Ammonia-N	0.092		mg N/L	P346694	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.5		mg N/L	P347041	MS
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.070		mg N/L	P346325	
	EPA 365.1 Rev. 2.0	Total-P	0.43		mg P/L	P346545	
1996736	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.36		mg P/L	P346287	
1996738	SM 2540 D-97	TSS	10		mg/L	P346735	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: SALT CREEK @ PACKARD AVENUE

Collection Date/Time: 05/31/2018 12:40

Field ID: G2CE0088

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1996735	EPA 350.1 Rev. 2.0	Ammonia-N	0.095		mg N/L	P346694	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	2.4		mg N/L	P347041	MS
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.040		mg N/L	P346325	
	EPA 365.1 Rev. 2.0	Total-P	0.36		mg P/L	P346545	
1996737	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.27		mg P/L	P346287	
1996739	SM 2540 D-97	TSS	22		mg/L	P346735	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P346694

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P347041

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P346325

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P346545

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P346287

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 8321B
Batch ID: P346269

Component	Result	Code	Units
Sucralose	0.010	U	ug/L

Reference Method: SM 2540 D-97
Batch ID: P346735

Component	Result	Code	Units
TSS	2	U	mg/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P346694

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	99.8		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P347041

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	102		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P346325

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	102		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P346545

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	100		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P346287

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	99.9		P	90 - 110

Reference Method: EPA 8321B
Batch ID: P346269

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sucralose	91.1		P	40 - 150

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P346694

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1996712	Ammonia-N	98.6	98.2	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P347041

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1996803	Kjeldahl Nitrogen	77.6	77.2	F/F	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P346325

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1996712	NO2NO3-N	103	104	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P346545

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1996688	Total-P	102	94.6	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P346287

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1996804	O-Phosphate-P	98.3	99.2	P/P	90 - 110

Reference Method: EPA 8321B
Batch ID: P346269

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1996704	Sucralose	91.9	90.3	P/P	40 - 150

Quality Assurance Report Precision

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P346694

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1996712	Ammonia-N	0.379	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P347041

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1996803	Kjeldahl Nitrogen	0.417	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P346325

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1996712	NO2NO3-N	0.966	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P346545

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1996688	Total-P	4.58	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P346287

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1996804	O-Phosphate-P	0.911	Spike	P	0 - 20

Reference Method: EPA 8321B
 Batch ID: P346269

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1996704	Sucralose	1.66	Spike	P	0 - 30

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
 Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 1996732
Field Sample ID: G1CE0063

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Sucralose-d6	103	P	40 - 160

Lab Sample ID: 1996733
Field Sample ID: G1CE0023

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Sucralose-d6	116	P	40 - 160

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A84307

Included Lab Sample IDs: 1996736, 1996737

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	97.6	95.9	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A84329

Included Lab Sample IDs: 1996734, 1996735

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	101	102	P/P	90 - 110

Reference Method: EPA 8321B

Run ID: A84402

Included Lab Sample IDs: 1996732, 1996733

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Sucralose	83.4	87.7	P/P	60 - 150

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A84457

Included Lab Sample IDs: 1996734, 1996735

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	104	102	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A84494

Included Lab Sample IDs: 1996734, 1996735

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	98.3	98.7	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A84735

Included Lab Sample IDs: 1996734, 1996735

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	96.9	95.4	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision SMP	MS
EPA 350.1 Rev. 2.0	Ammonia-N	99.8	98.6	98.2			0.379
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	102	77.6	77.2			0.417
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	102	103	104			0.966
EPA 365.1 Rev. 2.0	Total-P	100	102	94.6			4.58
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	99.9	98.3	99.2			0.911
EPA 8321B	Sucralose	91.1	91.9	90.3			1.66

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1996734, 1996735
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1996734, 1996735
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1996734, 1996735
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1996734, 1996735
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1996736, 1996737
EPA 8321B / E31780	Water soluble organic compounds by HPLC/MS/MS	1996732, 1996733
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	1996738, 1996739

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 350.1 Rev. 2.0	06/01/2018			06/11/2018 14:28	Julia Storbeck	1996734
	06/01/2018			06/11/2018 14:29	Julia Storbeck	1996735
EPA 351.2 Rev. 2.0	06/01/2018	06/18/2018 15:30	Adrian Shelby	06/20/2018 11:32	Joseph Suarez	1996734
	06/01/2018	06/18/2018 15:30	Adrian Shelby	06/20/2018 11:34	Joseph Suarez	1996735
EPA 353.2 Rev. 2.0	06/01/2018			06/04/2018 12:29	Lauren Bottorf	1996734
	06/01/2018			06/04/2018 12:30	Lauren Bottorf	1996735
EPA 365.1 Rev. 2.0	06/01/2018	06/07/2018 11:15	Sima Feizi	06/08/2018 10:12	Beverly Y. Sanders	1996734
	06/01/2018	06/07/2018 11:15	Sima Feizi	06/08/2018 10:13	Beverly Y. Sanders	1996735
EPA 365.1 Rev. 2.0 dissolved	06/01/2018			06/01/2018 17:59	Megan Treadwell	1996737
	06/01/2018			06/01/2018 18:00	Megan Treadwell	1996736
EPA 8321B	06/01/2018	06/05/2018 14:00	Hoor Shaik	06/05/2018 17:32	Mohammad Ghaffari	1996732
	06/01/2018	06/05/2018 14:00	Hoor Shaik	06/05/2018 17:51	Mohammad Ghaffari	1996733
SM 2540 D-97	06/01/2018			06/06/2018 15:03	Yijie Li	1996738, 1996739