

Chemical Analysis Report

CEN-DIST-2018-09-28-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780


Event Description: **Lake Jessup_Haynes Creek BMAP**
Request ID: **RQ-2018-09-24-52**
Customer: **CEN-DIST**
Project ID: **LKJES-BMAP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767
Attn: Mike Linger

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Dr. rer. nat. Bettina Steinbock, Environmental Administrator

Date Certified: 24-OCT-2018 16:07



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Nutrients and Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Salt Creek @ Packard Avenue

Collection Date/Time: 09/27/2018 12:20

Field ID: G2CE0088

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2029567	EPA 350.1 Rev. 2.0	Ammonia-N	0.10		mg N/L	P353030	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.0		mg N/L	P352607	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.24		mg N/L	P352773	
	EPA 365.1 Rev. 2.0	Total-P	0.30		mg P/L	P352588	
2029569	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.25		mg P/L	P352487	
2029571	SM 2540 D-97	TSS	3	I	mg/L	P352925	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Sweetwater Creek @ Florida Avenue

Collection Date/Time: 09/27/2018 12:05

Field ID: G2CE0123

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2029568	EPA 350.1 Rev. 2.0	Ammonia-N	0.095		mg N/L	P353030	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.78		mg N/L	P352746	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.24		mg N/L	P352773	
	EPA 365.1 Rev. 2.0	Total-P	0.31		mg P/L	P352588	
2029570	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.28		mg P/L	P352487	
2029572	SM 2540 D-97	TSS	4	I	mg/L	P352925	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Haynes Creek @ 300m DS of CR 44

Collection Date/Time: 09/27/2018 10:18

Field ID: G1CE0023

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2029559	EPA 8321B	Sucralose**	0.24		ug/L	P352431	

Sample Location: Haynes Creek @ just DS of Burell Lock

Collection Date/Time: 09/27/2018 10:29

Field ID: G1CE0063

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2029560	EPA 8321B	Sucralose**	0.25		ug/L	P352431	

Quality Assurance Report Method Blank Results

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P353030

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P352607

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P352746

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P352773

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P352588

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P352487

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 8321B
Batch ID: P352431

Component	Result	Code	Units
Sucralose	0.010	U	ug/L

Reference Method: SM 2540 D-97
Batch ID: P352925

Component	Result	Code	Units
TSS	2	U	mg/L

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P353030

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	97.4		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P352607

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	105		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P352746

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	108		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P352773

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	100		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P352588

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	103		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P352487

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	101		P	90 - 110

Reference Method: EPA 8321B
Batch ID: P352431

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sucralose	110		P	40 - 150

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P353030

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2029529	Ammonia-N	103	106	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P352607

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2029495	Kjeldahl Nitrogen	99.1	109	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P352746

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2029568	Kjeldahl Nitrogen	105	98.6	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P352773

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2030489	NO2NO3-N	98.2		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P352588

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2029530	Total-P	98.1	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P352487

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2029533	O-Phosphate-P	97.9	98.5	P/P	90 - 110

Reference Method: EPA 8321B
Batch ID: P352431

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2029419	Sucralose	113	117	P/P	40 - 150

Quality Assurance Report Precision

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P353030

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2029529	Ammonia-N	2.64	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P352607

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2029495	Kjeldahl Nitrogen	7.43	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P352746

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2029568	Kjeldahl Nitrogen	3.91	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P352773

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2030489	NO2NO3-N	0.738	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P352588

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2029530	Total-P	1.92	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P352487

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2029533	O-Phosphate-P	0.611	Spike	P	0 - 20

Reference Method: EPA 8321B
 Batch ID: P352431

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2029419	Sucralose	3.68	Spike	P	0 - 30

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
 Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 2029559
Field Sample ID: G1CE0023

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Sucralose-d6	111	P	40 - 160

Lab Sample ID: 2029560
Field Sample ID: G1CE0063

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Sucralose-d6	113	P	40 - 160

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A86789

Included Lab Sample IDs: 2029569, 2029570

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	99.0	98.6	P/P	90 - 110

Reference Method: EPA 8321B

Run ID: A86795

Included Lab Sample IDs: 2029559, 2029560

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Sucralose	105	104	P/P	60 - 160

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A86871

Included Lab Sample IDs: 2029567, 2029568

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	104	101	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A86915

Included Lab Sample IDs: 2029567, 2029568

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	100	P/P	90 - 110
NO2NO3-N	100	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A86930

Included Lab Sample IDs: 2029568

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	104	104	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A86972

Included Lab Sample IDs: 2029567

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	100	97.7	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A87014

Included Lab Sample IDs: 2029567, 2029568

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	101	101	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.
 Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
 Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision SMP	MS
EPA 350.1 Rev. 2.0	Ammonia-N	97.4	103	106			2.64
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	105	99.1	109			7.43
	Kjeldahl Nitrogen	108	105	98.6			3.91
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	100	98.2				0.738
EPA 365.1 Rev. 2.0	Total-P	103	98.1	100			1.92
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	101	97.9	98.5			0.611
EPA 8321B	Sucralose	110	113	117			3.68

Reference Method Descriptions

Method / DoH Cert #	Description	<u>Associated Samples</u>
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	2029567, 2029568
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	2029567, 2029568
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	2029567, 2029568
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	2029567, 2029568
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2029569, 2029570
EPA 8321B / E31780	Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS	2029559, 2029560
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2029571, 2029572

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 350.1 Rev. 2.0	09/28/2018			10/04/2018 11:51	Ping Hua	2029567
	09/28/2018			10/04/2018 11:53	Ping Hua	2029568
EPA 351.2 Rev. 2.0	09/28/2018	10/02/2018 15:30	Adrian Shelby	10/08/2018 10:47	Joseph Suarez	2029567
	09/28/2018	10/04/2018 11:30	Adrian Shelby	10/05/2018 08:53	Joseph Suarez	2029568
EPA 353.2 Rev. 2.0	09/28/2018			10/04/2018 12:51	Lauren Bottorf	2029568
	09/28/2018			10/04/2018 14:34	Lauren Bottorf	2029567
EPA 365.1 Rev. 2.0	09/28/2018	10/02/2018 12:37	Sima Feizi	10/03/2018 09:49	Beverly Y. Sanders	2029567
	09/28/2018	10/02/2018 12:37	Sima Feizi	10/03/2018 09:51	Beverly Y. Sanders	2029568
EPA 365.1 Rev. 2.0 dissolved	09/28/2018			09/28/2018 16:07	Julia Storbeck	2029569, 2029570
EPA 8321B	09/28/2018	09/28/2018 16:00	Mohammad Ghaffari	09/30/2018 04:13	Mohammad Ghaffari	2029559
	09/28/2018	09/28/2018 16:00	Mohammad Ghaffari	09/30/2018 04:28	Mohammad Ghaffari	2029560
SM 2540 D-97	09/28/2018			10/03/2018 15:02	Yijie Li	2029571, 2029572