

Chemical Analysis Report

NW-DIST-2018-02-13-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780


Event Description: **Bayou Chico BMAP**
Request ID: **RQ-2018-01-22-05**
Customer: **NW-DIST**
Project ID: **BMAP**

Send Reports to:
FL Dept. of Environmental Protection
160 Government Center
Suite 308
Pensacola, FL 32502-5794
Attn: Cheryl Bunch

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 06-MAR-2018 15:57

A handwritten signature in black ink, appearing to read "Liang Lin", on a light-colored background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: PENSACOLA BAY AT SANDERS BEACH

Collection Date/Time: 02/12/2018 11:15

Field ID: A

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1966774	EPA 180.1 Rev. 2.0	Turbidity	3.5		NTU	P339892	
1966775	EPA 350.1 Rev. 2.0	Ammonia-N	0.071		mg N/L	P340462	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.33	I	mg N/L	P339995	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.19		mg N/L	P340118	
	EPA 365.1 Rev. 2.0	Total-P	0.022		mg P/L	P340059	

Sample Location: BAYOU CHICO AT MANDALAY PARK

Collection Date/Time: 02/12/2018 11:35

Field ID: B

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1966762	EPA 180.1 Rev. 2.0	Turbidity	0.55		NTU	P339891	
1966766	EPA 350.1 Rev. 2.0	Ammonia-N	0.027		mg N/L	P340319	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.50		mg N/L	P339898	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.15		mg N/L	P340368	
	EPA 365.1 Rev. 2.0	Total-P	0.025		mg P/L	P339973	

Sample Location: JONES CREEK AT OLD CORRY ROAD

Collection Date/Time: 02/12/2018 12:10

Field ID: C

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1966763	EPA 180.1 Rev. 2.0	Turbidity	4.8		NTU	P339891	
1966767	EPA 350.1 Rev. 2.0	Ammonia-N	0.01		mg N/L	P340319	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.52		mg N/L	P339898	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.095		mg N/L	P340368	
	EPA 365.1 Rev. 2.0	Total-P	0.021		mg P/L	P339973	

Sample Location: JACKSON CREEK AT OLD CORRY ROAD

Collection Date/Time: 02/12/2018 12:35

Field ID: D

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1966770	EPA 180.1 Rev. 2.0	Turbidity	7.7	A	NTU	P339892	
1966772	EPA 350.1 Rev. 2.0	Ammonia-N	0.048		mg N/L	P340319	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.25		mg N/L	P339898	
	EPA 353.2 Rev. 2.0	NO2NO3-N	2.0		mg N/L	P340368	
	EPA 365.1 Rev. 2.0	Total-P	0.045		mg P/L	P340069	

Sample Location: JACKSON CREEK AT NEW WARRINGTON ROAD

Collection Date/Time: 02/12/2018 12:55

Field ID: E

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1966771	EPA 180.1 Rev. 2.0	Turbidity	5.5		NTU	P339892	
1966773	EPA 350.1 Rev. 2.0	Ammonia-N	0.022		mg N/L	P340319	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.23		mg N/L	P339898	
	EPA 353.2 Rev. 2.0	NO2NO3-N	2.2		mg N/L	P340368	

Field ID: E

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1966773	EPA 365.1 Rev. 2.0	Total-P	0.029		mg P/L	P340069	

Sample Location: BAYOU CHICO AT NAVY BLVD BRIDGE Collection Date/Time: 02/12/2018 15:10

Field ID: F

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1966764	EPA 180.1 Rev. 2.0	Turbidity	9.4		NTU	P339891	
1966768	EPA 350.1 Rev. 2.0	Ammonia-N	0.074		mg N/L	P340462	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.35	I	mg N/L	P339995	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.52		mg N/L	P340118	
	EPA 365.1 Rev. 2.0	Total-P	0.047		mg P/L	P340059	

Sample Location: BAYOU CHICO AT W STREET Collection Date/Time: 02/12/2018 15:30

Field ID: G

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1966765	EPA 180.1 Rev. 2.0	Turbidity	28		NTU	P339891	
1966769	EPA 350.1 Rev. 2.0	Ammonia-N	0.084		mg N/L	P340319	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.30		mg N/L	P339898	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.34		mg N/L	P340368	
	EPA 365.1 Rev. 2.0	Total-P	0.083		mg P/L	P339973	

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
 Batch ID: P339891

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 180.1 Rev. 2.0
 Batch ID: P339892

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P340319

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P340462

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P339898

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P339995

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P340118

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P340368

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P339973

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P340059

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P340069

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P340319

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	100		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P340462

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
-----------	---------	---------	-----------	----------------

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P340462

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	97.5		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P339898

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	100		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P339995

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	93.7		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P340118

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	105		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P340368

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	103		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P339973

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	101		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P340059

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	103		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P340069

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	100		P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P340319

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
---------------	-----------	---------	---------	-----------	----------------

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P340319

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1966766	Ammonia-N	98.1	98.2	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P340462

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1967111	Ammonia-N	107	105	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P339898

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1966713	Kjeldahl Nitrogen	102	102	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P339995

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1966824	Kjeldahl Nitrogen	92.6	94.2	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P340118

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1966775	NO2NO3-N	106	106	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P340368

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1966703	NO2NO3-N	105	105	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P339973

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1966713	Total-P	100	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P340059

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1965988	Total-P	102	98.4	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P340069

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1966706	Total-P	101	103	P/P	90 - 110

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P339891

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1966697	Turbidity	1.84	Sample	P	0 - 20

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P339892

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1966770	Turbidity	1.81	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P340319

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1966766	Ammonia-N	0.0864	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P340462

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1967111	Ammonia-N	0.986	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P339898

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1966713	Kjeldahl Nitrogen	0.173	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P339995

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1966824	Kjeldahl Nitrogen	1.61	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P340118

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1966775	NO2NO3-N	0.0	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P340368

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1966703	NO2NO3-N	0.406	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P339973

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1966713	Total-P	1.44	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P340059

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1965988	Total-P	2.94	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P340069

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1966706	Total-P	1.70	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0
Run ID: A82039
Included Lab Sample IDs: 1966762, 1966763, 1966764, 1966765, 1966770, 1966771, 1966774

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105
Turbidity	101	100	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0
Run ID: A82089
Included Lab Sample IDs: 1966769

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	103	102	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Run ID: A82107
Included Lab Sample IDs: 1966766, 1966767, 1966769, 1966772, 1966773

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	104	106	P/P	90 - 110
Kjeldahl Nitrogen	106	104	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Run ID: A82118
Included Lab Sample IDs: 1966766, 1966767

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
-----------	---------	---------	------------	----------------

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A82118

Included Lab Sample IDs: 1966766, 1966767

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	102	102	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A82121

Included Lab Sample IDs: 1966768, 1966775

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	100	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A82125

Included Lab Sample IDs: 1966768, 1966775

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	101	104	P/P	90 - 110
Kjeldahl Nitrogen	104	97.2	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A82136

Included Lab Sample IDs: 1966768, 1966775

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	100	100	P/P	90 - 110
Total-P	100	101	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A82141

Included Lab Sample IDs: 1966772, 1966773

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	101	99.5	P/P	90 - 110
Total-P	99.5	100	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A82180

Included Lab Sample IDs: 1966766, 1966767, 1966769, 1966772, 1966773

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	99.0	99.7	P/P	90 - 110
Ammonia-N	99.7	99.6	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A82217

Included Lab Sample IDs: 1966766, 1966767, 1966769, 1966772, 1966773

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	100	P/P	90 - 110
NO2NO3-N	99.5	100	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 350.1 Rev. 2.0
Run ID: A82241
Included Lab Sample IDs: 1966768, 1966775

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	102	103	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity				1.84	
	Turbidity				1.81	
EPA 350.1 Rev. 2.0	Ammonia-N	100	98.1 98.2			0.0864
	Ammonia-N	97.5	107 105			0.986
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	100	102 102			0.173
	Kjeldahl Nitrogen	93.7	92.6 94.2			1.61
EPA 353.2 Rev. 2.0	NO2NO3-N	105	106 106			0.0
	NO2NO3-N	103	105 105			0.406
EPA 365.1 Rev. 2.0	Total-P	101	100 102			1.44
	Total-P	103	102 98.4			2.94
	Total-P	100	101 103			1.70

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1966762, 1966763, 1966764, 1966765, 1966770, 1966771, 1966774
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1966766, 1966767, 1966768, 1966769, 1966772, 1966773, 1966775
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1966766, 1966767, 1966768, 1966769, 1966772, 1966773, 1966775
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1966766, 1966767, 1966768, 1966769, 1966772, 1966773, 1966775
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1966766, 1966767, 1966768, 1966769, 1966772, 1966773, 1966775

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	02/13/2018			02/13/2018 17:01	Sima Feizi	1966762, 1966763, 1966764, 1966765, 1966770, 1966771, 1966774
EPA 350.1 Rev. 2.0	02/13/2018			02/20/2018	Ping Hua	1966766, 1966767, 1966769, 1966772, 1966773
	02/13/2018			02/22/2018	Ping Hua	1966768, 1966775
EPA 351.2 Rev. 2.0	02/13/2018	02/14/2018	Adrian Shelby	02/16/2018	Joseph Suarez	1966766, 1966767, 1966769, 1966772, 1966773
	02/13/2018	02/15/2018	Adrian Shelby	02/16/2018	Joseph Suarez	1966768, 1966775
EPA 353.2 Rev. 2.0	02/13/2018			02/16/2018	Lauren Bottorf	1966768, 1966775
	02/13/2018			02/21/2018	Lauren Bottorf	1966766, 1966767, 1966769, 1966772, 1966773
EPA 365.1 Rev. 2.0	02/13/2018	02/14/2018	Sima Feizi	02/15/2018	Lipi Saha	1966769
	02/13/2018	02/14/2018	Sima Feizi	02/16/2018	Lipi Saha	1966766, 1966767
	02/13/2018	02/15/2018	Sima Feizi	02/19/2018	Beverly Y. Sanders	1966768, 1966775
	02/13/2018	02/16/2018	Sima Feizi	02/19/2018	Beverly Y. Sanders	1966772, 1966773