

Biological Analysis Report

NW-DIST-2018-08-21-04

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
University of West Florida
11000 University Parkway
Pensacola, FL 32514
DOH Accreditation E71969

Event Description: **Bayou Chico BMAP Source**
Request ID: **RQ-2018-07-16-09**
Customer: **NW-DIST**
Project ID: **BMAP**

Send Reports to:
FL Dept. of Environmental Protection
160 Government Center
Suite 308
Pensacola, FL 32502-5794
Attn: Cheryl Bunch

For additional information please contact
Cheryl Swanson - Administrator
J. Marshall Faircloth - Aquatic Toxicology
Jacqueline Savage - Bench Biology
Jacqueline Savage - Microbiology
Puja Jasrotia, Ph.D. - Molecular Biology
Amelia Rankin - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Amelia G. Rankin,

Date Certified: 25-SEP-2018 15:26



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: BAYOU CHICO AT NAVY BLVD. BRIDGE

Collection Date/Time: 08/20/2018 12:45

Field ID: 33020JE20

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2018568	SM 10200 H (mod.)	Chlorophyll-a, Corrected	10		ug/L	P351058	
		Phaeophytin-a	0.82	I	ug/L	P351058	
		Chlorophyll-a, Uncorrected	11		ug/L	P351058	
2018582	Enterolert/QT	Enterococci-Quanti-Tray	934		MPN/100 mL		
2018595	SOP-PCR-1.0	HF183-qPCR**	580	I	GEU/100 mL	P350505	
	SOP-PCR-4.0	HF183 - Human Source Marker**	Above Threshold				

Sample Location: BAYOU CHICO AT W ST. BRIDGE

Collection Date/Time: 08/20/2018 13:10

Field ID: 33020JF1

Matrix: W-BRACKISH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2018569	SM 10200 H (mod.)	Chlorophyll-a, Corrected	4.3	A	ug/L	P351058	
		Phaeophytin-a	1.4	A	ug/L	P351058	
		Chlorophyll-a, Uncorrected	5.2	A	ug/L	P351058	
2018583	Enterolert/QT	Enterococci-Quanti-Tray	24196	J	MPN/100 mL		
2018596	SOP-PCR-1.0	HF183-qPCR**	190	I	GEU/100 mL	P350505	
	SOP-PCR-4.0	HF183 - Human Source Marker**	Above Threshold				

Sample Location: JONES CREEK UPSTREAM OF NEW WARRINGTON RD.

Collection Date/Time: 08/20/2018 11:55

Field ID: 33020117

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2018570	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.0	I	ug/L	P351058	
		Phaeophytin-a	0.40	U	ug/L	P351058	
		Chlorophyll-a, Uncorrected	1.3		ug/L	P351058	
2018584	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	529		MPN/100 mL		
2018597	SOP-PCR-1.0	HF183-qPCR**	140	U	GEU/100 mL	P350505	
	SOP-PCR-1.2	GULL2-qPCR**	8.4E+03	U	TSC/100 mL	P350505	
	SOP-PCR-1.3	GFD-purified-qPCR**	170	U	TSC/100 mL	P351074	LCS, MS
	SOP-PCR-1.4	BacR-qPCR**	1.5E+03	U	TSC/100 mL	P350505	LCS
	SOP-PCR-4.0	HF183 - Human Source Marker**	Above Threshold				

Ref. Method and Comment:

SOP-PCR-1.2: Precision data unavailable for Analysis Batch A86295

SOP-PCR-1.4: Precision data unavailable for Analysis Batch A86258

Sample Location: JACKSON CREEK AT OLD CORRY ROAD

Collection Date/Time: 08/20/2018 11:10

Field ID: 33020221

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2018571	SM 10200 H (mod.)	Chlorophyll-a, Corrected	8.1		ug/L	P351058	
		Phaeophytin-a	5.8		ug/L	P351058	
		Chlorophyll-a, Uncorrected	12		ug/L	P351058	
2018585	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	5475		MPN/100 mL		
2018598	SOP-PCR-1.0	HF183-qPCR**	140	U	GEU/100 mL	P350505	
	SOP-PCR-1.2	GULL2-qPCR**	8.4E+03	U	TSC/100 mL	P350505	

Field ID: 33020221

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2018598	SOP-PCR-1.3	GFD-purified-qPCR**	170	U	TSC/100 mL	P351074	LCS, MS
	SOP-PCR-1.4	BacR-qPCR**	1.5E+03	U	TSC/100 mL	P350505	LCS
	SOP-PCR-4.0	HF183 - Human Source Marker**	Above Threshold				

Ref. Method and Comment:

SOP-PCR-1.2: Precision data unavailable for Analysis Batch A86295

SOP-PCR-1.4: Precision data unavailable for Analysis Batch A86258

Sample Location: PENSACOLA BAY AT SANDERS BEACH

Collection Date/Time: 08/20/2018 10:05

Field ID: 33020J10

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2018572	SM 10200 H (mod.)	Chlorophyll-a, Corrected	5.2		ug/L	P351058	
		Phaeophytin-a	0.54	I	ug/L	P351058	
		Chlorophyll-a, Uncorrected	5.7		ug/L	P351058	

Sample Location: jones creek at old corry road

Collection Date/Time: 08/20/2018 10:50

Field ID: 33020118

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2018573	SM 10200 H (mod.)	Chlorophyll-a, Corrected	0.84	I	ug/L	P351115	
		Phaeophytin-a	0.40	U	ug/L	P351115	
		Chlorophyll-a, Uncorrected	1.0	I	ug/L	P351115	
2018586	Enterolert/QT	Enterococci-Quanti-Tray	512		MPN/100 mL		

Sample Location: bayou chico at mandalay drive

Collection Date/Time: 08/20/2018 10:25

Field ID: 33020JD4

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2018574	SM 10200 H (mod.)	Chlorophyll-a, Corrected	14		ug/L	P351115	
		Phaeophytin-a	1.4		ug/L	P351115	
		Chlorophyll-a, Uncorrected	16		ug/L	P351115	
2018587	Enterolert/QT	Enterococci-Quanti-Tray	75		MPN/100 mL		

Sample Location: jackson creek at new warrington road

Collection Date/Time: 08/20/2018 11:35

Field ID: 33020222

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2018575	SM 10200 H (mod.)	Chlorophyll-a, Corrected	4.4		ug/L	P351115	
		Phaeophytin-a	3.4		ug/L	P351115	
		Chlorophyll-a, Uncorrected	6.5		ug/L	P351115	
2018588	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	24196	J	MPN/100 mL		

Quality Assurance Report

Method Blank Results

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)
Batch ID: P351058

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.55	U	ug/L
Chlorophyll-a, Uncorrected	0.40	U	ug/L
Phaeophytin-a	0.40	U	ug/L

Reference Method: SM 10200 H (mod.)
Batch ID: P351115

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.62	U	ug/L
Chlorophyll-a, Uncorrected	0.45	U	ug/L
Phaeophytin-a	0.45	U	ug/L

Reference Method: SOP-PCR-1.0
Batch ID: P350505

Component	Result	Code	Units
HF183-qPCR	280	U	GEU/100 mL

Reference Method: SOP-PCR-1.2
Batch ID: P350505

Component	Result	Code	Units
GULL2-qPCR	1.7E+04	U	TSC/100 mL

Reference Method: SOP-PCR-1.3
Batch ID: P351074

Component	Result	Code	Units
GFD-purified-qPCR	340	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P350505

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P351058

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	90.3		P	84 - 116

Reference Method: SM 10200 H (mod.)
Batch ID: P351115

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	87.3		P	84 - 116

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SOP-PCR-1.0
 Batch ID: P350505

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	88.4	83.1	P/P	50 - 175

Reference Method: SOP-PCR-1.2
 Batch ID: P350505

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GULL2-qPCR	84.0	164	P/P	50 - 300

Reference Method: SOP-PCR-1.3
 Batch ID: P351074

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GFD-purified-qPCR	121	49.7	P/F	50 - 175

Reference Method: SOP-PCR-1.4
 Batch ID: P350505

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	137	201	P/F	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
 Batch ID: P350505

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2013668	HF183-qPCR	68.5		P	50 - 175
2013669	HF183-qPCR	75.1		P	50 - 175
2016247	HF183-qPCR	73.9		P	50 - 175
2016299	HF183-qPCR	67.0		P	50 - 175
2016300	HF183-qPCR	63.3		P	50 - 175
2017880	HF183-qPCR	70.6		P	50 - 175
2018595	HF183-qPCR	73.5		P	50 - 175
2018596	HF183-qPCR	64.6	66.8	P/P	50 - 175
2018597	HF183-qPCR	64.7		P	50 - 175
2018598	HF183-qPCR	68.2		P	50 - 175
2019031	HF183-qPCR	81.1		P	50 - 175
2019032	HF183-qPCR	78.3		P	50 - 175
2020117	HF183-qPCR	84.0		P	50 - 175

Reference Method: SOP-PCR-1.2
 Batch ID: P350505

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2013669	GULL2-qPCR	74.3		P	50 - 300
2016247	GULL2-qPCR	68.7		P	50 - 300
2018597	GULL2-qPCR	52.0		P	50 - 300
2018598	GULL2-qPCR	51.9		P	50 - 300
2020117	GULL2-qPCR	83.5		P	50 - 300

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.3

Batch ID: P351074

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2013669	GFD-purified-qPCR	157		P	50 - 175
2015786	GFD-purified-qPCR	172		P	50 - 175
2016247	GFD-purified-qPCR	50.0		F	50 - 175
2016293	GFD-purified-qPCR	138		P	50 - 175
2017669	GFD-purified-qPCR	177		F	50 - 175
2017670	GFD-purified-qPCR	130		P	50 - 175
2017671	GFD-purified-qPCR	143		P	50 - 175
2018597	GFD-purified-qPCR	172		P	50 - 175
2018598	GFD-purified-qPCR	133		P	50 - 175
2019428	GFD-purified-qPCR	153		P	50 - 175
2023260	GFD-purified-qPCR	153		P	50 - 175
2023261	GFD-purified-qPCR	172	150	P/P	50 - 175
2023262	GFD-purified-qPCR	95.4		P	50 - 175
2023263	GFD-purified-qPCR	44.8		F	50 - 175
2023264	GFD-purified-qPCR	66.9		P	50 - 175
2023265	GFD-purified-qPCR	106		P	50 - 175
2023266	GFD-purified-qPCR	131		P	50 - 175
2023267	GFD-purified-qPCR	160		P	50 - 175

Reference Method: SOP-PCR-1.4

Batch ID: P350505

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2013668	BacR-qPCR	87.8		P	50 - 175
2013669	BacR-qPCR	92.3		P	50 - 175
2016247	BacR-qPCR	84.9		P	50 - 175
2016299	BacR-qPCR	73.6		P	50 - 175
2016300	BacR-qPCR	86.9		P	50 - 175
2017880	BacR-qPCR	79.6		P	50 - 175
2018597	BacR-qPCR	88.6		P	50 - 175
2018598	BacR-qPCR	91.9		P	50 - 175
2020117	BacR-qPCR	112		P	50 - 175

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)

Batch ID: P351058

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018569	Chlorophyll-a, Corrected	4.45	Sample	P	0 - 25
2018569	Chlorophyll-a, Uncorrected	5.04	Sample	P	0 - 25
2018569	Phaeophytin-a	7.99	Sample	P	0 - 25

Reference Method: SM 10200 H (mod.)

Batch ID: P351115

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018630	Chlorophyll-a, Corrected	0.943	Sample	P	0 - 25

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P351115

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018630	Chlorophyll-a, Uncorrected	0.645	Sample	P	0 - 25
2018630	Phaeophytin-a	3.49	Sample	P	0 - 25

Reference Method: SOP-PCR-1.0
Batch ID: P350505

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018596	HF183-qPCR	3.44	Spike	P	0 - 25

Reference Method: SOP-PCR-1.3
Batch ID: P351074

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2023261	GFD-purified-qPCR	13.4	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 2018595
Field Sample ID: 33020JE20

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	108	P	50 - 300

Lab Sample ID: 2018596
Field Sample ID: 33020JF1

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	100	P	50 - 300

Lab Sample ID: 2018597
Field Sample ID: 33020117

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	97.0	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	83.9	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	83.8	P	50 - 300

Lab Sample ID: 2018598
Field Sample ID: 33020221

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	91.1	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	69.9	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	71.7	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			LCS	Precision	MS
								SMP	
SM 10200 H (mod.)	Chlorophyll-a, Corrected	90.3						4.45	
	Chlorophyll-a, Corrected	87.3						0.943	
	Chlorophyll-a, Uncorrected							5.04	
	Chlorophyll-a, Uncorrected							0.645	
	Phaeophytin-a							7.99	
	Phaeophytin-a							3.49	
SOP-PCR-1.0	HF183-qPCR	83.1	88.4	73.5	64.6	66.8			3.44
SOP-PCR-1.2	GULL2-qPCR	164	84.0	52.0	51.9	74.3			
				68.7					
SOP-PCR-1.3	GFD-purified-qPCR	49.7	121	172	177	157			13.4
				50.0					
SOP-PCR-1.4	BacR-qPCR	201	137	88.6	91.9	87.8			
				92.3					

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
Enterolert/QT / E71969	Enterococci by Enterolert Quanti-Tray method by UWF Laboratory in Pensacola	2018582, 2018583, 2018586, 2018587
SM 10200 H (mod.) / E31780	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2018568, 2018569, 2018570, 2018571, 2018572, 2018573, 2018574, 2018575
SM 9223 B Quanti-Tray / E71969	Escherichia coli by Colilert 18 Quanti-Tray method by UWF Laboratory in Pensacola	2018584, 2018585, 2018588
SOP-PCR-1.0 / E31780	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2018595, 2018596, 2018597, 2018598
SOP-PCR-1.2 / E31780	Detection and quantification of coastal bird specific Catellicoccus marimammalium Gull2 genetic marker with quantitative polymerase chain reaction	2018597, 2018598
SOP-PCR-1.3 / E31780	Detection and quantification of bird specific Helicobacter GFD genetic marker with quantitative polymerase chain reaction	2018597, 2018598
SOP-PCR-1.4 / E31780	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	2018597, 2018598
SOP-PCR-4.0 / E31780	Preparation of Samples by Filtration and held for qPCR Analysis	2018595, 2018596, 2018597, 2018598

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
Enterolert/QT	08/20/2018	08/20/2018 16:50		08/21/2018 17:17	UWF Lab	2018582, 2018583, 2018586, 2018587
SM 10200 H (mod.)	08/21/2018	08/21/2018 14:05	Mariam Hanna	08/30/2018 09:05	Carina A. Tull	2018568, 2018569, 2018570, 2018571, 2018572
	08/21/2018	08/21/2018 14:05	Mariam Hanna	08/31/2018 11:30	Carina A. Tull	2018573, 2018574, 2018575
SM 9223 B Quanti-Tray	08/20/2018	08/20/2018 17:25		08/21/2018 12:25	UWF Lab	2018584, 2018585, 2018588
SOP-PCR-1.0	08/21/2018	08/21/2018 15:35	Angela Smith	08/29/2018 11:31	Mailin Lopez	2018595, 2018596, 2018597, 2018598
SOP-PCR-1.2	08/21/2018	08/21/2018 15:35	Angela Smith	09/05/2018 08:41	Mailin Lopez	2018597, 2018598
SOP-PCR-1.3	08/21/2018	08/21/2018 15:15	Sarah Menz	09/13/2018 15:38	Sarah Menz	2018597, 2018598
SOP-PCR-1.4	08/21/2018	08/21/2018 15:35	Angela Smith	08/31/2018 14:49	Mailin Lopez	2018597, 2018598
SOP-PCR-4.0	08/21/2018	08/21/2018 15:15	Angela Smith	09/06/2018 08:42	Sarah Menz	2018595, 2018596, 2018597, 2018598