



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

April 2018

Data Qualified?

Yes ☒ No ☐

WIN Station Name: Merritt's Mill Pond 500 meters upstream of dam

Date: 12/27/2016
(mm/dd/yyyy)

WIN/ Field ID: G2WA0009

WBID: 180A

Latitude: 30.755

(Decimal Degrees)

County: Jackson

ORG ID: 21FLWGA

Longitude: -85.1881

(Decimal Degrees)

Receiving Body of Water: Chipola River

RQ-2018-06-18-24 12-24-28

Sampling Team Members						WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check	Sampling Equipment				
San Wood's Ben Hudson						☒	☒	☒	☒	☒	☒ Sample Container	☐ Van Dorn	☐ Pole		
											☐ Carboy	☒ Syringe			
											☐ Dipper	☐ Other			
Depth Measured with						YSI									
Equipment ID						154177									
Collection Method															
☐ Wading						☐ Canoe/Kayak									
☐ From Shore						☐ Electric Motor									
☐ Other						☒ Gasoline Motor									
Water Level: Dry/ Pooled/ Low / Normal / High / Flooded						Meter ID# 154177					Matrix: Fresh / Marine / DI				
Photos: Yes / No		Flow: No Flow / Intertidal / Flowing / NA				Tide: Rising / Falling / Slack / NA					Tide Times: High Low				
Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Sp COND (µmhos/cm)	Temp. (C°)					
EST	1055	2.2	0.3	2.2	6.82	93.1	7.86	0.14	287	17.9					
CEN	1056		1.8	5	6.90	93.9	7.88	0.14	287	17.9					
Biological Samples Collected: None HA SCI RPS Algae ID LVS LVI Other:															
SBIO ID Numbers:		SBIO-ID:		HA-ID:		RPS-ID:		Macrophyte-ID:		LIMS#:					
Parameter Suite		Parameter Methods					Preservation		Lot#		Expiration		pH Check		
Preserved Nutrients		☒ W-NH3 / ☒ W-NO2NO3 / ☒ W-TKN / ☒ W-TOC / ☒ W-S-A-TP					☒ Ice ☒ H2SO4		8274050		10/1/19		☒ <2		
Metals		☒ W-ICPMS ☒ W-ICP					☒ Ice ☒ HNO3		897060		7/16/19		☒ <2		
Filtered Nutrients		☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter					☒ Ice								
Chlorophyll		☒ CHLSUITE-W					☒ Ice								
Physical/Aggregate (Fresh)		☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CH-IC / W-COLOR / W-SO4-IC / W-TDS					☒ Ice								
Physical/Aggregate (Marine)		☐ Alkalinity / W-F / W-TSS / TURBIDITY					☐ Ice								
Macroinvertebrates		☐ MI-FW-QLDC					☐ Formalin								
Periphyton		☐ ALGAE-ID					☐ Ice								
Microbiology		☐ E Coli ☐ F Coli ☐ Enterococci					☐ Ice								
Molecular		☐ PCR-FILTER ☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-GFD					☐ Ice								
Tracers		☐ W-E8321-DI ☐ W-E8321-MS					☐ Ice								
Pesticides		☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-E8321-DI ☐ W-PCL-SQ-R ☐ WE8321-MS ☐ W-CARB-AA					☐ Ice ☐ Other								

Notes: Kit C Algal ID	Place Label Here
-----------------------------	------------------

Signature: *[Signature]* Date: 12/27/16

Enter Field Parameters, Verify Station ID In LIMS DMT: *[Signature]* 2/15/19 QC Station ID, Field Parameters In LIMS DMT: *[Signature]* 2/15/19
Scan/Save Field Sheets (Initials/Date) Migrate Data to WIN: (Initials/Date) Verify Data In WIN: (Initials/Date)

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Customer: WAS-SECT

Project ID: BMAP

Requester: Curtis Musson

Field Report Prepared By: Woods

Collected By: Woods/Harden

Sampling Agency:

Location		☐ Comp ☒ Grab		Collection (comp begin or grab)		☒ Eastern ☐ Central		Composite end		Bottle Group(s)		
Field ID	Merritt's Mill Pond	WIN/Field ID	Date		12/27/18	Time	1055	Date		Time		
WIN/S	500 meters upstream of dam	G2WA00009	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		8.82	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		A	
Latitude			Temp (C)	17.9	pH	7.86	Sample Depth	0.3	☐ ft ☒ m	Sp. Conductance (umho/cm)		287
			Salinity (ppt)	0.14	Comments							
Location		☐ Comp ☒ Grab		Collection (comp begin or grab)		☒ Eastern ☐ Central		Composite end		Bottle Group(s)		
Field ID	Merritt's Mill Pond	WIN ID/Field ID	Date		12/27/18	Time	1110	Date		Time		
WIN/STOF	mid under powerlines	G2WA00008	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		9.19	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		A	
Latitude			Temp (C)	18.7	pH	7.86	Sample Depth	0.3	☐ ft ☒ m	Sp. Conductance (umho/cm)		286
			Salinity (ppt)	0.14	Comments							
Location		☐ Comp ☒ Grab		Collection (comp begin or grab)		☒ Eastern ☐ Central		Composite end		Bottle Group(s)		
Field ID	Merritt's Mill Pond	WIN ID/Field ID	Date		12/27/18	Time	1130	Date		Time		
WIN/STORET	600 meters downstream of Jackson Blue Spring	G2WA00007	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		6.70	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		A	
Latitude			Temp (C)	20.4	pH	7.82	Sample Depth	0.30	☐ ft ☒ m	Sp. Conductance (umho/cm)		283
			Salinity (ppt)	0.13	Comments							
Location		☐ Comp ☐ Grab		Collection (comp begin or grab)		☐ Eastern ☐ Central		Composite end		Bottle Group(s)		
Field ID			Date			Time		Date		Time		
WIN/STORET #			Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)				
Latitude			Temp (C)		pH		Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)			
			Salinity (ppt)		Comments							

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
JW	12/27/18 1320	HD	1	SR	12/27/18 1127

Group	Bottle Type	# of Bottles	Preservative	Enter Number of Bottles Sent to Lab
Group: A	P-1L	3	ICE	3
	ALKALINITY			
	TURBIDITY			
	W-CL-IC			
	W-COLOR			
	W-F			
	W-SO4-IC			
	W-TDS			
Group: A	BP-1L	3	ICE	3
	CHLSUITE-W			
Group: A	P-500ML	3	HNO3	3
	W-ICP			
	W-ICPMS			
Group: A	P-500ML	3	ICE And H2SO4	3
	W-NH3			
	W-NO2NO3			
	W-S-A-TP			
	W-TKN			
	W-TOC			
Group: A	P-125ML	3	FILTER-ICE	3
	W-PO4-F			
Group: B	PT-50ML	1	ICE	0
	ALGAL_ID			

Cooler Packing Worksheet for Request: RQ-2018-12-24-28

Merrits Mill Pond BMAP

Ship Cooler On: 12/20/2018

Customer/Project: WAS-SECT/BMAP

Assigned To: RODRIGUE_G

Requester: Curtis Musson

Priority: 3

850-245-8453

2600 Blair Stone Rd

Tallahassee, FL 32399

Attn: Curtis Musson

Comments:

Group A: Nutrients, Metals

Group B: Algal ID

Packing Notes:

No FedEx Labels

No trash Bags

1 - case sulfuric acid

2 - sets of sulfuric acid labels

Requested Analyses:

Bottle Group: A

of Sites: 3

Container ID: P-1L

Qty: 3 Preservation: ICE

Lot # 00072522

Description: Plastic Bottle 1L

Analysis

ALKALINITY

TURBIDITY

W-CL-IC

W-COLOR

W-F

W-SO4-IC

W-TDS

W-TSS

Description

Alkalinity in aqueous matrices as mg CaCO₃/L

Turbidity in aqueous matrices

Chloride in aqueous matrices

True Color measured at 450 nm

Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)

Sulfate in aqueous matrices

Total Dissolved Solids in aqueous matrices

Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Container ID: BP-1L

Qty: 3 Preservation: ICE

Lot # 1238147

Description: Brown Plastic Bottle 1L

Analysis

CHLSUITE-W

Description

Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Container ID: P-500ML

Qty: 3 Preservation: HNO3

Lot # 00072570

Description: Plastic Bottle 500 mL

Affix RED nitric acid dot to container.

Analysis

W-ICP

W-ICPMS

Description

Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects

Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

Container ID: P-500ML

Qty: 3 Preservation: ICE And H2SO4

Lot # 00072570

Description: Plastic Bottle 500 mL

Affix YELLOW sulfuric acid dot to container.

Analysis

W-NH3

W-NO2NO3

W-S-A-TP

W-TKN

W-TOC

Description

Ammonia in aqueous matrices as mg N/L

Nitrite/Nitrate in aqueous matrices as mg N/L

Total Phosphorus in aqueous matrices as mg P/L

Total Kjeldahl Nitrogen in aqueous matrices

Nonpurgeable Organic Carbon in aqueous matrices

Container ID: P-125ML

Qty: 3 Preservation: FILTER-ICE

Lot # 00058668

Description: Plastic Bottle 125 mL

Analysis

W-PO4-F

Description

Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group: B

of Sites: 1

Container ID: PT-50ML

Qty: 1 Preservation: ICE

Lot # 000377500

Description: Plastic Tube 50 mL

Analysis

ALGAL_ID

Description

Qualitative assessment of algal taxa present without counts

Cooler Packed By: G-R Number of Coolers: 7 Date: 12/18/18

Kit must also include:

- ☒ Field Sheets
- ☒ Temperature Control Bottle
- ☒ FedEx Bills, if applicable
- ☒ Plastic Bags/Zip Ties
- ☒ Acid Labels (sets of 24)

If Preservation Included:

ID <u>H2504</u>	Exp <u>10/01/19</u>	Lot # <u>SA8274050</u>
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____

PLEASE RETURN ALL COOLERS FOR RQ-2018-12-24-28

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID: 154177

RQ- 2018-12-24-28

Project: MMP RMAP

- Notes:** (1) Always wait for meter to stabilize before recording any readings.
 (2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).
 (3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification _____

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro-meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	Jon Woods	12/27/18	805	19.4	762.4	9.13	9.16	100.3	-	1.00	P/F	L/F
ICV	"	"	821	19.4	762.3	9.20	9.29	101.0	-	-	P/F	L/F
CCV	"	"	1333	20.4	759.7	9.02	9.19	101.9	-	-	P/F	L/F
CCV											P/F	L/F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ hos/cm	Meter Reading μ hos/cm	Pass / Fail	Lab / Field
Calibr.	Jon Woods	12/27/18	808	180621C	7/2019	1000	1000	P/F	L/F
ICV	"	"	819	1805F81	5/2020	100	103.2	P/F	L/F
CCV	"	"	1335	180621C	7/2019	1000	998	P/F	L/F
CCV								P/F	L/F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	Jon Woods	12/27/18	810	180621E	1/2020	7.02	19.7	7.02	-33.2	P/F	L/F
Calibr.	"	"	813	180621D	7/2019	4.00	19.4	4.00	140.7	P/F	L/F
Calibr.	"	"	816	180403D	10/2019	10.07	19.5	10.07	-191.5	P/F	L/F
ICV	"	"	818	"	"	10.0	19.5	10.02	-191.9	P/F	L/F
CCV	"	"	1337	180621D	7/2019	4.00	19.7	4.02	132.1	P/F	L/F
CCV										P/F	L/F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ;

mV pH 4 Range $+180 \pm 50$;

mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 _____, slope from 4 to 7 _____ (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water project)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: _____

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: _____; Date of last verification: _____

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air						P/F	L/F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS: