

Date of Request: 11-MAR-2019
 Created By: MUSSON_C On: 11-MAR-2019
 Modified By: MUSSON_C On: 11-MAR-2019
 Customer: WAS-SECT
 Project: BMAP
 Division:
 District:
 Sampling Event: Wakulla BMAP

Send Coolers To:

Phone: 850-245-8453
 2600 Blair Stone Rd

Tallahassee, FL 32399
 Attn: Curtis Musson

Program Module Number:
 Priority: 3
 Event Status: P
 Criminal Investigation: NO
 Chemistry Request Reviewed By:
 Biology Request Reviewed By:
 Sampling Kit Required: YES Ship on: 01-APR-2019
 Sampling Kit Shipped:
 Sampling Kit Packed By:
 Preservatives Needed: NO
 Date to Receive Samples: 17-APR-2019
 Received By:

Send Final Report To:

2600 Blair Stone Rd

Tallahassee, FL 32399
 Attn: Curtis Musson

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: Nutrients, Metals, Tracers (DI/MS), Q-PSNP-TQ
 Group B: SCl, Algae_ID

Packing Notes:
 No FedEx Labels
 No Trash Bag

Bottle Group A (Water) With 1 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
ALKALINITY Total Alkalinity	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
CHLSUITE-W Chlorophyll-a, Corrected Chlorophyll-a, Uncorrected Phaeophytin-a	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
TURBIDITY Turbidity	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC Chloride	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR Color (true)	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
W-E8321-DI *Acesulfame K *AMPA *Endothall *Glufosinate *Glyphosate *Sucralose	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS *Acetaminophen *Carbamazepine *Fluridone	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Group A (Water) With 1 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
*Hydrocodone *Ibuprofen *Imazapyr *Naproxen *Primidone *Pyraclostrobin *Triclopyr 2,4-D Bentazon Diuron Fenuron Imidacloprid Linuron MCPP		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Fluoride		
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Barium Calcium Iron Magnesium Potassium Sodium Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
*Boron Aluminum Antimony Arsenic Cadmium Chromium Copper Lead Nickel Selenium Silver Thallium		
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
Ammonia-N		
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
NO2NO3-N		
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
O-Phosphate-P		
W-PSNP-TQ	Template: DEFAULT	(EPA 8270D) Organonitrogen and phosphorus pesticides in water matrices by GC/MS/MS
*Dimethenamid *Dithiopyr *Fipronil Desulfinyl *Oxadiazon *Prodiamine *Tebuconazole Acetochlor Alachlor Ametryn Atrazine Atrazine Desethyl Azinphos Methyl		

Bottle Group A (Water) With 1 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
W-PSNP-TQ	Template: DEFAULT	(EPA 8270D) Organonitrogen and phosphorus pesticides in water matrices by GC/MS/MS
Bromacil		
Butylate		
Chlorpyrifos Ethyl		
Chlorpyrifos Methyl		
Cyanazine		
Demeton		
Diazinon		
Disulfoton		
EPTC		
Ethion		
Ethoprop		
Fenamiphos		
Fipronil		
Fipronil Sulfide		
Fipronil Sulfone		
Fonofos		
Hexazinone		
Malathion		
Metalaxyl		
Metolachlor		
Metribuzin		
Mevinphos		
Molinate		
Norflurazon		
Parathion Ethyl		
Parathion Methyl		
Pendimethalin		
Phorate		
Prometon		
Prometryn		
Simazine		
Terbufos		
Terbuthylazine		
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
Total-P		
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
Sulfate		
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
TDS		
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Kjeldahl Nitrogen		
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Organic Carbon		
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
TSS		

Bottle Group B (Biological) With 1 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
ALGAL_ID	Template: DEFAULT	(SOP-AB05) Qualitative assessment of algal taxa present without counts
*Dominant sample taxon		
MI-FW-QLDC	Template: DEFAULT	(SOP-IZ06) No. Taxa of FW macroinverts, qual samp, 20 dipnets.
*Macroinvert-FW-Qual-DipnetX20-#Taxa-Rep2		
*Stream Condition Index (SCI)		

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.