

Log-in Checklist

RQ- _____

Login Station ID: _____

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: _____

Cooler Temperature*	Samples Frozen	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # Damaged waybills only
					Present?		*Intact?		
					Yes	No	Yes	No	
		HNO ₃	Formalin						

* HNO3 and Formalin persevered samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX and microbiology), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form. **DOH coolers can exceed 2.0 °C above standard temperature without customer notification/confirmation.**

****Note:** If “No” is checked below, fill out the back of this form (Field ID, Test IDs, etc.) and generate an **NCR**.

**Chain of Custody/ Field Sheet(s) Included? Yes _____ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes _____ No _____

CONTAINER CHECK

****Evidence Tape on Bottles?** Yes _____ No _____ **If yes, is it intact?** Yes _____ No _____

****Caps on tight?** Yes _____ No _____ ****Containers intact?** Yes _____ No _____

****Sufficient Sample Volume:** Yes _____ No _____

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes _____ No _____ Init: _____

Check the Box marked “Yes” or “No” for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21			W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		
W-PFAS-MS					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, “OV-“)

****Acid Preserved Samples:** pH ≤ 2.0? Yes _____ No _____ NA _____ Init: _____

****W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?** Yes _____ No _____ NA _____ Init: _____

Coolers Unpacked/Checked by: _____ **Date:** _____ **NCRs (Y/N)?** _____

Event ID: _____ **NCR #** _____

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	
pH Paper 0.0 – 3.0 Lot #	
pH Paper 0 – 13 Lot #	
Chlorine Test Strips Lot #	

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes_____ No_____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes_____ If No_____

no, were samples shipped on dry ice? Yes_____ No_____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes_____ No_____

Date and time samples preserved: _____



Florida DEP North East District ROC BMAP Field sheet

Data Pass CCV?

Yes/No

Date: 6/1/21 RQ#: 2021-05-31-30Event Name: BMAP 2Meter ID: Pro DSS BrilleSampling Team Members: K. McDonald + K. McDonald

All bacteria samples taken are surface water grab samples.

WIN ID/Field ID:		WBID Number		Matrix:		Sample Type:		Initials Sample & Preservation		Initials Document-ation	
20030848		2299B		Surface ☒ Fresh ☒ Surface Salt ☐		E. coli ☒ Enterococcus ☐ Fecal ☐		KM		JP	
NW TRIBUTARY TO OPEN CR AT HODGES		Sample Access:		Sample Ice Preserved in 15 minutes?							
		Wading ☐ Dock ☐ From Shore ☒ Bridge ☐		Yes ☒ No ☐							

Time	Total depth(m)	Sample depth(m)	Temp °C	Conductivity µmhos	Salinity ppt	pH s.u.	D.O. mg/L	D.O. % sat	Secchi m	Tide Ebb/ Flood Slack
1120	0.2	0.1	23.6	472.3	0.23	7.06	6.26	73.9	VOB	—

Comments and Weather:

WIN ID/Field ID:		WBID Number		Matrix:		Sample Type:		Initials Sample & Preservation		Initials Document-ation	
20030653		2204		Surface ☒ Fresh ☒ Surface Salt ☐		E. coli ☒ Enterococcus ☐ Fecal ☐		KM		JP	
TERRAPIN CR AT FAYE ROAD		Sample Access:		Sample Ice Preserved in 15 minutes?							
		Wading ☐ Dock ☐ From Shore ☒ Bridge ☐		Yes ☒ No ☐							

Time	Total depth(m)	Sample depth(m)	Temp °C	Conductivity µmhos	Salinity ppt	pH s.u.	D.O. mg/L	D.O. % sat	Secchi m	Tide Ebb/ Flood Slack
1050	0.05	0.03	21.0	96	0.04	6.83	6.13	68.7	VOB	—

Comments and Weather:

WIN / Field ID:		WBID Number		Matrix:		Sample Type:		Initials Sample & Preservation		Initials Document-ation	
20030123		2203B		Surface ☐ Fresh ☐ Surface Salt ☒		E. coli ☐ Enterococcus ☒ Fecal ☐		KM		JP	
TROUT R @ DINSMORE BOAT RAMP DOCK NR US 1		Sample Access:		Sample Ice Preserved in 15 minutes?							
		Wading ☐ Dock ☒ From Shore ☐ Bridge ☐		Yes ☒ No ☐							

Time	Total depth(m)	Sample depth(m)	Temp °C	Conductivity µmhos	Salinity ppt	pH s.u.	D.O. mg/L	D.O. % sat	Secchi m	Tide Ebb/ Flood Slack
1015	0.4	0.3	26.9	11582	6.58	6.82	6.32	82.1	VOB	Ebb

Comments and Weather:

Signature: [Signature] Date: 6/1/21Field Sheet Scanned (Initials/date): [Signature] Parameters uploaded to LIMs (Initials/date): _____

Data QC'd in LIMs (Initials/date): _____ Data Migrated to WIN (Initials/date): _____

WIN / Field ID:  20030753 TROUT RIVER AT OLD KINGS RD					WBID Number 2203		Matrix: Surface ☒ Fresh ☒ Surface Salt ☐		Sample Type: E. coli ☒ Enteric ☐ Fecal ☐		Initials Sample & Preservation Initials Document-ation KM JP	
Sample Access: Wading ☐ Dock ☐ From Shore ☒ Bridge ☐							Sample Ice Preserved in 15 minutes? Yes ☒ No ☐					
Time	Total depth(m)	Sample depth(m)	Temp °C	Conductivity µmhos	Salinity ppt	pH s.u.	D.O. mg/L	D.O. % sat	Secchi m	Tide Ebb/ Flood Slack		
1025	0.3	0.2	21.8	951	0.47	7.11	2.7	30.5	VOB			
Comments and Weather:												

WIN / Field ID:  20030726 MONCRIEF CR AT MONCRIEF ROAD					WBID Number 2228B 2288		Matrix: Surface ☒ Fresh ☒ Surface Salt ☐		Sample Type: E. coli ☒ Enteric ☐ Fecal ☐		Initials Sample & Preservation Initials Document-ation KM JP	
Sample Access: Wading ☐ Dock ☐ From Shore ☒ Bridge ☐							Sample Ice Preserved in 15 minutes? Yes ☒ No ☐					
Time	Total depth(m)	Sample depth(m)	Temp °C	Conductivity µmhos	Salinity ppt	pH s.u.	D.O. mg/L	D.O. % sat	Secchi m	Tide Ebb/ Flood Slack		
948	0.56	0.3	23.4	464.3	0.22	7.20	2.67	31.4	VOB	ELL		
Comments and Weather:												

WIN / Field ID:  20030897 MONCRIEF CR @ 21ST ST					WBID Number 2228B		Matrix: Surface ☒ Fresh ☒ Surface Salt ☐		Sample Type: E. coli ☒ Enteric ☐ Fecal ☐		Initials Sample & Preservation Initials Document-ation KM JP	
Sample Access: Wading ☐ Dock ☐ From Shore ☒ Bridge ☐							Sample Ice Preserved in 15 minutes? Yes ☒ No ☐					
Time	Total depth(m)	Sample depth(m)	Temp °C	Conductivity µmhos	Salinity ppt	pH s.u.	D.O. mg/L	D.O. % sat	Secchi m	Tide Ebb/ Flood Slack		
955	0.145	0.05	22.5	476.5	0.23	7.07	2.43	31.1	VOB	Na		
Comments and Weather:												

WIN Number / Site Name					WBID Number		Matrix: Surface ☐ Fresh ☐ Surface Salt ☐		Sample Type: E. coli ☐ Enteric ☐ Fecal ☐		Initials Sample & Preservation Initials Document-ation	
Sample Access: Wading ☐ Dock ☐ From Shore ☐ Bridge ☐							Sample Ice Preserved in 15 minutes? Yes ☐ No ☐					
Time	Total depth(m)	Sample depth(m)	Temp °C	Conductivity µmhos	Salinity ppt	pH s.u.	D.O. mg/L	D.O. % sat	Secchi m	Tide Ebb/ Flood Slack		
Comments and Weather:												

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID: YSI Blue

RQ: 2021-05-31-30

Project: BMAP 2

- Notes: (1) Always wait for meter to stabilize before recording any readings.
 (2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).
 (3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification 5/17/21

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro-meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	J Pansh	6/1/21	826	26.3	766	8.1	8.1	100.8	—	1.0356	Ⓟ/F	Ⓟ/F
ICV	J	6/1/21	827	26.3	766	8.1	8.14	100.9	—	1.0356	Ⓟ/F	Ⓟ/F
CCV	J Pansh	6/1/21	1243	23.2	766	8.6	8.57	99.2			P/F	L/F
CCV											P/F	L/F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard µmhos/cm	Meter Reading µmhos/cm	Pass / Fail	Lab / Field
Calibr.	J Pansh	6/1/21	828	201222A	1/22	1000	1000	Ⓟ/F	Ⓟ/F
ICV	J	J	830	201222A	1/22	100	102.6	Ⓟ/F	Ⓟ/F
CCV	J Pansh	6/1/21	1245	210426D	5/22	20000	19800	Ⓟ/F	Ⓟ/F
CCV								P/F	L/F

Conductivity Acceptance criteria ± 5%

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	J Pansh	6/1/21	831	2010F27	10/22	7.	26.8	7.00	30.7	Ⓟ/F	Ⓟ/F
Calibr.	J	J	833	2010C31	9/22	4.	26.7	4.01	154.6	Ⓟ/F	Ⓟ/F
Calibr.	J	J	835	2103FS3	9/22	10.	26.8	10.00	191.4	Ⓟ/F	Ⓟ/F
ICV	J	J	840	2010C31	9/22	4.	26.6	3.96	153.8	Ⓟ/F	Ⓟ/F
CCV	J Pansh	6/1/21	8247	2103FS3	9/22	10	25.6	9.96	142.4	Ⓟ/F	Ⓟ/F
CCV										P/F	L/F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50; mV pH 4 Range +180 ± 50; mV pH 10 Range -180 ± 50;

If mV are recorded: slope from 7 to 10 _____, slope from 4 to 7 _____ (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water project)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: _____

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: _____; Date of last verification: _____

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	J Pansh	6/1/21	842	0.00	0.00	Ⓟ/F	Ⓟ/F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria ± 5 % or ± 0.05m, whichever is greater.

COMMENTS:



CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST FORM

SR #

ALS Contact: Mandy Sullivan

9143 Philips Highway, Suite 200 Jacksonville, FL 32256 / Ph(904) 739-2277 / FAX (904) 739-2011

Page 1 of 1

[illegible]

Date of Request: 10-MAY-2021
Created By: PARRISH_J On: 10-MAY-2021
Modified By: JASROTIA_P On: 11-MAY-2021
Customer: NE-DIST
Project: BMAP
Division: Division of Environmental Assessment and Restoration
District: Northeast District
Event Description: Bmap 2

Send Coolers To:

Phone: 904-807-3300
8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish
Cooler Ship EMail: Jeremy.M.Parrish@dep.state.fl.us

Priority: 3
Event Status: R
Criminal Investigation: NO
Chemistry Request Reviewed By:
Biology Request Reviewed By: JASROTIA_P On: 11-MAY-2021
Sampling Kit Required: NO Ship on:
Sampling Kit Shipped:
Sampling Kit Packed By:
Preservatives Needed: NO
Date to Receive Samples: 31-MAY-2021
Logged In By: BAKER_A On: 04-JUN-2021

Send Final Report To:

8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish
Report Notification EMail: Jeremy.M.Parrish@dep.state.fl.us

Comments: Group A: (Surf.Fresh)Bacteria
Group B:(Surf.Salt)Bacteria

NE-ALS-ECQ
NE-ALS-ENQ
Packing Notes:
None

Bottle Group A (Water) With 5 Samples:

Bottle Type: P-250ML-WI-THI Number of Bottles: 5 Preserved With: ICE
NE-ALS-ECQ Template: DEFAULT (SM 9223 B Quanti-Tray) E. coli by Colilert/QT by ALS in Jacksonville
Escherichia Coli-Quanti-Tray

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-250ML-WI-THI Number of Bottles: 1 Preserved With: ICE
NE-ALS-ENQ Template: DEFAULT (ASTM D650399) Enterococci by Enterolert/QT by ALS in Jacksonville
ENTEROCOCCI-ENTEROLERT