

Date of Request: 29-APR-2021
 Created By: BUNCH_CA On: 29-APR-2021
 Modified By: BUNCH_CA On: 29-APR-2021
 Customer: NW-DIST
 Project: BMAP
 Division: Division of Environmental Assessment and Restoration
 District: Northwest District
 Event Description: Bayou Chico BMAP

Send Coolers To:

Phone: 850-554-4228
 Water Quality & Land Management Division
 3363 West Park Place
 Pensacola, FL 32505
 Attn: Dana Morton
 Cooler Ship EMail: dmorton@myescambia.com

Priority: 3
 Event Status: P
 Criminal Investigation: NO
 Chemistry Request Reviewed By:
 Biology Request Reviewed By:
 Sampling Kit Required: YES Ship on: 27-SEP-2021
 Sampling Kit Shipped:
 Sampling Kit Packed By:
 Preservatives Needed: YES
 Date to Receive Samples: 11-OCT-2021
 Logged In By:

Send Final Report To:

160 Government Center
 Suite 308
 Pensacola, FL 32502-5794
 Attn: Michael King
 Report Notification EMail:
 michael.king@dep.state.fl.us;alicia.hogue@dep.state.fl.us;anita.n
 ash@dep.state.fl.us;myranda.k.butler@floridaDEP.gov

Comments: MICRO/Nutrients
 Please Send Case of H2SO4

Bottle Group A (Water) With 3 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
NW-UWF-ENQ Template: DEFAULT Enterococci-Quanti-Tray	(Enterolert/QT)	Enterococci by Enterolert/QT by UWF in Pensacola
TURBIDITY Template: DEFAULT Turbidity	(EPA 180.1 Rev. 2.0)	Turbidity in aqueous matrices
W-NH3 Template: DEFAULT Ammonia-N	(EPA 350.1 Rev. 2.0)	Ammonia in aqueous matrices as mg N/L
W-NO2NO3 Template: DEFAULT NO2NO3-N	(EPA 353.2 Rev. 2.0)	Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP Template: DEFAULT Total-P	(EPA 365.1 Rev. 2.0)	Total Phosphorus in aqueous matrices as mg P/L
W-TKN Template: DEFAULT Kjeldahl Nitrogen	(EPA 351.2 Rev. 2.0)	Total Kjeldahl Nitrogen in aqueous matrices

Bottle Group B (Water) With 2 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
NW-UWF-ECQ Template: DEFAULT Escherichia Coli-Quanti-Tray	(SM 9223 B Quanti-Tray)	E. coli by Colilert-18/QT by UWF in Pensacola

Bottle Group C (Water) With 1 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
NW-UWF-ECQ Template: DEFAULT Escherichia Coli-Quanti-Tray	(SM 9223 B Quanti-Tray)	E. coli by Colilert-18/QT by UWF in Pensacola
TURBIDITY Template: DEFAULT Turbidity	(EPA 180.1 Rev. 2.0)	Turbidity in aqueous matrices
W-NH3 Template: DEFAULT Ammonia-N	(EPA 350.1 Rev. 2.0)	Ammonia in aqueous matrices as mg N/L
W-NO2NO3 Template: DEFAULT NO2NO3-N	(EPA 353.2 Rev. 2.0)	Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP Template: DEFAULT	(EPA 365.1 Rev. 2.0)	Total Phosphorus in aqueous matrices as mg P/L

Bottle Group C (Water) With 1 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
W-S-A-TP Total-P	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN Kjeldahl Nitrogen	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices

Bottle Group D (Water) With 2 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
TURBIDITY Turbidity	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-NH3 Ammonia-N	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3 NO2NO3-N	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP Total-P	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN Kjeldahl Nitrogen	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices