

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 12/1/2022	Collected By: Jeremy Parrish, Katherine Halbert
Customer: NE-DIST	Sampling Agency: FDEP
RQ: RQ-2022-11-28-15	Project ID: BMAP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 0

Delivery Method: HandDelivered

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
GOODBYS CR ABOVE WEST BRANCH AT SAN CLERC	 20030891
CRAIG CR @ HENDRICKS AVE	 20030793
CRAIG CR. 100m DOWN FROM FOOTBRIDGE IN PARK	 20030958
LITTLE FISHWEIR AT OAK ST.	 20030953
BUTCHER PEN CR @ CONFEDERATE PT ROAD	 20030082
BUTCHER PEN CR AT WESCONNETT	 20030760
BIG FISHWEIR CR SF @ HAMILTON ST	 20030801

RELINQUISHED BY(SIGNATURE):



DATE/TIME: 12/1/2022

1630EST

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By:	Rec'd/Inspected Date:
----------------------------	------------------------------



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	GOODBYS CR ABOVE WEST BRANCH AT SAN CLERC				Sample Date:	12/1/2022	
WIN / Field ID:	20030891	ORG ID:	21FLA	ENR:	-		
County:	Duval	WBID:	2326A	STREAM	3F		
Receiving Body of Water:	St Johns River Above Piney Point				RQ-	2022-11-28-15	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Katherine Halbert		x		x	x

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		D#4	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	N/A
High Tide:	
Low Tide:	
Photos:	NA
Meter ID:	Desi
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1010	0.4	0.3	5.93	60.8	16.7	7.19	0.4	382	0.18
VOB (s)										

Biological Samples Collected:	None	
SBIO Visit ID:	HA ID:	RPS ID:
Macrophyte ID:	LIMS Sample ID Entered Into The Macrophyte Module:	

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients			Syringe Lot#; Filter Lot#:		
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	12/01/2022	Signature:			

LIMS EVENT ID:		WIN Import ID:	
Enter Field Parameters, Verify Station ID In LIMS DMT:		QC Station ID, Field Parameters In LIMS DMT:	
Save Field Sheets on Network: KH 12/01/2022	(Initials/Date)	Migrate Data to WIN:	(Initials/Date)

**FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION****BASIN MANAGEMENT ACTION PLAN Field Sheet**

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	CRAIG CR @ HENDRICKS AVE				Sample Date:	12/1/2022	
WIN / Field ID:	20030793	ORG ID:	21FLA	ENR:	-		
County:	Duval	WBID:	2297B	ESTUARY			
Receiving Body of Water:	St Johns River Above Warren Bridge				RQ-	2022-11-28-15	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Katherine Halbert		x		x	x

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
			NA
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		D#4	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	N/A
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Desi
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1025	0.4	0.3	5.2	56	18	6.78	0.4	480	0.23
								VOB (s)		

Biological Samples Collected: None**SBIO Visit ID:** **HA ID:** **RPS ID:** **Macrophyte ID:** **LIMS Sample ID Entered Into The Macrophyte Module:**

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	Contract Lab Enterococci Diversified	ICE			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC: Microbiology sample(s) submitted to contract laboratory.					
Relinquish Date:	12/01/2022	Signature:			

LIMS EVENT ID: _____ WIN Import ID: _____

Enter Field Parameters, Verify Station ID In LIMS DMT: _____ QC Station ID, Field Parameters In LIMS DMT: _____

Save Field Sheets on Network: KH 12/01/2022 (Initials/Date) Migrate Data to WIN: _____ (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	CRAIG CR. 100m DOWN FROM FOOTBRIDGE IN PARK				Sample Date:	12/1/2022	
WIN / Field ID:	20030958	ORG ID:	21FLA	ENR:	-	Latitude:	30.29522
County:	Duval	WBID:	2297B	ESTUARY	3M	Longitude:	-81.64989
Receiving Body of Water:	St Johns River Above Warren Bridge				RQ-	2022-11-28-15	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Katherine Halbert		x		x	x

Sampling Equipment			
x	Sample Container	Carboy	
	Dipper	Van Dorn	
	Syringe	Pole	
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		D#4	
Collection Method			
	Wading	Canoe/Kayak	
x	From Shore	Electric Motor	
		Gasoline Motor	
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	Rising
High Tide:	NA
Low Tide:	NA
Photos:	NA
Meter ID:	Desi
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1030	0.3	0.15	3.51	37.8	18.2	6.72	0.3	507	0.25
								VOB (s)		

Biological Samples Collected: None

SBIO Visit ID: **HA ID:** **RPS ID:** **Macrophyte ID:** **LIMS Sample ID Entered Into The Macrophyte Module:**

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	Contract Lab Enterococci Diversified	ICE			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients		Syringe Lot#; Filter Lot#:			
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	12/01/2022	Signature:			

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT:

Save Field Sheets on Network: KH 12/01/2022 Migrate Data to WIN:



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	LITTLE FISHWEIR AT OAK ST.				Sample Date:	12/1/2022	
WIN / Field ID:	20030953	ORG ID:	21FLA	ENR:	-		
County:	Duval	WBID:	2280A	STREAM	3F		
Receiving Body of Water:	St Johns River Above Warren Bridge				RQ-	2022-11-28-15	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Katherine Halbert		x		x	x

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
	Syringe Lot#		Filter Lot#
	Secchi Equipment ID:	D#4	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With Meter			

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	Falling
High Tide:	NA
Low Tide:	NA
Photos:	NA
Meter ID:	Desi
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1055	0.4	0.3	3.07	32.4	17.9	6.8	0.4	348	0.17
VOB (s)										

Biological Samples Collected: None

SBIO Visit ID: **HA ID:** **RPS ID:** **Macrophyte ID:** **LIMS Sample ID Entered Into The Macrophyte Module:**

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab Diversified	ICE			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients			Syringe Lot#; Filter Lot#:		
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC			SyringeLot#	FilterLot#	
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	12/01/2022	Signature:			

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT:

Save Field Sheets on Network: KH 12/01/2022 Migrate Data to WIN:



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	BUTCHER PEN CR @ CONFEDERATE PT ROAD				Sample Date:	12/1/2022	
WIN / Field ID:	20030082	ORG ID:	21FLA	ENR:	-		
County:	Duval	WBID:	2322	STREAM	3F		
Receiving Body of Water:	Cedar River				RQ-	2022-11-28-15	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Katherine Halbert		x		x	x

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
			NA
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		D#4	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	N/A
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Desi
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPT _h)
EST	1130	0.8	0.3	2.89	30.6	17.6	6.86	0.5	1013	0.5

Biological Samples Collected: None

SBIO Visit ID: **HA ID:** **RPS ID:** **Macrophyte ID:** **LIMS Sample ID Entered Into The Macrophyte Module:**

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab Diversified	ICE			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients			Syringe Lot#; Filter Lot#;		
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC			SyringeLot#	FilterLot#	
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	12/01/2022	Signature:			

LIMS EVENT ID: _____ WIN Import ID: _____

Enter Field Parameters, Verify Station ID In LIMS DMT: _____ QC Station ID, Field Parameters In LIMS DMT: _____

Save Field Sheets on Network: KH 12/01/2022 (Initials/Date) Migrate Data to WIN: _____ (Initials/Date)

**FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION**

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	BUTCHER PEN CR AT WESCONNETT				Sample Date:	12/1/2022	
WIN / Field ID:	20030760	ORG ID:	21FLA	ENR:	-		
County:	Duval	WBID:	2322	STREAM	3F		
Receiving Body of Water:	Cedar River				RQ-	2022-11-28-15	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Katherine Halbert		x	x	x	

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
	Syringe Lot#		Filter Lot#
	Secchi Equipment ID:	D#3	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With Meter			

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Desi
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1135	1.4	0.3	5	53.3	17.8	6.93	0.5	693	0.13

Biological Samples Collected: None**SBIO Visit ID:** **HA ID:** **RPS ID:** **Macrophyte ID:** **LIMS Sample ID Entered Into The Macrophyte Module:**

Parameter Suite	Parameter Methods (LIMS Test Codes)	Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab Diversified	ICE			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients			Syringe Lot#; Filter Lot#:		
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC			SyringeLot#	FilterLot#	
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	12/01/2022	Signature:			

LIMS EVENT ID: _____ WIN Import ID: _____

Enter Field Parameters, Verify Station ID In LIMS DMT: _____ (Initials/Date) QC Station ID, Field Parameters In LIMS DMT: _____ (Initials/Date)

Save Field Sheets on Network: KH 12/01/2022 (Initials/Date) Migrate Data to WIN: _____ (Initials/Date)

**FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION**

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	BIG FISHWEIR CR SF @ HAMILTON ST				Sample Date:	12/1/2022	
WIN / Field ID:	20030801	ORG ID:	21FLA	ENR:	-		
County:	Duval	WBID:	2280A	STREAM			
Receiving Body of Water:	St Johns River Above Warren Bridge				RQ-	2022-11-28-15	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Katherine Halbert		x		x	x

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
			NA
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		D#4	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	N/A
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Desi
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1110	0.4	0.3	2.89	31.6	18.7	7	0.4	419	0.2
								VOB (s)		

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID Entered Into The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC: Microbiology sample(s) submitted to contract laboratory.					
Relinquish Date:	12/01/2022	Signature:			

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT:

Save Field Sheets on Network: KH 12/01/2022 Migrate Data to WIN:

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID: DES1

RQ: 2022-11-28-15

Project: BMAP1

- Notes: (1) Always wait for meter to stabilize before recording any readings.
 (2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).
 (3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification 11/14/22

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro-meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	K. Halbert	12/1/22	743	21.4	768.8	8.9	-	101.2	-	1.021	(P) F	(L) F
ICV	K. Halbert	12/1/22	747	21.2	768.9	9.0	8.99	101.2	-	1.021	(P) F	(L) F
CCV	K. Halbert	12/1/22	1251	21.3	769.1	9.0	9.05	101.9	-	1.021	(P) F	(L) F
CCV											P / F	L / F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ hos/cm	Meter Reading μ hos/cm	Pass / Fail	Lab / Field
Calibr.	K. Halbert	12/1/22	749	220719A	07/2023	1000	1000	(P) F	(L) F
ICV	K. Halbert	12/1/22	751	211122A	12/2022	15000	15127	(P) F	(L) F
CCV	K. Halbert	12/1/22	1252	220719A	07/2023	1000	1000	(P) F	(L) F
CCV								P / F	L / F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	K. Halbert	12/1/22	755	M118-15	5/2/24	7.01	22.0	7.01	-21.5	(P) F	(L) F
Calibr.	K. Halbert	12/1/22	759	1344-18	12/29/23	4.00	21.5	4.00	154.5	(P) F	(L) F
Calibr.	K. Halbert	12/1/22	800	M63-01	4/19/24	10.04	21.8	10.04	-192.4	(P) F	(L) F
ICV	K. Halbert	2/1/22	801	M118-15	5/2/24	7.01	22.0	7.02	-19.5	(P) F	(L) F
CCV	K. Halbert	2/1/22	1254	M63-01	4/19/24	10.04	21.7	10.04	-193.3	(P) F	(L) F
CCV										P / F	L / F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ;

mV pH 4 Range $+180 \pm 50$;

mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 170.9, slope from 4 to 7 176.0 (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? (YES) / NO / NA (not surf. water project)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: 11/14/22

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: -; Date of last verification: -

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	K. Halbert	12/1/22	803	0.000	0.000	(P) F	(L) F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:



(Lab Use Only)

F. (904) 807-9627

Page 1 of 1



The logo is circular with a sun rising over a horizon. The text "NELAP ACCREDITED" is curved along the top inner edge, and "LABORATORY" is curved along the bottom inner edge. In the center, the letters "TNI" are displayed.

Visit us online & order kits at: www.delilab.com