

Login Checklist

RQ- 2022-03-14-54

Login Station ID: #4

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 03/16/22 @ 9:45

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
1.7				12		X			5225 5544 9787

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO₃ and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes ✓ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes _____ No X

CONTAINER CHECK

Evidence Tape on Bottles?

Yes _____ No _____ NA X

Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken?

Yes _____ No _____

Containers intact? Yes ✓ No _____

Caps on tight?

Yes ✓ No _____

Sufficient Sample Volume:

Yes ✓ No _____

If NO is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes _____ No X Init: ✓

Chlorine detected? (One container checked per Field ID)

Yes _____ No _____ Init: _____

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH < 2.0?

Yes ✓ No _____ NA _____ Init: ✓

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?

Yes _____ No _____ NA X Init: ✓

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: ✓

Date: 03/16/22

Event contains NCRs (Y/N)? Y 9298

Event ID: Bayou Chico BMAP
NW-DIST-2022-03-16-02 (BMAP)
Date Received: 16-MAR-2022 09:45

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	#4 Temp Gun EXP:10/19/2022
pH Test Strips 0 – 6	223819AV EXP:08/30/2023
pH Paper 0 – 3	N/A
pH Paper 0 – 13	207621 EXP:03/15/2024
Chlorine Test Strips	0070 EXP:02/2023

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Bayou Chico BMAP

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: NW-DIST

Requester: Myranda Clark

Field Report Prepared By: Ryan Kirby

Project ID: BMAP

Collected By: Dana Morten

Sampling Agency: ESCWQLM

Location <u>Sanders Beach</u>		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>3/14/22</u> Time <u>0935</u>	Eastern ☒ Central	Composite end Date _____ Time _____	Bottle Group(s) (See pg 2)
Field ID <u>33020510</u>		Matrix (type, e.g., Salt, Fresh, etc) <u>○</u>		Diss. Oxygen <u>9.46</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN/STORET #		Temp (C) <u>14.99</u>	pH <u>7.95</u>	Sample Depth <u>0.2</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) <u>34288</u>
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) <u>21.58</u>	Comments			
Location <u>SW Arm Bayou Chico at Mandalay Dr</u>		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>3/14/22</u> Time <u>1020</u>	Eastern ☒ Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID <u>33020504</u>		Matrix (type, e.g., Salt, Fresh, etc) <u>○</u>		Diss. Oxygen <u>9.16</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN/STORET #		Temp (C) <u>14.07</u>	pH <u>7.62</u>	Sample Depth <u>0.2</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) <u>26028</u>
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) <u>15.93</u>	Comments			
Location <u>Jackson Cr @ New Warrington</u>		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>3/14/2022</u> Time <u>1130</u>	Eastern ☒ Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID <u>33020222</u>		Matrix (type, e.g., Salt, Fresh, etc) <u>○</u>		Diss. Oxygen <u>9.58</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN/STORET #		Temp (C) <u>20.20</u>	pH <u>7.23</u>	Sample Depth <u>0.20</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) <u>126.91</u>
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments			
Location <u>EQ BLANK</u>		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>3/14/2022</u> Time <u>1145</u>	Eastern ☒ Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN/STORET #		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments			

Relinquished By:

Date/Time 3/14/2022

Shipping Method

Number of Coolers Shipped:

Received By:

Date/Time 3-16-2022D. Morten1730FedEx2 (empty)YR9:45

Group: A	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	0
Group: A	Bottle Type: NW-UWF-ENQ	TEST HAS NO BOTTLE	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	0
Group: A	Bottle Type: TURBIDITY	P-250ML	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
Group: A	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN	P-500ML	# of Bottles: 3	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	3
Group: A	Bottle Type: W-NH3-F	P-500ML	# of Bottles: 3	Preservative: FILTER-H2SO4-ICE	Enter Number of Bottles Sent to Lab	0
Group: B	Bottle Type: NW-UWF-ECQ	TEST HAS NO BOTTLE	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	0
Group: C	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	0
Group: C	Bottle Type: NW-UWF-ECQ	TEST HAS NO BOTTLE	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	0
Group: C	Bottle Type: TURBIDITY	P-250ML	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: C	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN	P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
Group: C	Bottle Type: W-NH3-F	P-500ML	# of Bottles: 1	Preservative: FILTER-H2SO4-ICE	Enter Number of Bottles Sent to Lab	0
Group: D	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	0
Group: D	Bottle Type:	P-250ML	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	

Bayou Chico BMAP

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: NW-DIST

Requester: Myranda Clark

Field Report Prepared By: P. Kirby

Project ID: BMAP

Collected By: D. Morton / P. KirbySampling Agency: ESK WQ2M

Location <u>Ch:co @ Navy Blvd Bridge</u>		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>3-14-2022</u> Time <u>1350</u>	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Field ID <u>3302JE 20</u>		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen <u>8.71</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN/STORET #		Temp (C) <u>18.98</u>	pH <u>6.78</u>	Sample Depth <u>0.20</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) <u>27839</u>
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) <u>17.25</u>	Comments			
Location <u>Chico @ W Street</u>		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>3-14-2022</u> Time <u>1415</u>	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID <u>330205F1</u>		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen <u>8.42</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN/STORET #		Temp (C) <u>20.61</u>	pH <u>6.71</u>	Sample Depth <u>0.20</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) <u>3050</u>
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) <u>1.61</u>	Comments			
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN/STORET #		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments			
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN/STORET #		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments			

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By: <u>AK</u>	Date/Time <u>3-16-2022</u> <u>9:45</u>
------------------	-----------	-----------------	----------------------------	------------------------	--

Group: A	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
Group: A	Bottle Type: NW-UWF-ENQ	TEST HAS NO BOTTLE	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
Group: A	Bottle Type: TURBIDITY	P-250ML	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
Group: A	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN	P-500ML	# of Bottles: 3	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
Group: A	Bottle Type: W-NH3-F	P-500ML	# of Bottles: 3	Preservative: FILTER-H2SO4-ICE	Enter Number of Bottles Sent to Lab _____
Group: B	Bottle Type: NW-UWF-ECQ	TEST HAS NO BOTTLE	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
Group: C	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
Group: C	Bottle Type: NW-UWF-ECQ	TEST HAS NO BOTTLE	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
Group: C	Bottle Type: TURBIDITY	P-250ML	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
Group: C	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN	P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
Group: C	Bottle Type: W-NH3-F	P-500ML	# of Bottles: 1	Preservative: FILTER-H2SO4-ICE	Enter Number of Bottles Sent to Lab _____
Group: D	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
Group: D	Bottle Type:	P-250ML	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab _____

Group: D	Bottle Type:	P-250ML	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>1</u>
TURBIDITY							
Group: D	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	<u>1</u>
W-NH3							
W-NO2NO3							
W-S-A-TP							
W-TKN							
Group: D	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	FILTER-H2SO4-I CE	Enter Number of Bottles Sent to Lab	<u>1</u>
W-NH3-F							
Group: E	Bottle Type:	P-250ML	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>1</u>
TURBIDITY							
Group: E	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	<u>1</u>
W-NH3							
W-NO2NO3							
W-S-A-TP							
W-TKN							
Group: E	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	FILTER-H2SO4-I CE	Enter Number of Bottles Sent to Lab	<u>1</u>
W-NH3-F							

Document Reference # 05.1.0

Sampler's initials :

Page 1 of 1

Date/Time: 03.14.2022 11532

Date/Time: 03/14/22 1532

[illegible]

Surface water, no chlorine expected

RQ-2022-03-14-54

Phone: 850-595-0642

Sampler's name:

³ Recorded using IRT-2

Date of Request: 07-MAR-2022
 Created By: CLARK_M On: 07-MAR-2022
 Modified By: JASROTIA_P On: 08-MAR-2022
 Customer: NW-DIST
 Project: BMAP
 Division: Division of Environmental Assessment and Restoration
 District: Northwest District
 Event Description: Bayou Chico BMAP

Send Coolers To:

Phone: 850-554-4228
 3363 West Park Place

 Pensacola, FL 32505
 Attn: Dana Morton
 Cooler Ship EMail: dmorton@myescambia.com

Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 08-MAR-2022
 Biology Request Reviewed By: JASROTIA_P On: 08-MAR-2022
 Sampling Kit Required: YES Ship on: 10-MAR-2022
 Sampling Kit Shipped: YES On: 09-MAR-2022
 Sampling Kit Packed By: ROBERTS_Z
 Preservatives Needed: YES
 Date to Receive Samples: 14-MAR-2022
 Logged In By: ROBERTS_Z On: 16-MAR-2022

Send Final Report To:

160 Government Center
 Suite 308
 Pensacola, FL 32502-5794
 Attn: Anita Nash
 Report Notification EMail:
 anita.nash@dep.state.fl.us;myranda.k.butler@floridaDEP.gov;Mi
 chael.King@dep.state.fl.us;

Comments: Bottle Group A: Nutrients & Micro-UWF Lab
 Bottle Group B: Micro Only-UWF Lab
 Bottle Group C: Nutrients & Micro-UWF Lab
 Bottle Group D: Nutrients Only
 Bottle Group E: Field Blank

Need 1 Box of Sulfuric Acid and FedEx packing slips

Bottle Group A (Water) With 3 Samples:

Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: TEST HAS NO	Number of Bottles: 3	Preserved With: ICE
NW-UWF-ENQ	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert/QT by UWF in Pensacola
Bottle Type: P-250ML	Number of Bottles: 3	Preserved With: ICE
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: FILTER-H2SO4-ICE
W-NH3-F	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia, dissolved, in filtered, aqueous matrices as mg N/L

Bottle Group B (Water) With 2 Samples:

Bottle Type: TEST HAS NO	Number of Bottles: 2	Preserved With: ICE
NW-UWF-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Colilert-18/QT by UWF in Pensacola

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
----------------------	----------------------	-------------------------------

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: FILTER-H2SO4-ICE
W-NH3-F	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia, dissolved, in filtered, aqueous matrices as mg N/L
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: TEST HAS NO	Number of Bottles: 1	Preserved With: ICE
NW-UWF-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Colilert-18/QT by UWF in Pensacola
Bottle Type: P-250ML	Number of Bottles: 1	Preserved With: ICE
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices

Bottle Group D (Water) With 1 Samples:

Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML	Number of Bottles: 1	Preserved With: ICE
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: FILTER-H2SO4-ICE
W-NH3-F	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia, dissolved, in filtered, aqueous matrices as mg N/L

Bottle Group E (Water) With 1 Samples:

Bottle Type: P-250ML	Number of Bottles: 1	Preserved With: ICE
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: FILTER-H2SO4-ICE
W-NH3-F	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia, dissolved, in filtered, aqueous matrices as mg N/L