

Date of Request: 07-MAR-2022
 Created By: CLARK_M On: 07-MAR-2022
 Modified By: CLARK_M On: 07-MAR-2022
 Customer: NW-DIST
 Project: BMAP
 Division: Division of Environmental Assessment and Restoration
 District: Northwest District
 Event Description: Bayou Chico BMAP

Send Coolers To:

Phone: 850-554-4228
 3363 West Park Place

 Pensacola, FL 32505
 Attn: Dana Morton
 Cooler Ship EMail: dmorton@myescambia.com

Priority: 3
 Event Status: P
 Criminal Investigation: NO
 Chemistry Request Reviewed By:
 Biology Request Reviewed By:
 Sampling Kit Required: YES Ship on: 07-MAR-2022
 Sampling Kit Shipped:
 Sampling Kit Packed By:
 Preservatives Needed: YES
 Date to Receive Samples: 14-MAR-2022
 Logged In By:

Send Final Report To:

160 Government Center
 Suite 308
 Pensacola, FL 32502-5794
 Attn: Anita Nash
 Report Notification EMail:
 anita.nash@dep.state.fl.us;myranda.k.butler@floridaDEP.gov;Michael.King@dep.state.fl.us;

Comments: Bottle Group A: Nutrients & Micro-UWF Lab
 Bottle Group B: Micro Only-UWF Lab
 Bottle Group C: Nutrients & Micro-UWF Lab
 Bottle Group D: Nutrients Only
 Bottle Group E: Field Blank

Need 1 Box of Sulfuric Acid and FedEx packing slips

Bottle Group A (Water) With 3 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Chlorophyll-a, Corrected		
Chlorophyll-a, Uncorrected		
Phaeophytin-a		
NW-UWF-ENQ	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert/QT by UWF in Pensacola
Enterococci-Quanti-Tray		
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
Turbidity		
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
Ammonia-N		
W-NH3-F	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia, dissolved, in filtered, aqueous matrices as mg N/L
Ammonia-N		
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
NO2NO3-N		
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
Total-P		
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Kjeldahl Nitrogen		

Bottle Group B (Water) With 2 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
NW-UWF-ECQ Template: DEFAULT Escherichia Coli-Quanti-Tray	(SM 9223 B Quanti-Tray)	E. coli by Colilert-18/QT by UWF in Pensacola

Bottle Group C (Water) With 1 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
CHLSUITE-W Template: DEFAULT Chlorophyll-a, Corrected Chlorophyll-a, Uncorrected Phaeophytin-a	(SM 10200 H (mod.))	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
NW-UWF-ECQ Template: DEFAULT Escherichia Coli-Quanti-Tray	(SM 9223 B Quanti-Tray)	E. coli by Colilert-18/QT by UWF in Pensacola
TURBIDITY Template: DEFAULT Turbidity	(EPA 180.1 Rev. 2.0)	Turbidity in aqueous matrices
W-NH3 Template: DEFAULT Ammonia-N	(EPA 350.1 Rev. 2.0)	Ammonia in aqueous matrices as mg N/L
W-NH3-F Template: DEFAULT Ammonia-N	(EPA 350.1 Rev. 2.0)	Ammonia, dissolved, in filtered, aqueous matrices as mg N/L
W-NO2NO3 Template: DEFAULT NO2NO3-N	(EPA 353.2 Rev. 2.0)	Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP Template: DEFAULT Total-P	(EPA 365.1 Rev. 2.0)	Total Phosphorus in aqueous matrices as mg P/L
W-TKN Template: DEFAULT Kjeldahl Nitrogen	(EPA 351.2 Rev. 2.0)	Total Kjeldahl Nitrogen in aqueous matrices

Bottle Group D (Water) With 1 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
CHLSUITE-W Template: DEFAULT Chlorophyll-a, Corrected Chlorophyll-a, Uncorrected Phaeophytin-a	(SM 10200 H (mod.))	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
TURBIDITY Template: DEFAULT Turbidity	(EPA 180.1 Rev. 2.0)	Turbidity in aqueous matrices
W-NH3 Template: DEFAULT Ammonia-N	(EPA 350.1 Rev. 2.0)	Ammonia in aqueous matrices as mg N/L
W-NH3-F Template: DEFAULT Ammonia-N	(EPA 350.1 Rev. 2.0)	Ammonia, dissolved, in filtered, aqueous matrices as mg N/L
W-NO2NO3 Template: DEFAULT NO2NO3-N	(EPA 353.2 Rev. 2.0)	Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP Template: DEFAULT Total-P	(EPA 365.1 Rev. 2.0)	Total Phosphorus in aqueous matrices as mg P/L
W-TKN Template: DEFAULT Kjeldahl Nitrogen	(EPA 351.2 Rev. 2.0)	Total Kjeldahl Nitrogen in aqueous matrices

Bottle Group E (Water) With 1 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
TURBIDITY Template: DEFAULT Turbidity	(EPA 180.1 Rev. 2.0)	Turbidity in aqueous matrices
W-NH3 Template: DEFAULT Ammonia-N	(EPA 350.1 Rev. 2.0)	Ammonia in aqueous matrices as mg N/L
W-NH3-F Template: DEFAULT Ammonia-N	(EPA 350.1 Rev. 2.0)	Ammonia, dissolved, in filtered, aqueous matrices as mg N/L
W-NO2NO3 Template: DEFAULT NO2NO3-N	(EPA 353.2 Rev. 2.0)	Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP Template: DEFAULT Total-P	(EPA 365.1 Rev. 2.0)	Total Phosphorus in aqueous matrices as mg P/L
W-TKN Template: DEFAULT Kjeldahl Nitrogen	(EPA 351.2 Rev. 2.0)	Total Kjeldahl Nitrogen in aqueous matrices