

Project: BMAP

Sampler's initials: KP, TM, JO, PS

Method of transport: on ice by hand

Page 1 of 1

Samples delivered by: Keithon Price of Escambia County

Date/Time: 6.13.2022 14:47

Sample received by: [Signature] of WRL

Date/Time: 06-13-22 1447

Instructions: Fill in all fields except "Lab ID" on sample transport form completely. Each sample container must use a separate line. Place this form in a waterproof bag and place it with the samples for transport. If a field log or other chain of custody is attached, that information may be referenced on this form and the log or COC attached.

Comments: Sample Container lot# L21190#

Marinewater Matix >1900 umhos Freshwater Matix < 1900 umhos

Surface water, no chlorine expected

RQ-2022-060-13-27

Contact organization FDEP

Contact name: Myranda Butler

Phone: 850-595-0642

Address 160 Governmental Center, suite 308, Pensacola, FL 32502

Sampler's name:

¹Matrix examples: SW = surface water, PW = pore water, GW = ground water, FW = Freshwater, MW = Marine Water, S = soil/sediment, Other X =

²Type codes: G = grab, C = composite, X =

³ Recorded using IRT-2

Conductivity

Mandakay: 24,167.1

Jones upstream of Navy 87.54

Jackson @ Old Corral 38, 4

Chico @ Navy Blvd 13,480

Jackson NW 126.86

chico@Wstreet 1800