

Chemical Analysis Report

NW-DIST-2022-06-16-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Bayou Chico BMAP**
Request ID: **RQ-2022-06-13-27**
Customer: **NW-DIST**
Project ID: **BMAP**

Send Reports to:
FL Dept. of Environmental Protection
160 Government Center
Suite 308
Pensacola, FL 32502-5794
Attn: Anita Nash

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Thekkekalathil Chandrasekhar, Environmental Consultant

Date Certified: 07-JUL-2022 15:47



NON-CONFORMANCE REPORT INCLUDED

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Sanders Beach

Collection Date/Time: 06/13/2022 10:05

Field ID: 33020J10

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2335147	EPA 180.1 Rev. 2.0	Turbidity	1.9	YQ	NTU	P415322	
2335148	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	I	mg N/L	P415820	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.52		mg N/L	P415404	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.006	I	mg N/L	P416201	
	EPA 365.1 Rev. 2.0	Total-P	0.013		mg P/L	P415613	

Ref. Method and Comment:

EPA 180.1 Rev. 2.0: Sample received outside of the acceptable temperature range. Please see NCR. The sample expired prior to receipt.

Sample Location: Mandalay Drive

Collection Date/Time: 06/13/2022 10:40

Field ID: 33020JD4

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2335139	EPA 180.1 Rev. 2.0	Turbidity	3.0	YQ	NTU	P415322	
2335142	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	U	mg N/L	P415820	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.58		mg N/L	P415404	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.008	I	mg N/L	P415834	
	EPA 365.1 Rev. 2.0	Total-P	0.039		mg P/L	P415613	

Ref. Method and Comment:

EPA 180.1 Rev. 2.0: Sample received outside of the acceptable temperature range. Please see NCR. The sample expired prior to receipt.

Sample Location: Jackson Creek @ New Warrington

Collection Date/Time: 06/13/2022 12:00

Field ID: 33020222

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2335145	EPA 180.1 Rev. 2.0	Turbidity	1.9	YQ	NTU	P415322	
2335146	EPA 350.1 Rev. 2.0	Ammonia-N	0.026		mg N/L	P415826	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.28		mg N/L	P415710	
	EPA 353.2 Rev. 2.0	NO2NO3-N	2.8		mg N/L	P416081	
	EPA 365.1 Rev. 2.0	Total-P	0.056		mg P/L	P415616	

Ref. Method and Comment:

EPA 180.1 Rev. 2.0: Sample received outside of the acceptable temperature range. Please see NCR. The sample expired prior to receipt.

Sample Location: Bayou Chico @ Navy Blvd. Bridge

Collection Date/Time: 06/13/2022 14:15

Field ID: 3302JE20

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2335141	EPA 180.1 Rev. 2.0	Turbidity	3.1	YQ	NTU	P415322	
2335144	EPA 350.1 Rev. 2.0	Ammonia-N	0.005	I	mg N/L	P415820	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.47		mg N/L	P415404	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.70		mg N/L	P415835	
	EPA 365.1 Rev. 2.0	Total-P	0.025		mg P/L	P415616	

Ref. Method and Comment:

EPA 180.1 Rev. 2.0: Sample received outside of the acceptable temperature range. Please see NCR. The sample expired prior to receipt.

Sample Location: Field Blank

Collection Date/Time: 06/13/2022 10:20

Field ID: Field Blank

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2335149	EPA 180.1 Rev. 2.0	Turbidity	0.10	UYQ	NTU	P415322	
2335150	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	U	mg N/L	P415822	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.080	U	mg N/L	P415405	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P416081	
	EPA 365.1 Rev. 2.0	Total-P	0.002	U	mg P/L	P415616	

Ref. Method and Comment:

EPA 180.1 Rev. 2.0: Sample received outside of the acceptable temperature range. Please see NCR. The sample expired prior to receipt.

Sample Location: Chico @ W Street

Collection Date/Time: 06/13/2022 14:45

Field ID: 33020JF1

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2335184	EPA 180.1 Rev. 2.0	Turbidity	8.8	YQ	NTU	P415322	
2335185	EPA 350.1 Rev. 2.0	Ammonia-N	0.063		mg N/L	P415820	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.48		mg N/L	P415567	
	EPA 353.2 Rev. 2.0	NO2NO3-N	2.0		mg N/L	P416081	
	EPA 365.1 Rev. 2.0	Total-P	0.044		mg P/L	P415811	

Ref. Method and Comment:

EPA 180.1 Rev. 2.0: Sample received outside of the acceptable temperature range. Please see NCR. The sample expired prior to receipt.

Non-Conformance Report

NCR ID: 9423

<u>Event(s)</u>	<u>Job(s)</u>	<u>Sample(s)</u>	<u>Test(s)</u>
NW-DIST-2022-06-16-02	TLH-2022-06-16-62	2335139	
NW-DIST-2022-06-16-02	TLH-2022-06-16-62	2335141	
NW-DIST-2022-06-16-02	TLH-2022-06-16-62	2335145	
NW-DIST-2022-06-16-02	TLH-2022-06-16-62	2335147	
NW-DIST-2022-06-16-02	TLH-2022-06-16-62	2335149	
NW-DIST-2022-06-16-02	TLH-2022-06-16-75	2335184	

NCR Type: SHIPPING/RECEIVING

NCR Category: Samples arrived late

Observation: Samples arrived late, samples received outside of the acceptable temperature range.

Resolution: Samples will be qualified as appropriate.
Customer contacted, email correspondence attached to sample submittal forms.
Chemistry supervisors were notified by email.

Authorized by/Date: Kyle Klug 7/7/2022

The Non-Conformance Report details exceptions or problems encountered with the events/jobs/samples/test.
Please address questions to:

Chemistry	Colin Wright	(850) 245-8085
Biology	Cheryl Swanson	(850) 245-8177

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P415322

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P415820

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P415822

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P415826

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P415404

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P415405

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P415567

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P415710

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P415834

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Quality Assurance Report

Method Blank Results

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P415835

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P416081

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P416201

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P415613

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P415616

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P415811

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P415322

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Turbidity	97.3		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P415820

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	91.6		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P415822

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	91.8		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P415826

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	96.6		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P415404

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	102		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P415405

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	104		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P415567

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	99.2		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P415710

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	107		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P415834

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	96.0		P	90 - 110

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P415835

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	95.0		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P416081

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	102		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P416201

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	103		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P415613

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	103		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P415616

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	104		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P415811

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	102		P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P415820

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2335142	Ammonia-N	100	104	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P415822

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2335173	Ammonia-N	95.0	96.2	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P415826

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2335383	Ammonia-N	99.2	98.2	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P415404

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2333621	Kjeldahl Nitrogen	102	109	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P415405

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2334053	Kjeldahl Nitrogen	99.3	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P415567

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2334364	Kjeldahl Nitrogen	105	99.6	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P415710

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2334934	Kjeldahl Nitrogen	91.8	104	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P415834

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2334808	NO2NO3-N	96.5	97.0	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P415835

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2337061	NO2NO3-N	91.4	91.9	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P416081

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2335174	NO2NO3-N	102	105	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P416201

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2335950	NO2NO3-N	100	103	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P415613

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2334807	Total-P	96.0	95.2	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P415616

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2335173	Total-P	109	106	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P415811

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2335406	Total-P	102	103	P/P	90 - 110

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P415322

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2335205	Turbidity	11.1	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P415820

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2335142	Ammonia-N	3.92	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P415822

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2335173	Ammonia-N	1.07	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P415826

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2335383	Ammonia-N	0.935	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P415404

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2333621	Kjeldahl Nitrogen	4.85	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P415405

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2334053	Kjeldahl Nitrogen	1.34	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P415567

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2334364	Kjeldahl Nitrogen	4.12	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P415710

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2334934	Kjeldahl Nitrogen	8.54	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P415834

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2334808	NO2NO3-N	0.517	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P415835

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2337061	NO2NO3-N	0.546	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P416081

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2335174	NO2NO3-N	2.90	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P416201

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2335950	NO2NO3-N	2.84	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P415613

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2334807	Total-P	0.685	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P415616

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2335173	Total-P	1.96	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P415811

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2335406	Total-P	0.489	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A112877

Included Lab Sample IDs: 2335139, 2335141, 2335145, 2335147, 2335149, 2335184

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A113005

Included Lab Sample IDs: 2335142, 2335144, 2335148, 2335150

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	101	102	P/P	90 - 110
Kjeldahl Nitrogen	103	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A113070

Included Lab Sample IDs: 2335185

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	105	96.7	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A113104

Included Lab Sample IDs: 2335142, 2335144, 2335148, 2335150, 2335185

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	97.8	97.8	P/P	90 - 110
Ammonia-N	98.2	96.9	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A113107

Included Lab Sample IDs: 2335146

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	99.2	99.2	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A113112

Included Lab Sample IDs: 2335146

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	101	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A113113

Included Lab Sample IDs: 2335142, 2335148

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	96.2	99.2	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A113114

Included Lab Sample IDs: 2335142, 2335144

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
-----------	---------	---------	------------	----------------

Quality Assurance Report Calibration Verification

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A113114

Included Lab Sample IDs: 2335142, 2335144

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	96.0	94.5	P/P	90 - 110
NO2NO3-N	96.5	96.0	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A113115

Included Lab Sample IDs: 2335144, 2335150

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	108	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A113146

Included Lab Sample IDs: 2335146

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	105	103	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A113208

Included Lab Sample IDs: 2335185

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	101	101	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A113229

Included Lab Sample IDs: 2335146, 2335150, 2335185

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	104	104	P/P	90 - 110
NO2NO3-N	105	106	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A113298

Included Lab Sample IDs: 2335148

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	102	103	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision	MS
						SMP	
EPA 180.1 Rev. 2.0	Turbidity	97.3				11.1	
EPA 350.1 Rev. 2.0	Ammonia-N	91.6	100	104			3.92
	Ammonia-N	91.8	95.0	96.2			1.07
	Ammonia-N	96.6	99.2	98.2			0.935
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	102	102	109			4.85
	Kjeldahl Nitrogen	104	99.3	101			1.34
	Kjeldahl Nitrogen	99.2	105	99.6			4.12
	Kjeldahl Nitrogen	107	91.8	104			8.54
EPA 353.2 Rev. 2.0	NO2NO3-N	96.0	96.5	97.0			0.517
	NO2NO3-N	95.0	91.4	91.9			0.546
	NO2NO3-N	102	102	105			2.90
	NO2NO3-N	103	100	103			2.84
EPA 365.1 Rev. 2.0	Total-P	103	96.0	95.2			0.685
	Total-P	104	109	106			1.96
	Total-P	102	102	103			0.489

Reference Method Descriptions

Method	Description	Associated Samples
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2335139, 2335141, 2335145, 2335147, 2335149, 2335184
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2335142, 2335144, 2335146, 2335148, 2335150, 2335185
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2335142, 2335144, 2335146, 2335148, 2335150, 2335185
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2335142, 2335144, 2335146, 2335148, 2335150, 2335185
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2335142, 2335144, 2335146, 2335148, 2335150, 2335185

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	06/16/2022			06/16/2022 10:56	Khloe J Berg	2335184
	06/16/2022			06/16/2022 10:57	Khloe J Berg	2335145
	06/16/2022			06/16/2022 10:58	Khloe J Berg	2335147
	06/16/2022			06/16/2022 10:59	Khloe J Berg	2335149
	06/16/2022			06/16/2022 11:00	Khloe J Berg	2335141
	06/16/2022			06/16/2022 11:01	Khloe J Berg	2335139
	06/16/2022			06/16/2022 11:01	Khloe J Berg	2335139
EPA 350.1 Rev. 2.0	06/16/2022			06/27/2022 11:31	Judith K. Clark	2335142
	06/16/2022			06/27/2022 11:37	Judith K. Clark	2335144
	06/16/2022			06/27/2022 11:39	Judith K. Clark	2335148
	06/16/2022			06/27/2022 11:40	Judith K. Clark	2335185
	06/16/2022			06/27/2022 12:28	Judith K. Clark	2335150
	06/16/2022			06/27/2022 13:40	Ping Hua	2335146
EPA 351.2 Rev. 2.0	06/16/2022	06/22/2022 15:49	Samantha L Bates	06/23/2022 11:55	Alexandra J Mattheus	2335142
	06/16/2022	06/22/2022 15:49	Samantha L Bates	06/23/2022 11:56	Alexandra J Mattheus	2335144
	06/16/2022	06/22/2022 15:49	Samantha L Bates	06/23/2022 11:58	Alexandra J Mattheus	2335148
	06/16/2022	06/22/2022 15:49	Samantha L Bates	06/23/2022 12:24	Alexandra J Mattheus	2335150
	06/16/2022	06/23/2022 16:40	Samantha L Bates	06/24/2022 12:33	Alexandra J Mattheus	2335185
	06/16/2022	06/27/2022 14:35	Samantha L Bates	06/28/2022 13:52	Alexandra J Mattheus	2335146
EPA 353.2 Rev. 2.0	06/16/2022			06/27/2022 15:15	Touraj Touran	2335142
	06/16/2022			06/27/2022 15:30	Touraj Touran	2335144
	06/16/2022			06/29/2022 16:39	Touraj Touran	2335150
	06/16/2022			06/29/2022 17:57	Touraj Touran	2335146
	06/16/2022			06/29/2022 17:58	Touraj Touran	2335185
	06/16/2022			07/05/2022 14:50	Touraj Touran	2335148
EPA 365.1 Rev. 2.0	06/16/2022	06/24/2022 14:50	Simonne.V. Calhoun	06/27/2022 12:47	James L Waggeberby	2335146
	06/16/2022	06/24/2022 14:50	Simonne.V. Calhoun	06/27/2022 15:58	James L Waggeberby	2335142
	06/16/2022	06/24/2022 14:50	Simonne.V. Calhoun	06/27/2022 15:59	James L Waggeberby	2335148
	06/16/2022	06/24/2022 14:50	Simonne.V. Calhoun	06/27/2022 18:07	James L Waggeberby	2335150
	06/16/2022	06/24/2022 14:50	Simonne.V. Calhoun	06/27/2022 18:08	James L Waggeberby	2335144
	06/16/2022	06/28/2022 16:02	Adam P Silver	06/30/2022 14:09	James L Waggeberby	2335185