

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: <u>3/6/2023</u> Customer: <u>NE-DIST</u> RQ: <u>RQ-2023-02-27-19</u>	Collected By: <u>Niki Barham, Jeremy Parrish</u> Sampling Agency: <u>FDEP</u> Project ID: <u>BMAP</u>
---	--

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: Na

Delivery Method: HandDelivered

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
GOODBYS CR ABOVE WEST BRANCH AT SAN CLERC	 20030891
CRAIG CR @ HENDRICKS AVE	 20030793
CRAIG CR. 100m DOWN FROM FOOTBRIDGE IN PARK	 20030958
LITTLE FISHWEIR AT OAK ST.	 20030953
BIG FISHWEIR CR SF @ HAMILTON ST	 20030801
BUTCHER PEN CR @ CONFEDERATE PT ROAD	 20030082
BUTCHER PEN CR AT WESCONNETT	 20030760

RELINQUISHED BY(SIGNATURE):



DATE/TIME: 3/6/2023

1600EST

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By:	Rec'd/Inspected Date:
----------------------------	------------------------------



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	BUTCHER PEN CR AT WESCONNETT				Sample Date:	3/6/2023	
WIN / Field ID:	20030760	ORG ID:	21FLA	ENR:			
County:	Duval	WBID:	2322	STREAM	3F	Latitude:	30.25983
Receiving Body of Water:	Cedar River				Longitude:	-81.740194	
					RQ-	2023-02-27-19	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Niki Barham		x		x	
Jeremy Parrish	x		x		

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
	Syringe Lot#		Filter Lot#
	Secchi Equipment ID:	D#3	
Collection Method			
	Wading		Canoe/Kayak
	From Shore		Electric Motor
x	Bridge		Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1100	1.3	0.3	0.8	9.1	20.6	7.13	0.5	363	0.17

Biological Samples Collected: None

SBIO Visit ID: **HA ID:** **RPS ID:** **Macrophyte ID:** **LIMS Sample ID Entered Into The Macrophyte Module:**

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab Diversified	ICE			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients			Syringe Lot#; Filter Lot#:		
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC			SyringeLot#	FilterLot#	
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	03/06/2023	Signature:			

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT:

Save Field Sheets on Network: Migrate Data to WIN:



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV
Yes / No

WIN Station Name:		BUTCHER PEN CR @ CONFEDERATE PT ROAD				Sample Date:		3/6/2023	
WIN / Field ID:	20030082	ORG ID:	21FLA	ENR:		Latitude:	30.26461		
County:	Duval	WBID:	2322	STREAM	3F	Longitude:	-81.734583		
Receiving Body of Water:		Cedar River				RQ-	2023-02-27-19		

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Niki Barham		x		x	

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		D#3	
Collection Method			
	Wading		Canoe/Kayak
	From Shore		Electric Motor
x	Bridge		Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Marine
Tide Stage:	N/A
High Tide:	
Low Tide:	
Photos:	NA
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPT _h)
EST	1050	1	0.3	6.68	79.8	23	7.46	0.5	5555	3.02

Biological Samples Collected: None

SBIO Visit ID: **HA ID:** **RPS ID:** **Macrophyte ID:** **LIMS Sample ID Entered Into The Macrophyte Module:**

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab Diversified	ICE			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients			Syringe Lot#; Filter Lot#:		
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC			SyringeLot#	FilterLot#	
Other(s)					
Field Comments:					
Comments on COC: Microbiology sample(s) submitted to contract laboratory.					
Relinquish Date:	03/06/2023	Signature:			

LIMS EVENT ID: _____ WIN Import ID: _____

Enter Field Parameters, Verify Station ID In LIMS DMT: _____ QC Station ID, Field Parameters In LIMS DMT: _____

Save Field Sheets on Network: _____ Migrate Data to WIN: _____

(Initials/Date) (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV
Yes / No

WIN Station Name:	CRAIG CR. 100m DOWN FROM FOOTBRIDGE IN PARK				Sample Date:	3/6/2023	
WIN / Field ID:	20030958	ORG ID:	21FLA	ENR:	-	Latitude:	30.29522
County:	Duval	WBID:	2297B	ESTUARY	3M	Longitude:	-81.649892
Receiving Body of Water:	St Johns River Above Warren Bridge				RQ-	2023-02-27-19	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Niki Barham		x		x	

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
	Syringe Lot#		Filter Lot#
	Secchi Equipment ID:	D#3	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	NA
Matrix:	Marine
Tide Stage:	N/A
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	950	0.4	0.3	5.8	71.5	21.9	7.16	0.4	15730	9.22
								VOB (s)		

Biological Samples Collected:	None									
SBIO Visit ID:	HA ID:	RPS ID:	Macrophyte ID:	LIMS Sample ID Entered Into The Macrophyte Module:						

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	Contract Lab	Enterococci			
		Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	03/06/2023	Signature:			

LIMS EVENT ID: _____ WIN Import ID: _____

Enter Field Parameters, Verify Station ID In LIMS DMT: _____ (Initials/Date) QC Station ID, Field Parameters In LIMS DMT: _____ (Initials/Date)

Save Field Sheets on Network: _____ (Initials/Date) Migrate Data to WIN: _____ (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	CRAIG CR @ HENDRICKS AVE				Sample Date:	3/6/2023	
WIN / Field ID:	20030793	ORG ID:	21FLA	ENR:	-		
County:	Duval	WBID:	2297B	ESTUARY	3M		
Receiving Body of Water:	St Johns River Above Warren Bridge				RQ-	2023-02-27-19	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Niki Barham		x		x	

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
	Syringe Lot#		Filter Lot#
	Secchi Equipment ID:		
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
	Depth Measured With	Meter	

Water Level:	Normal
Flow:	NA
Matrix:	Marine
Tide Stage:	N/A
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	940	0.5	0.3	2	24.3	22.6	6.7	0.5	16830	9.91
								VOB (s)		

Biological Samples Collected:	None				
SBIO Visit ID:	HA ID:	RPS ID:	Macrophyte ID:	LIMS Sample ID Entered Into The Macrophyte Module:	

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	Contract Lab	Enterococci			
Chlorophyll		Diversified			
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	03/06/2023	Signature:			

LIMS EVENT ID: _____ WIN Import ID: _____

Enter Field Parameters, Verify Station ID In LIMS DMT: _____ QC Station ID, Field Parameters In LIMS DMT: _____

Save Field Sheets on Network: _____ Migrate Data to WIN: _____

(Initials/Date) (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	GOODBYS CR ABOVE WEST BRANCH AT SAN CLERC				Sample Date:	3/6/2023	
WIN / Field ID:	20030891	ORG ID:	21FLA	ENR:			
County:	Duval	WBID:	2326A	STREAM	3F	Latitude:	30.22544
Receiving Body of Water:	St Johns River Above Piney Point				Longitude:	-81.603861	
					RQ-	2023-02-27-19	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Niki Barham		x		x	

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		D#3	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	915	0.46	0.3	3.88	43.3	20.4	7.01	0.46	557	0.27
								VOB (s)		

Biological Samples Collected: None

SBIO Visit ID: **HA ID:** **RPS ID:** **Macrophyte ID:** **LIMS Sample ID Entered Into The Macrophyte Module:**

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab Diversified	ICE			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients			Syringe Lot#; Filter Lot#:		
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC			SyringeLot#	FilterLot#	
Other(s)					
Field Comments:					
Comments on COC: Microbiology sample(s) submitted to contract laboratory.					
Relinquish Date:	03/06/2023	Signature:			

LIMS EVENT ID: _____ WIN Import ID: _____

Enter Field Parameters, Verify Station ID In LIMS DMT: _____ (Initials/Date) QC Station ID, Field Parameters In LIMS DMT: _____ (Initials/Date)

Save Field Sheets on Network: _____ (Initials/Date) Migrate Data to WIN: _____ (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV
Yes / No

WIN Station Name:	LITTLE FISHWEIR AT OAK ST.				Sample Date:	3/6/2023	
WIN / Field ID:	20030953	ORG ID:	21FLA	ENR:			
County:	Duval	WBID:	2280A	STREAM	3F	Latitude:	30.29467
Receiving Body of Water:	St Johns River Above Warren Bridge				Longitude:	-81.709194	
					RQ-	2023-02-27-19	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Niki Barham		x		x	

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole Polemic
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		D#3	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	N/A
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1015	0.4	0.3	1.16	13	20.4	7.21	0.4	414	0.2
								VOB (s)		

Biological Samples Collected: None

SBIO Visit ID: **HA ID:** **RPS ID:** **Macrophyte ID:** **LIMS Sample ID Entered Into The Macrophyte Module:**

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab Diversified	ICE			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients			Syringe Lot#; Filter Lot#:		
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC			SyringeLot#	FilterLot#	
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	03/06/2023	Signature:			

LIMS EVENT ID: _____ WIN Import ID: _____

Enter Field Parameters, Verify Station ID In LIMS DMT: _____ QC Station ID, Field Parameters In LIMS DMT: _____
(Initials/Date) (Initials/Date)

Save Field Sheets on Network: _____ Migrate Data to WIN: _____
(Initials/Date) (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV
Yes / No

WIN Station Name:	BIG FISHWEIR CR SF @ HAMILTON ST				Sample Date:	3/6/2023	
WIN / Field ID:	20030801	ORG ID:	21FLA	ENR:			
County:	Duval	WBID:	2280A	STREAM	3F	Latitude:	30.29315
Receiving Body of Water:	St Johns River Above Warren Bridge				Longitude:	-81.722091	
					RQ-	2023-02-27-19	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Niki Barham		x		x	

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
			Pole"
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		D#3	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	N/A
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1030	0.78	0.3	1.4	17	22.5	6.96	0.3	4686	2.51

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID Entered Into The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	03/06/2023	Signature:			

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT:

(Initials/Date)

(Initials/Date)

Save Field Sheets on Network: Migrate Data to WIN:

(Initials/Date)

(Initials/Date)

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID: Stitch

RQ: 2023-02-20-27

Project: BMAP 1

- Notes: (1) Always wait for meter to stabilize before recording any readings.
 (2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).
 (3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification 2-15-23

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro- meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	<u>Nixi Bauham</u>	<u>3-6-23</u>	<u>8:21</u>	<u>21.3</u>	<u>764.8</u>	<u>8.9</u>	<u>-</u>	<u>100.6</u>	<u>-</u>	<u>1.074</u>	<u>P</u> /F	<u>L</u> /F
ICV			<u>8:22</u>	<u>21.0</u>	<u>764.8</u>	<u>9.0</u>	<u>9.0</u>	<u>101.0</u>	<u>-</u>	<u>1.074</u>	<u>P</u> /F	<u>L</u> /F
CCV			<u>13:09</u>	<u>21.9</u>	<u>763.2</u>	<u>8.8</u>	<u>8.8</u>	<u>100.1</u>	<u>-</u>	<u>1.074</u>	<u>P</u> /F	<u>L</u> /F
CCV											P/F	L/F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ mos/cm	Meter Reading μ mos/cm	Pass / Fail	Lab / Field
Calibr.	<u>Nixi Bauham</u>	<u>3-6-23</u>	<u>8:24</u>	<u>221028A</u>	<u>11-23</u>	<u>1000</u>	<u>1000</u>	<u>P</u> /F	<u>L</u> /F
ICV			<u>8:26</u>	<u>220719B</u>	<u>7-23</u>	<u>100</u>	<u>99.6</u>	<u>P</u> /F	<u>L</u> /F
CCV			<u>13:11</u>	<u>220719C</u>	<u>7-23</u>	<u>50000</u>	<u>50015</u>	<u>P</u> /F	<u>L</u> /F
CCV								P/F	L/F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	<u>Nixi Bauham</u>	<u>3-6-23</u>	<u>8:28</u>	<u>M241-15</u>	<u>9-1-24</u>	<u>7.01</u>	<u>21.8</u>	<u>7.01</u>	<u>-46.2</u>	<u>P</u> /F	<u>L</u> /F
Calibr.			<u>8:30</u>	<u>M188-01</u>	<u>7-11-24</u>	<u>4.00</u>	<u>21.7</u>	<u>4.00</u>	<u>130.2</u>	<u>P</u> /F	<u>L</u> /F
Calibr.			<u>8:33</u>	<u>M334-14</u>	<u>11-29-24</u>	<u>10.03</u>	<u>21.7</u>	<u>10.03</u>	<u>-214.5</u>	<u>P</u> /F	<u>L</u> /F
ICV			<u>8:34</u>	<u>M188-01</u>	<u>7-11-24</u>	<u>4.00</u>	<u>21.7</u>	<u>4.00</u>	<u>129.5</u>	<u>P</u> /F	<u>L</u> /F
CCV			<u>13:13</u>	<u>M334-14</u>	<u>11-29-24</u>	<u>10.03</u>	<u>21.9</u>	<u>10.0</u>	<u>-214.1</u>	<u>P</u> /F	<u>L</u> /F
CCV										P/F	L/F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ; mV pH 4 Range $+180 \pm 50$; mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 168.3, slope from 4 to 7 176.4 (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water project)


If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: 2-9-23

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: _____; Date of last verification: _____

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	<u>Nixi Bauham</u>	<u>3-6-23</u>	<u>8:36</u>	<u>0.00</u>	<u>0.002</u>	<u>P</u> /F	<u>L</u> /F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:



DIVERSIFIED
ENVIRONMENTAL LABORATORIES, INC.

CHAIN OF CUSTODY RECORD

Project Number:
(Lab Use Only)

3653 Regent Boulevard, Suite # 509
Jacksonville, FL 32224
P. (904) 807-9625 E. info@deliab.com
F. (904) 807-9627

Page _____ of _____

Company Name				Florida Department of Environmental Protection										
Address				8800 Baymeadows Way West										
City				Jacksonville		State FL Zip 32256								
Attn				Dep-overflowmicro@dep.state.fl.us										
Tel.				E-mail or Fax										
Project Name				2023- 02-27-19										
Project Number														
Project Location				BMAP I										
Sampler Name/Signature				Jeremy Parnis										
Transfer #	Sample # (Lab Use Only)	Sample Identification	Date Sampled	Time Sampled	Sample Matrix Code	Specific Cond. (Field)	Comp	Grab	E. Coli - Quantitray	Enterococci - Quantitray	Coliform, Fecal - MF 3 Dilutions	Parameters	Preservation Codes:	Sample Matrix Codes:
1		20030891	3-6-23	9:15	NPW	SS7		✓	✓				0. None 5. Na2S2O3	A. Air P. Petroleum
2		20030793	3-6-23	9:40	NPW	16830		✓	✓				1. H2SO4 6. Crushed Ice (4C)	B. Bulk S. Soil/Gludge
3		20030958	3-6-23	9:50	NPW	15730		✓		✓			2. HNO3 7. G6H8O6	W. Wipe O. Other
4		20030953	3-6-23	10:15	NPW	415		✓					3. HCl 8. NH4Cl	PW. Potable Water
5		20030801	3-6-23	10:30	NPW	4684		✓	✓				4. NaOH 9. Other (List)	NPW. Non-Potable Water
6		20030082	3-6-23	10:50	NPW	5555		✓	✓					
7		20030760	3-6-23	11:00	NPW	370		✓	✓					
8														
9														
0														
Special Instructions: * 10x dilution														
Transfer Numbers														
Relinquished By														
Date / Time														
Received By														
Date / Time														



Certification #E821059

Lab General Form 059, Rev. #1, Rev. Date: 02/07/22, Effective Date: 02/07/22

Visit us online & order kits at: www.deliab.com