

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 4/3/2023
Customer: NE-DIST
RQ: RQ-2023-04-03-27

Collected By: Jeremy Parrish, Niki Barham
Sampling Agency: FDEP
Project ID: BMAP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: Na

Delivery Method: HandDelivered

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
GOODBYS CR ABOVE WEST BRANCH AT SAN CLERC	 20030891
CRAIG CR 100M DOWN FROM FOOTBRIDGE IN PARK	 20030958
LITTLE FISHWEIR AT OAK ST	 20030953
BIG FISHWEIR CR SF AT HAMILTON ST	 20030801
BUTCHER PEN CR AT CONFEDERATE PT ROAD	 20030082
BUTCHER PEN CR AT WESCONNETT	 20030760
CRAIG CR AT HENDRICKS AVE	 20030793

RELINQUISHED BY(SIGNATURE):



DATE/TIME: 4/3/2023

1600EST

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By:	Rec'd/Inspected Date:
----------------------------	------------------------------



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	GOODBYS CR ABOVE WEST BRANCH AT SAN CLERC				Sample Date:	4/3/2023	
WIN / Field ID:	20030891	ORG ID:	21FLA	ENR:	-		
County:	DUVAL	WBID:	2326A	STREAM	3F		
Receiving Body of Water:	St Johns River Above Piney Point				RQ-	2023-04-03-27	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Niki Barham		x		x	

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
	Syringe Lot#		Filter Lot#
	Secchi Equipment ID:	D#3	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
	Depth Measured With	Sonar	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	N/A
High Tide:	
Low Tide:	
Photos:	NA
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	940	0.6	0.3	3.32	38.6	22	6.75	0.6	3945	2.1
								VOB (s)		

Biological Samples Collected:	None	
SBIO Visit ID:	HA ID:	RPS ID:
Macrophyte ID:	LIMS Sample ID Entered Into The Macrophyte Module:	

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients			Syringe Lot#; Filter Lot#:		
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	04/03/2023	Signature:			

LIMS EVENT ID:		WIN Import ID:	
Enter Field Parameters, Verify Station ID In LIMS DMT:		QC Station ID, Field Parameters In LIMS DMT:	
Save Field Sheets on Network:	NB	Migrate Data to WIN:	
	(Initials/Date)		(Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	CRAIG CR AT HENDRICKS AVE				Sample Date:	4/3/2023	
WIN / Field ID:	20030793	ORG ID:	21FLA	ENR:	-	Latitude:	30.29631
County:	DUVAL	WBID:	2297B	ESTUARY	3M	Longitude:	-81.64803
Receiving Body of Water:	St Johns River Above Warren Bridge				RQ-	2024-04-03-27	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Niki Barham		x		x	

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
	Syringe Lot#		Filter Lot#
	Secchi Equipment ID:	D#3	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	NA
Matrix:	Marine
Tide Stage:	N/A
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1000	0.9	0.3	1.98	24.8	23.5	6.9	0.4	8627	4.82

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID Entered Into The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Type	Lot#	Expiration Date	pH Check
Microbiology	Contract Lab	Enterococci			
Chlorophyll		Diversified			
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	04/03/2023	Signature:			

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT:

Save Field Sheets on Network: NB Migrate Data to WIN:



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV
Yes / No

WIN Station Name:	CRAIG CR 100M DOWN FROM FOOTBRIDGE IN PARK				Sample Date:	4/3/2023	
WIN / Field ID:	20030958	ORG ID:	21FLA	ENR:	-	Latitude:	30.29522
County:	DUVAL	WBID:	2297B	ESTUARY	3M	Longitude:	-81.64989
Receiving Body of Water:	St Johns River Above Warren Bridge				RQ-	2023-04-03-27	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Niki Barham		x		x	

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
	Syringe Lot#		Filter Lot#
	Secchi Equipment ID:	D#3	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Marine
Tide Stage:	Rising
High Tide:	NA
Low Tide:	NA
Photos:	NA
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1010	0.5	0.3	6.07	74.1	23.1	7.34	0.5	12350	7.08
								VOB (s)		

Biological Samples Collected:	None			
SBIO Visit ID:	HA ID:	RPS ID:	Macrophyte ID:	LIMS Sample ID Entered Into The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	Contract Lab	Enterococci			
Chlorophyll		Diversified			
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	04/03/2023	Signature:			

LIMS EVENT ID: _____ WIN Import ID: _____

Enter Field Parameters, Verify Station ID In LIMS DMT: _____ QC Station ID, Field Parameters In LIMS DMT: _____

Save Field Sheets on Network: _____ NB _____ Migrate Data to WIN: _____

(Initials/Date) (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:		LITTLE FISHWEIR AT OAK ST				Sample Date:		4/3/2023	
WIN / Field ID:	20030953	ORG ID:	21FLA	ENR:	-	Latitude:	30.29467		
County:	DUVAL	WBID:	2280A	STREAM	3F	Longitude:	-81.70919		
Receiving Body of Water:		St Johns River Above Warren Bridge				RQ-	2023-04-03-27		

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish					
Niki Barham					

Sampling Equipment			
☒	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	☒	Pole
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		D#3	
Collection Method			
	Wading		Canoe/Kayak
	From Shore		Electric Motor
☒	Bridge		Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	N/A
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1035	0.4	0.3	2.84	31.8	20.1	7.34	0.4	475	0.23
								VOB (s)		

Biological Samples Collected:		None								
SBIO Visit ID:	HA ID:	RPS ID:	Macrophyte ID:	LIMS Sample ID Entered Into The Macrophyte Module:						

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients			Syringe Lot#; Filter Lot#:		
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC: Microbiology sample(s) submitted to contract laboratory.					
Relinquish Date:	04/03/2023	Signature:			

LIMS EVENT ID: _____	WIN Import ID: _____
Enter Field Parameters, Verify Station ID In LIMS DMT: _____ (Initials/Date)	QC Station ID, Field Parameters In LIMS DMT: _____ (Initials/Date)
Save Field Sheets on Network: _____ (Initials/Date)	Migrate Data to WIN: _____ (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:		BIG FISHWEIR CR SF AT HAMILTON ST				Sample Date:		4/3/2023	
WIN / Field ID:	20030801	ORG ID:	21FLA	ENR:	-	Latitude:	30.29315		
County:	DUVAL	WBID:	2280A	STREAM	3F	Longitude:	-81.72209		
Receiving Body of Water:		St Johns River Above Warren Bridge				RQ-	2023-04-03-27		

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Niki Barham		x		x	

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		D#3	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Marine
Tide Stage:	N/A
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1050	0.59	0.3	3.63	44.6	23.3	6.96	0.59	11275	6.42
								VOB (s)		

Biological Samples Collected: None

SBIO Visit ID: **HA ID:** **RPS ID:** **Macrophyte ID:** **LIMS Sample ID Entered Into The Macrophyte Module:**

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab Diversified	ICE			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients			Syringe Lot#; Filter Lot#:		
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC			SyringeLot#	FilterLot#	
Other(s)					
Field Comments:					
Comments on COC: Microbiology sample(s) submitted to contract laboratory.					
Relinquish Date:	04/03/2023	Signature:			

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT:

Save Field Sheets on Network: NB Migrate Data to WIN:

(Initials/Date)

(Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:		BUTCHER PEN CR AT CONFEDERATE PT ROAD				Sample Date:		4/3/2023	
WIN / Field ID:	20030082	ORG ID:	21FLA	ENR:	-	Latitude:	30.26461		
County:	DUVAL	WBID:	2322	STREAM	3F	Longitude:	-81.73458		
Receiving Body of Water:		Cedar River				RQ-	2023-04-03-27		

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish					
Niki Barham					

Sampling Equipment			
Sample Container		Carboy	
x	Dipper	x	Van Dorn
			Tommy pickles
	Syringe		Pole
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		D#3	
Collection Method			
Wading		Canoe/Kayak	
From Shore		Electric Motor	
x	Bridge	Gasoline Motor	
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Marine
Tide Stage:	N/A
High Tide:	
Low Tide:	
Photos:	NA
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1110	1.1	0.3	5.14	63.7	23.9	7.13	0.5	12800	7.35

Biological Samples Collected:		None								
SBIO Visit ID:	HA ID:	RPS ID:	Macrophyte ID:	LIMS Sample ID Entered Into The Macrophyte Module:						

Parameter Suite	Parameter Methods (LIMS Test Codes)			Preservation			
				Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli	Contract Lab	Diversified	ICE			
Chlorophyll							
Physical/Aggregate Nutrients							
Filtered Nutrients					Syringe Lot#; Filter Lot#:		
Acid Preserved Nutrients							
Metals							
Organics (LC)							
Macroinvertebrates							
Organics (GC)							
Molecular							
Periphyton							
Phytoplankton							
BOD							
DOC							
					SyringeLot#		FilterLot#
Other(s)							
Field Comments:							
Comments on COC: Microbiology sample(s) submitted to contract laboratory.							
Relinquish Date:	04/03/2023	Signature:					

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT:

Save Field Sheets on Network: NB Migrate Data to WIN:

(Initials/Date)

(Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	BUTCHER PEN CR AT WESCONNETT				Sample Date:	4/3/2023	
WIN / Field ID:	20030760	ORG ID:	21FLA	ENR:	-		
County:	DUVAL	WBID:	2322	STREAM			
Receiving Body of Water:	Cedar River				RQ-	2023-04-03-27	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Niki Barham		x		x	

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
	Syringe Lot#		Filter Lot#
	Secchi Equipment ID:	D#3	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1120	0.24	0.12	5.22	57.8	20.1	7.45	0.24	395	0.19
								VOB (s)		

Biological Samples Collected:	None	
SBIO Visit ID:	HA ID:	RPS ID:
Macrophyte ID:	LIMS Sample ID Entered Into The Macrophyte Module:	

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients			Syringe Lot#; Filter Lot#:		
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	04/03/2023	Signature:			

LIMS EVENT ID:		WIN Import ID:	
Enter Field Parameters, Verify Station ID In LIMS DMT:		QC Station ID, Field Parameters In LIMS DMT:	
Save Field Sheets on Network:	NB	Migrate Data to WIN:	
	(Initials/Date)		(Initials/Date)

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID:

Stitch

RQ:

2023-04-03-27

Project:

BMAP

Notes: (1) Always wait for meter to stabilize before recording any readings.

(2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).

(3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification 2-15-23

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro- meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	n Barham	4-3-23	7:42	21.5	761.7	8.9	—	100.2	—	1.073	(P) F	(L) F
ICV			7:44	21.4	761.7	8.9	8.9	100.6	—	1.073	(P) F	(L) F
CCV			13:33	21.8	761.7	8.8	8.78	99.6	—	1.073	(P) F	(L) F
CCV											P / F	L / F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ mos/cm	Meter Reading μ mos/cm	Pass / Fail	Lab / Field
Calibr.	n Barham	4-3-23	7:45	221028A	11-23	1000	1000	(P) F	(L) F
ICV			7:46	220719B	7-23	100	99.9	(P) F	(L) F
CCV			13:36	230131D	2-24	15000	15043	(P) F	(L) F
CCV								P / F	L / F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	n Barham	4-3-23	7:50	m241-15	9-1-24	7.01	21.9	7.01	-45.2	(P) F	(L) F
Calibr.			7:53	m346-07	12-11-24	4.00	21.9	4.00	131	(P) F	(L) F
Calibr.			7:55	m334-14	11-29-24	10.03	21.9	10.04	-214.8	(P) F	(L) F
ICV			7:56	m346-07	12-11-24	4.00	21.9	4.01	129.5	(P) F	(L) F
CCV			13:37	m334-14	11-29-24	10.03	22.0	10.05	-216.9	(P) F	(L) F
CCV										P / F	L / F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ; mV pH 4 Range $+180 \pm 50$; mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 169.6, slope from 4 to 7 176.2 (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water project)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: 2-15-23

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: ; Date of last verification:

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	n Barham	4-3-23	8:42	0.00	0.004	(P) F	(L) F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:

CHAIN OF CUSTODY RECORD

3553 Regent Boulevard, Suite # 509
Jacksonville, FL 32224
P. (904) 807-9625 E. info@delllab.com
F. (904) 807-9627

Page 1 of 1

Project Number:
(Lab Use Only)



Company Name				Florida Department of Environmental Protection				
Address				8800 Baymeadows Way W Ste 100				
City				Jacksonville				
State				FL				
Zip				32256				
Attn.				Jeremy Parrish				
E-mail or Fax				Jeremy.M.Parrish@floridadep.gov				
Tel.				DEP-Overflowmicro@dep.state.fl.us				
Project Name				BMAP 1				
Project Number				RQ-2023-04-03-27				
Project Location								
Sampler Name/Signature				Niki Barham				
Transfer #	Sample # (Lab Use Only)	Sample Identification	Date Sampled	Time Sampled	Sample Matrix Code	Specific Cond. (Field)	Comp	Grab
1	20030891		4-3-23	940	NPW	3945		✓
2	20030793	*	4-3-23	1000	NPW	8600		✓
3	20030958	*	4-3-23	1010	NPW	12800		✓
4	20030953	*	4-3-23	1035	NPW	478		✓
5	20030801		4-3-23	1050	NPW	11233		✓
6	20030082	*	4-3-23	1110	NPW	12800		✓
7	20030760	*	4-3-23	1120	NPW	395		✓
8								
9								
0								

Special Instructions:

* dilute 10x

Transfer Numbers

Relinquished By

Jeremy Parrish

Date / Time

4/3/2023 1200


Received By

NOSAR

Date / Time

4/3/23 12:00

Container Information (Qty, Size, & Type)		Sample Matrix Codes:	
NPW	NPW	A. Air	P. Petroleum
NPW	NPW	B. Bulk	S. Soil/Sludge
NPW	NPW	W. Wipe	O. Other
		PW. Potable Water	
		NPW. Non-Potable Water	
Container Preservation Codes		Sample Kit or Container Lot #	
6	6		
Parameters		Preservation Codes:	
Enterococci - Quantitray	Coliform, Fecal - MF 3 Dilutions	0. None	5. Na2S2O3
Enterococci - Quantitray	Coliform, Fecal - MF 3 Dilutions	1. H2SO4	6. Crushed Ice (4C)
Enterococci - Quantitray	Coliform, Fecal - MF 3 Dilutions	2. HNO3	7. C8H8O8
Enterococci - Quantitray	Coliform, Fecal - MF 3 Dilutions	3. HCl	8. NH4Cl
Enterococci - Quantitray	Coliform, Fecal - MF 3 Dilutions	4. NaOH	9. Other (List)
Thermal Preservation:		Thermal Preservation:	
In Crushed Ice?	Yes / No	In Crushed Ice?	Yes / No
Cooler Temp. 0.2 °C		Cooler Temp. 0.2 °C	
Sample Cont. Temp. 4.5 °C		Sample Cont. Temp. 4.5 °C	
Turnaround Requested:		Turnaround Requested:	
X. Standard (10 Business Days)		X. Standard (10 Business Days)	
Semi-Rush (3-5 Business Days)		Semi-Rush (3-5 Business Days)	
Rush (1-2 Business Days)		Rush (1-2 Business Days)	
Turnaround times are estimated & subject to change. Surcharges apply for all Rush samples.			
Billing Information:			
Invoice with Report			
Invoice to Accounting			
Req. #:		Req. #:	
P.O. #:		P.O. #:	



Certification #E821059

Lab General Form 059, Rev. #1, Rev. Date: 02/07/22, Effective Date: 02/07/22.

Visit us online & order kits at: www.delllab.com