

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 4/4/2023 **Collected By:** Jeremy Parrish, Katherine Halbert
Customer: NE-DIST **Sampling Agency:** FDEP
RQ: RQ-2023-04-03-27 **Project ID:** BMAP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: Na

Delivery Method: HandDelivered

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
MONCRIEF CR AT MONCRIEF ROAD	 20030726
MONCRIEF CR AT 21ST ST	 20030897
TROUT R AT DINSMORE BOAT RAMP DOCK NR US 1	 20030123
TROUT RIVER AT OLD KINGS RD	 20030753
TERRAPIN CREEK AT FAYE ROAD	 20030653
NW TRIBUTARY TO OPEN CR AT HODGES	 20030848

RELINQUISHED BY(SIGNATURE):



DATE/TIME: 4/4/2023
1600EST

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By:

Rec'd/Inspected Date:



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

STRATEGIC MONITORING PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	MONCRIEF CR AT MONCRIEF ROAD				Sample Date:	4/4/2023	
WIN / Field ID:	20030726	ORG ID:	21FLA	ENR:	-		
County:	DUVAL	WBID:	2228B	STREAM	3F		
Receiving Body of Water:	Trout River Lower Reach				RQ-	2023-04-03-27	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Katherine Halbert		x		x	

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
	Syringe Lot#		Filter Lot#
	Secchi Equipment ID:	D#3	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	935	0.7	0.3	3.05	35.5	22.1	7.13	0.7	347	0.17
								VOB (s)		

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID Entered Into The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	04/04/2023	Signature:			

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT:

Save Field Sheets on Network: KH 04/04/2023 Migrate Data to WIN:



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:		MONCRIEF CR AT 21ST ST				Sample Date:		4/4/2023	
WIN / Field ID:	20030897	ORG ID:	21FLA	ENR:	-	Latitude:	30.35667		
County:	DUVAL	WBID:	2228B	STREAM		3F	Longitude:	-81.69108	
Receiving Body of Water:		Trout River Lower Reach				RQ-	2023-04-03-27		

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish					
Katherine Halbert					

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		D#3	
Collection Method			
	Wading	Canoe/Kayak	
x	From Shore	Electric Motor	
		Gasoline Motor	
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	955	0.27	0.15	2.93	33.6	21.3	6.98	0.27	478	0.23
								VOB (s)		

Biological Samples Collected:		None								
SBIO Visit ID:	HA ID:	RPS ID:	Macrophyte ID:	LIMS Sample ID Entered Into The Macrophyte Module:						

Parameter Suite	Parameter Methods (LIMS Test Codes)			Preservation			
				Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli	Contract Lab	Diversified	ICE			
Chlorophyll							
Physical/Aggregate Nutrients							
Filtered Nutrients						Syringe Lot#; Filter Lot#:	
Acid Preserved Nutrients							
Metals							
Organics (LC)							
Macroinvertebrates							
Organics (GC)							
Molecular							
Periphyton							
Phytoplankton							
BOD							
DOC							
Other(s)							
Field Comments:							
Comments on COC: Microbiology sample(s) submitted to contract laboratory.							
Relinquish Date:	04/04/2023	Signature:					

LIMS EVENT ID: _____ WIN Import ID: _____

Enter Field Parameters, Verify Station ID In LIMS DMT: _____

QC Station ID, Field Parameters In LIMS DMT: _____

Save Field Sheets on Network: KH 04/04/2023
(Initials/Date)

Migrate Data to WIN: _____
(Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	TROUT R AT DINSMORE BOAT RAMP DOCK NR US 1				Sample Date:	4/4/2023	
WIN / Field ID:	20030123	ORG ID:	21FLA	ENR:	-		
County:	DUVAL	WBID:	2203B	ESTUARY	3M		
Receiving Body of Water:	St Johns River Above Dames Point				RQ-	2023-04-03-27	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Katherine Halbert		x		x	
Jeremy Parrish	x		x		

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
	Syringe Lot#		Filter Lot#
	Secchi Equipment ID:	D#3	
Collection Method			
	Wading		Canoe/Kayak
	From Shore		Electric Motor
x	Dock		Gasoline Motor
	Depth Measured With	Meter	

Water Level:	Normal
Flow:	NA
Matrix:	Marine
Tide Stage:	N/A
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1020	1.3	0.3	4.81	57.8	23.1	6.75	0.6	8419	4.72

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID Entered Into The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	Contract Lab	Enterococci			
Chlorophyll		Diversified			
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	04/04/2023	Signature:			

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT:

Save Field Sheets on Network: KH 04/04/2023 Migrate Data to WIN:



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV
Yes / No

WIN Station Name:	TROUT RIVER AT OLD KINGS RD				Sample Date:	4/4/2023	
WIN / Field ID:	20030753	ORG ID:	21FLA	ENR:	-	Latitude:	30.43128
County:	DUVAL	WBID:	2203	STREAM	3F	Longitude:	-81.76858
Receiving Body of Water:	St Johns River Above Dames Point				RQ-	2023-04-03-27	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Katherine Halbert		x		x	

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole Poleqp
	Syringe Lot#		Filter Lot#
	Secchi Equipment ID:	D#3	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1035	0.78	0.3	5.48	60.4	19.7	7.03	0.5	132	0.06

Biological Samples Collected:	None			
SBIO Visit ID:	HA ID:	RPS ID:	Macrophyte ID:	LIMS Sample ID Entered Into The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab Diversified	ICE			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	04/04/2023	Signature:			

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT:

Save Field Sheets on Network: KH 04/04/2023 Migrate Data to WIN:



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV
Yes / No

WIN Station Name:		TERRAPIN CREEK AT FAYE ROAD				Sample Date:		4/4/2023	
WIN / Field ID:	20030653	ORG ID:	21FLA	ENR:	-	Latitude:	30.43436		
County:	DUVAL	WBID:	2204	STREAM	3F	Longitude:	-81.56556		
Receiving Body of Water:		Dunn Creek				RQ-	2023-04-03-27		

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish					
Katherine Halbert					

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole Polep
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		D#3	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1110	0.1	0.05	5.63	62	19.8	6.71	0.1	205	0.1
								VOB (s)		

Biological Samples Collected:		None								
SBIO Visit ID:	HA ID:	RPS ID:	Macrophyte ID:	LIMS Sample ID Entered Into The Macrophyte Module:						

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC: Microbiology sample(s) submitted to contract laboratory.					
Relinquish Date:	04/04/2023	Signature:			

LIMS EVENT ID: _____ WIN Import ID: _____

Enter Field Parameters, Verify Station ID In LIMS DMT: _____ QC Station ID, Field Parameters In LIMS DMT: _____

Save Field Sheets on Network: KH 04/04/2023 (Initials/Date) Migrate Data to WIN: _____ (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	NW TRIBUTARY TO OPEN CR AT HODGES				Sample Date:	4/4/2023	
WIN / Field ID:	20030848	ORG ID:	21FLA	ENR:	-		
County:	DUVAL	WBID:	2299B	STREAM	3F		
Receiving Body of Water:	ICWW Duval. St Johns County				RQ-	2023-04-03-27	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Katherine Halbert		x		x	

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
	Syringe Lot#		Filter Lot#
	Secchi Equipment ID:	D#3	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1150	0.1	0.05	6.75	78.1	22.5	6.99	0.1	456	0.22
								VOB (s)		

Biological Samples Collected:	None	
SBIO Visit ID:	HA ID:	RPS ID:
Macrophyte ID:	LIMS Sample ID Entered Into The Macrophyte Module:	

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients			Syringe Lot#; Filter Lot#:		
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	04/04/2023	Signature:			

LIMS EVENT ID:		WIN Import ID:	
Enter Field Parameters, Verify Station ID In LIMS DMT:		QC Station ID, Field Parameters In LIMS DMT:	
Save Field Sheets on Network: KH 04/04/2023		Migrate Data to WIN:	

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID: Stitch

RQ: 2023-04-03-27

Project: BMAP

- Notes:** (1) Always wait for meter to stabilize before recording any readings.
 (2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).
 (3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification 2/15/23

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro-meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	K. Halbert	4/4/23	735	21.7	762.2	8.8	-	100.3	-	1.070	(B) F	(L) F
ICV	K. Halbert	4/4/23	738	21.7	762.2	8.8	8.83	100.4	-	1.070	(B) F	(L) F
CCV	K. Halbert	4/4/23	1322	22.0	763.1	8.8	8.76	100.3	-	1.070	(P) F	(L) F
CCV											P / F	L / F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ mhos/cm	Meter Reading μ mhos/cm	Pass / Fail	Lab / Field
Calibr.	K. Halbert	4/4/23	739	221028A	11/2023	1000	1000	(B) F	(L) F
ICV	K. Halbert	4/4/23	740	220719B	07/2023	100	99.7	(B) F	(L) F
CCV	K. Halbert	4/4/23	1346	230131D	02/2024	15000	15013	(P) F	(L) F
CCV								P / F	L / F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	K. Halbert	4/4/23	741	M241-15	9/1/24	7.01	22.2	7.01	-48.7	(B) F	(L) F
Calibr.	K. Halbert	4/4/23	743	M346-07	12/11/24	4.00	22.2	4.00	128.3	(B) F	(L) F
Calibr.	K. Halbert	4/4/23	745	M334-14	11/29/24	10.03	22.2	10.03	-215.7	(B) F	(L) F
ICV	K. Halbert	4/4/23	747	M346-07	12/11/24	4.00	21.9	3.98	128.3	(B) F	(L) F
CCV	K. Halbert	4/4/23	1351	M334-14	11/29/24	10.03	22.4	9.96	-213.6	(B) F	(L) F
CCV										P / F	L / F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ; mV pH 4 Range $+180 \pm 50$; mV pH 10 Range -180 ± 50 ;
 If mV are recorded: slope from 7 to 10 167.0, slope from 4 to 7 177.0 (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water project)
 If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: 2/9/23

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: _____; Date of last verification: _____

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	K. Halbert	4/4/23	752	0.000	0.000	(P) F	(L) F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:



DIVERSIFIED
ENVIRONMENTAL LABORATORIES, INC.

CHAIN OF CUSTODY RECORD

Project Number:

(Lab Use Only)

3653 Regent Boulevard, Suite # 509

Jacksonville, FL 32224

P. (904) 807-9625 E. info@delilab.com

F. (904) 807-9627

Page 1 of 1

Company Name Florida Department of Environmental Protection										Container Information (Qty, Size, & Type)				Sample Matrix Codes:					
Address 8800 Baymeadows Way W Ste 100										NPW	NPW	NPW				A. Air P. Petroleum B. Bulk S. Soil/Sludge W. Wipe O. Other _____ PW. Potable Water NPW. Non-Potable Water			
City Jacksonville State FL Zip 32256																			
Attn. Jeremy Parrish Jeremy.M.Parrish@floridadep.gov																			
Tel. E-mail or Fax DEP-Overflowmicro@dep.state.fl.us																			
Project Name BMAP2										Container Preservation Codes				Sample Kit or Container Lot #					
Project Number RQ-2023-04-03-27										6	6	6				NA			
Project Location										Parameters				Preservation Codes:					
Sampler Name/Signature Jeremy Parrish										E. Coli - Quantitray	Enterococci - Quantitray	Coliform - Fecal - MF 3 Dilutions			0. None 5. Na2S2O3 1. H2SO4 6. Crushed Ice (4C) 2. HNO3 7. C6H8O6 3. HCl 8. NH4Cl 4. NaOH 9. Other: (List)				
Thermal Preservation:																			
In Crushed Ice? ☒ Yes / No																			
Cooler Temp: 0.4 °C																			
Sample Cont. Temp: 2.1 °C																			
Turnaround Requested:																			
☒ Standard (10 Business Days)																			
☐ Semi-Rush (3-5 Business Days)																			
☐ Rush (1-2 Business Days)																			
Turnaround times are estimated & subject to change. Surcharges apply for all Rush samples.																			
Billing Information:																			
☐ Invoice with Report																			
☒ Invoice to Accounting																			
Req. #: _____																			
P.O. #: _____																			
Transfer #	Sample # (Lab Use Only)	Sample Identification	Date Sampled	Time Sampled	Sample Matrix Code	Specific Cond. (Field)	Comp	Grab											
1	20030726	4/4/23 935 NPW 347	4/4/23	935	NPW	347		✓	X										
2	20030897	4/4/23 955 NPW 478	4/4/23	955	NPW	478		✓	X										
3	20030123	4/4/23 1020 NPW 8555	4/4/23	1020	NPW	8555		✓	X										
4	20030753	4/4/23 1035 NPW 132	4/4/23	1035	NPW	132		✓	X										
5	20030653	4/4/23 1110 NPW 205	4/4/23	1110	NPW	205		✓	X										
6	20030848	4/4/23 1150 NPW 456	4/4/23	1150	NPW	456		✓	X										
7																			
8																			
9																			
0																			
Special Instructions: * dilute 10X										Transfer Numbers		Relinquished By		Date / Time		Received By		Date / Time	
										1-6		Jerry Carr		4/4/23 1250		[Signature]		4/4/23-1250	



Certification #E821059