

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 6/5/2023
Customer: NE-DIST
RQ: RQ-2023-05-29-17

Collected By: Jeremy Parrish, Niki Barham
Sampling Agency: FDEP
Project ID: BMAP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: Na

Delivery Method: HandDelivered

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
MONCRIEF CR AT MONCRIEF ROAD	 20030726
TROUT R AT DINSMORE BOAT RAMP DOCK NR US 1	 20030123
TROUT RIVER AT OLD KINGS RD	 20030753
NW TRIBUTARY TO OPEN CR AT HODGES	 20030848
MONCRIEF CR AT 21ST ST	 20030897

RELINQUISHED BY(SIGNATURE):



DATE/TIME: 6/5/2023
1600EST

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By:

Rec'd/Inspected Date:

TERRAPIN CREEK AT FAYE ROAD *20030653*



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	MONCRIEF CR AT 21ST ST				Sample Date:	6/5/2023	
WIN / Field ID:	20030897	ORG ID:	21FLA	ENR:	-		
County:	DUVAL	WBID:	2228B	STREAM			
Receiving Body of Water:	Trout River Lower Reach				RQ-	2023-05-29-17	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Niki Barham		x		x	

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
	Syringe Lot#		Filter Lot#
	Secchi Equipment ID:	D#3	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With Meter			

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Desi
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	940	0.5	0.3	3.17	37.4	22.9	6.9	0.4	469	0.23

Biological Samples Collected:	None	
SBIO Visit ID:	HA ID:	RPS ID:
Macrophyte ID:	LIMS Sample ID Entered Into The Macrophyte Module:	

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients			Syringe Lot#; Filter Lot#:		
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	06/05/2023	Signature:			

LIMS EVENT ID:	WIN Import ID:
Enter Field Parameters, Verify Station ID In LIMS DMT:	QC Station ID, Field Parameters In LIMS DMT: KH 09/19/2023
Save Field Sheets on Network:	Migrate Data to WIN:



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	NW TRIBUTARY TO OPEN CR AT HODGES				Sample Date:	6/5/2023	
WIN / Field ID:	20030848	ORG ID:	21FLA	ENR:	-		
County:	DUVAL	WBID:	2299B	STREAM			
Receiving Body of Water:	ICWW Duval. St Johns County				RQ-	2023-05-29-17	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x			x	
Niki Barham		x		x	

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
	Syringe Lot#		Filter Lot#
	Secchi Equipment ID:	D#3	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Desi
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1135	0.14	0.07	6.76	80.6	23.9	7.27	0.14	415	0.2
								VOB (s)		

Biological Samples Collected:	None	
SBIO Visit ID:	HA ID:	RPS ID:
Macrophyte ID:	LIMS Sample ID Entered Into The Macrophyte Module:	

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients			Syringe Lot#; Filter Lot#:		
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	06/05/2023	Signature:			

LIMS EVENT ID:		WIN Import ID:	
Enter Field Parameters, Verify Station ID In LIMS DMT:		QC Station ID, Field Parameters In LIMS DMT:	KH 09/19/2023
Save Field Sheets on Network:		Migrate Data to WIN:	



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	TROUT R AT DINSMORE BOAT RAMP DOCK NR US 1				Sample Date:	6/5/2023	
WIN / Field ID:	20030123	ORG ID:	21FLA	ENR:	-		
County:	DUVAL	WBID:	2203B	ESTUARY	3M		
Receiving Body of Water:	St Johns River Above Dames Point				RQ-	2023-05-29-17	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x			x	
Niki Barham		x		x	

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
	Syringe Lot#		Filter Lot#
	Secchi Equipment ID:	D#3	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With Meter			

Water Level:	Normal
Flow:	NA
Matrix:	Marine
Tide Stage:	N/A
High Tide:	
Low Tide:	
Photos:	NA
Meter ID:	Desi
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPT _h)
EST	1005	1.1	0.3	3.88	51.3	25.4	6.69	0.8	23134	13.97

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID Entered Into The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	Contract Lab	Enterococci			
Chlorophyll		Diversified			
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	06/05/2023	Signature:			

LIMS EVENT ID: WIN Import ID: KH 09/19/2023

Enter Field Parameters, Verify Station ID In LIMS DMT: (Initials/Date) QC Station ID, Field Parameters In LIMS DMT: (Initials/Date)

Save Field Sheets on Network: (Initials/Date) Migrate Data to WIN: (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	TROUT RIVER AT OLD KINGS RD				Sample Date:	6/5/2023	
WIN / Field ID:	20030753	ORG ID:	21FLA	ENR:	-		
County:	DUVAL	WBID:	2203	STREAM	3F		
Receiving Body of Water:	St Johns River Above Dames Point				RQ-	2023-05-29-17	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Niki Barham		x		x	

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
	Syringe Lot#		Filter Lot#
	Secchi Equipment ID:	D#3	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With Meter			

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	Rising
High Tide:	NA
Low Tide:	NA
Photos:	NA
Meter ID:	Desi
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPT _h)
EST	1020	0.57	0.3	3.18	37.2	22.5	6.73	0.4	2417	1.25

Biological Samples Collected:	None	
SBIO Visit ID:	HA ID:	RPS ID:
Macrophyte ID:	LIMS Sample ID Entered Into The Macrophyte Module:	

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	E.Coli Contract Lab Diversified	ice			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients			Syringe Lot#; Filter Lot#:		
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	06/05/2023	Signature:			

LIMS EVENT ID:		WIN Import ID:	
Enter Field Parameters, Verify Station ID In LIMS DMT:		QC Station ID, Field Parameters In LIMS DMT:	KH 09/19/2023
Save Field Sheets on Network:		Migrate Data to WIN:	

**FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION**

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	TERRAPIN CREEK AT FAYE ROAD				Sample Date:	6/5/2023	
WIN / Field ID:	20030653	ORG ID:	21FLA	ENR:	-		
County:	DUVAL	WBID:	2204	STREAM	3F		
Receiving Body of Water:	Dunn Creek				RQ-	2023-05-29-17	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Niki Barham		x		x	

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
	Syringe Lot#		Filter Lot#
	Secchi Equipment ID:	D#3	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With Meter			

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	
High Tide:	
Low Tide:	
Photos:	NA
Meter ID:	Desi
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1100	0.1	0.05	5.92	68.4	22	7.28	0.1	199	0.09
VOB (s)										

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID Entered Into The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients			Syringe Lot#; Filter Lot#:		
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC: Microbiology sample(s) submitted to contract laboratory.					
Relinquish Date:	06/05/2023	Signature:			

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT: KH 09/19/2023

(Initials/Date) (Initials/Date)

Save Field Sheets on Network: Migrate Data to WIN:

(Initials/Date) (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV
Yes / No

WIN Station Name:	MONCRIEF CR AT MONCRIEF ROAD				Sample Date:	6/5/2023	
WIN / Field ID:	20030726	ORG ID:	21FLA	ENR:	-		
County:	DUVAL	WBID:	2228B	STREAM	Latitude:	30.37028	
Receiving Body of Water:	Trout River Lower Reach				Longitude:	-81.683833	
					RQ-	2023-05-29-17	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Niki Barham	x			x	

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
	Syringe Lot#		Filter Lot#
	Secchi Equipment ID:	D#3	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
	Depth Measured With	Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Desi
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	925	0.76	0.3	2.87	33.8	23.7	6.9	0.5	718	0.35

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID Entered Into The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	06/05/2023	Signature:			

LIMS EVENT ID: WIN Import ID: KH 09/19/2023

Enter Field Parameters, Verify Station ID In LIMS DMT: (Initials/Date) QC Station ID, Field Parameters In LIMS DMT: (Initials/Date)

Save Field Sheets on Network: (Initials/Date) Migrate Data to WIN: (Initials/Date)

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID: Desi

RQ: 2023-05-29-17

Project: BMAP 2

- Notes: (1) Always wait for meter to stabilize before recording any readings.
 (2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).
 (3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification 5-23-23

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro- meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	<u>N Barham</u>	<u>6-5-23</u>	<u>7:30</u>	<u>22.2</u>	<u>758.1</u>	<u>8.7</u>	<u>-</u>	<u>99.7</u>	<u>-</u>	<u>1.038</u>	<u>P</u> / <u>F</u>	<u>L</u> / <u>F</u>
ICV			<u>7:31</u>	<u>22.2</u>	<u>758.0</u>	<u>8.7</u>	<u>8.71</u>	<u>100</u>	<u>-</u>	<u>1.038</u>	<u>P</u> / <u>F</u>	<u>L</u> / <u>F</u>
CCV			<u>13:19</u>	<u>22.7</u>	<u>759.0</u>	<u>8.6</u>	<u>8.61</u>	<u>100</u>	<u>-</u>	<u>1.038</u>	<u>P</u> / <u>F</u>	<u>L</u> / <u>F</u>
CCV											<u>P</u> / <u>F</u>	<u>L</u> / <u>F</u>

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ hos/cm	Meter Reading μ hos/cm	Pass / Fail	Lab / Field
Calibr.	<u>N Barham</u>	<u>6-5-23</u>	<u>7:33</u>	<u>230131B</u>	<u>2-24</u>	<u>1000</u>	<u>1000</u>	<u>P</u> / <u>F</u>	<u>L</u> / <u>F</u>
ICV			<u>7:35</u>	<u>220719B</u>	<u>7-23</u>	<u>100</u>	<u>101.0</u>	<u>P</u> / <u>F</u>	<u>L</u> / <u>F</u>
CCV			<u>13:21</u>	<u>230131C</u>	<u>2-24</u>	<u>50000</u>	<u>50890</u>	<u>P</u> / <u>F</u>	<u>L</u> / <u>F</u>
CCV								<u>P</u> / <u>F</u>	<u>L</u> / <u>F</u>

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	<u>N Barham</u>	<u>6-5-23</u>	<u>7:36</u>	<u>m241-15</u>	<u>9-1-24</u>	<u>7.01</u>	<u>22.3</u>	<u>7.01</u>	<u>-23.6</u>	<u>P</u> / <u>F</u>	<u>L</u> / <u>F</u>
Calibr.			<u>7:38</u>	<u>m346-07</u>	<u>12-11-24</u>	<u>4.00</u>	<u>22.3</u>	<u>4.00</u>	<u>150.2</u>	<u>P</u> / <u>F</u>	<u>L</u> / <u>F</u>
Calibr.			<u>7:40</u>	<u>m203-05</u>	<u>7-27-24</u>	<u>10.03</u>	<u>22.4</u>	<u>10.03</u>	<u>-195.7</u>	<u>P</u> / <u>F</u>	<u>L</u> / <u>F</u>
ICV			<u>7:42</u>	<u>m346-07</u>	<u>12-11-24</u>	<u>4.00</u>	<u>22.4</u>	<u>3.99</u>	<u>150.8</u>	<u>P</u> / <u>F</u>	<u>L</u> / <u>F</u>
CCV			<u>13:24</u>	<u>m203-05</u>	<u>7-27-24</u>	<u>10.02</u>	<u>22.5</u>	<u>10.06</u>	<u>-191.9</u>	<u>P</u> / <u>F</u>	<u>L</u> / <u>F</u>
CCV										<u>P</u> / <u>F</u>	<u>L</u> / <u>F</u>

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ; mV pH 4 Range $+180 \pm 50$; mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 172.1, slope from 4 to 7 173.8 (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water project)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: 5-30-23

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: _____; Date of last verification: _____

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	<u>N Barham</u>	<u>6-5-23</u>	<u>7:44</u>	<u>0.00</u>	<u>0.00</u>	<u>P</u> / <u>F</u>	<u>L</u> / <u>F</u>

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS: