

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 11/2/2023 **Collected By:** Haylee Brown, Katrin Villinger
Customer: NE-DIST **Sampling Agency:** FDEP
RQ: RQ-2023-10-30-19 **Project ID:** BMAP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 0

Delivery Method: HandDelivered

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
MONCRIEF CR AT 21ST ST	 20030897
MONCRIEF CR AT MONCRIEF ROAD	 20030726
TROUT RIVER AT OLD KINGS RD	 20030753
TROUT R AT DINSMORE BOAT RAMP DOCK NR US 1	 20030123
TERRAPIN CREEK AT FAYE ROAD	 20030653
NW TRIBUTARY TO OPEN CR AT HODGES	 20030848

RELINQUISHED BY(SIGNATURE):



DATE/TIME: 11/2/2023

1630EST

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By:

Rec'd/Inspected Date:



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	MONCRIEF CR AT 21ST ST				Sample Date:	11/2/2023	
WIN / Field ID:	20030897	ORG ID:	21FLA	ENR:	-		
County:	DUVAL	WBID:	2228B	STREAM			
Receiving Body of Water:	Trout River Lower Reach				RQ-	2023-10-30-19	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Katrin Villinger	x	x		x	
Haylee Brown			x		x

Sampling Equipment			
x	Sample Container	Carboy	
	Dipper	Van Dorn	
	Syringe	Pole	
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		D#3	
Collection Method			
	Wading	Canoe/Kayak	
x	From Shore	Electric Motor	
		Gasoline Motor	
Depth Measured With		Secchi	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	915	0.78	0.3	4.81	51.2	18.4	7.21	0.78	469.8	0.23
VOB (s)										

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID
In The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					

Field Comments:
Comments on COC: Microbiology sample(s) submitted to contract laboratory.

Relinquish Date: 11/02/2023
Signature:

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT: KH 01/08/2024

Save Field Sheets on Network: 11/2/23 KV (Initials/Date) Migrate Data to WIN: (Initials/Date)

**FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION**

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	MONCRIEF CR AT MONCRIEF ROAD				Sample Date:	11/2/2023	
WIN / Field ID:	20030726	ORG ID:	21FLA	ENR:	-		
County:	DUVAL	WBID:	2228B	STREAM			
Receiving Body of Water:	Trout River Lower Reach				RQ-	2023-10-30-19	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Haylee Brown	x		x		x
Katrin Villinger		x		x	

Sampling Equipment			
x	Sample Container	Carboy	
	Dipper	Van Dorn	
	Syringe	Pole	
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		D#3	
Collection Method			
	Wading	Canoe/Kayak	
x	From Shore	Electric Motor	
		Gasoline Motor	
Depth Measured With		Secchi	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	935	0.4	0.3	5.38	55.6	16.9	7.26	0.4	399.7	0.19
								VOB (s)		

Biological Samples Collected: None**SBIO Visit ID:** **HA ID:** **RPS ID:** **Macrophyte ID:** **LIMS Sample ID**
In The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab Diversified	ICE			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients		Syringe Lot#; Filter Lot#:			
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	11/02/2023	Signature:			

LIMS EVENT ID: _____ WIN Import ID: _____

Enter Field Parameters, Verify Station ID In LIMS DMT: _____ QC Station ID, Field Parameters In LIMS DMT: KH 01/08/2024

Save Field Sheets on Network: 11/2/23 KV _____ (Initials/Date) _____ (Initials/Date)

Migrate Data to WIN: _____ (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV
Yes / No

WIN Station Name:	TROUT RIVER AT OLD KINGS RD				Sample Date:	11/2/2023	
WIN / Field ID:	20030753	ORG ID:	21FLA	ENR:	-	Latitude:	30.43128
County:	DUVAL	WBID:	2203	STREAM		Longitude:	-81.76858
Receiving Body of Water:	St Johns River Above Dames Point				RQ-	2023-10-30-19	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Haylee Brown	x		x		
Katrin Villinger		x		x	x

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe		Pole
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		D#3	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Secchi	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1000	0.89	0.3	4.5	46.8	17	6.66	0.4	164.2	0.08

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID
In The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	11/02/2023	Signature:			

LIMS EVENT ID: WIN Import ID: KH 01/08/2024
Enter Field Parameters, Verify Station ID In LIMS DMT: (Initials/Date)
Save Field Sheets on Network: 11/2/23 KV (Initials/Date)
Migrate Data to WIN: (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	TROUT R AT DINSMORE BOAT RAMP DOCK NR US 1				Sample Date:	11/2/2023	
WIN / Field ID:	20030123	ORG ID:	21FLA	ENR:	-	Latitude:	30.43662
County:	DUVAL	WBID:	2203B	ESTUARY		Longitude:	-81.76118
Receiving Body of Water:	St Johns River Above Dames Point					RQ-	2023-10-30-19

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Katrin Villinger	x		x		
Haylee Brown		x		x	x

Sampling Equipment			
x	Sample Container	Carboy	
	Dipper	Van Dorn	
	Syringe	Pole	
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		D#3	
Collection Method			
	Wading	Canoe/Kayak	
	From Shore	Electric Motor	
x	Dock	Gasoline Motor	
Depth Measured With		Secchi	

Water Level:	Normal
Flow:	Flowing
Matrix:	Marine
Tide Stage:	Rising
High Tide:	1429
Low Tide:	812
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPT _h)
EST	1015	1.3	0.3	4.31	47.4	19.1	6.81	0.9	6115	3.34

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID
In The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	Contract Lab Enterococci Diversified	ICE			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients			Syringe Lot#; Filter Lot#:		
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC			SyringeLot#	FilterLot#	
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	11/02/2023	Signature:			

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT: KH 01/08/2024

Save Field Sheets on Network: 11/2/23 KV Migrate Data to WIN: (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV
Yes / No

WIN Station Name:		TERRAPIN CREEK AT FAYE ROAD				Sample Date:		11/2/2023	
WIN / Field ID:	20030653	ORG ID:	21FLA	ENR:	-	Latitude:	30.43436		
County:	DUVAL	WBID:	2204	STREAM		Longitude:	-81.56556		
Receiving Body of Water:		Dunn Creek				RQ-	2023-10-30-19		

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check						
Haylee Brown						x		x			
Katrin Villinger							x		x	x	

Sampling Equipment			
x	Sample Container	Carboy	
	Dipper	Van Dorn	
	Syringe	Pole	
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		D#3	
Collection Method			
	Wading	Canoe/Kayak	
x	From Shore	Electric Motor	
		Gasoline Motor	
Depth Measured With		Secchi	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1050	0.1	0.05	7.99	79.6	15.1	6.91	0.1	246.1	0.12
								VOB (s)		

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID
In The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients			Syringe Lot#; Filter Lot#:		
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC: Microbiology sample(s) submitted to contract laboratory.					
Relinquish Date:	11/02/2023	Signature:			

LIMS EVENT ID: WIN Import ID: KH 01/08/2024
Enter Field Parameters, Verify Station ID In LIMS DMT: (Initials/Date)
Save Field Sheets on Network: 11/2/23 KV (Initials/Date)
Migrate Data to WIN: (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	NW TRIBUTARY TO OPEN CR AT HODGES				Sample Date:	11/2/2023	
WIN / Field ID:	20030848	ORG ID:	21FLA	ENR:	-		
County:	DUVAL	WBID:	2299B	STREAM			
Receiving Body of Water:	ICWW Duval. St Johns County				RQ-	2023-10-30-19	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Haylee Brown	x		x		
Katrin Villinger		x		x	x

Sampling Equipment			
x	Sample Container	Carboy	
	Dipper	Van Dorn	
	Syringe	Pole	
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		D#3	
Collection Method			
	Wading	Canoe/Kayak	
x	From Shore	Electric Motor	
		Gasoline Motor	
Depth Measured With		Secchi	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1120	0.2	0.1	7.48	82.2	19.6	7.05	0.2	428.1	0.21
								VOB (s)		

Biological Samples Collected:	None				
SBIO Visit ID:	HA ID:	RPS ID:	Macrophyte ID:	LIMS Sample ID	In The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients			Syringe Lot#; Filter Lot#:		
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	11/02/2023	Signature:			

LIMS EVENT ID:	WIN Import ID:	KH 01/08/2024
Enter Field Parameters, Verify Station ID In LIMS DMT:	QC Station ID, Field Parameters In LIMS DMT:	
Save Field Sheets on Network: 11/2/23 KV	Migrate Data to WIN:	

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID: Stitch

RQ: 2023-10-30-19

Project: BMAP 2

- Notes: (1) Always wait for meter to stabilize before recording any readings.
 (2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).
 (3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification 9/8/23

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro-meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	H. Brown	11/2/23	727	20.8	768.4	9.0	—	101.5	—	1.067	P/F	L/F
ICV	H. Brown	11/2/23	729	20.6	768.4	9.1	9.11	101.0	—	1.067	P/F	L/F
CCV	H. Brown	11/2/23	1310	21.4	769.4	9.0	8.93	100.9	—	1.067	P/F	L/F
CCV											P/F	L/F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ hos/cm	Meter Reading μ hos/cm	Pass / Fail	Lab / Field
Calibr.	H. Brown	11/2/23	734	230612B	6/2024	1000	998	P/F	L/F
ICV	H. Brown	11/2/23	738	230131A	2/2024	100	99.6	P/F	L/F
CCV	H. Brown	11/2/23	1315	230612B	6/2024	1000	998	P/F	L/F
CCV								P/F	L/F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	H. Brown	11/2/23	742	M241-15	9/1/24	7.00	20.9	7.00	-17.3	P/F	L/F
Calibr.	H. Brown	11/2/23	744	43041354	4/3/25	4.00	21.4	4.00	157.2	P/F	L/F
Calibr.	H. Brown	11/2/23	749	M384-14	11/29/24	10.04	21.3	10.07	-190.3	P/F	L/F
ICV	H. Brown	11/2/23	755	43041354	4/3/25	4.00	21.2	4.393	161.3	P/F	L/F
CCV	H. Brown	11/2/23	1320	M384-14	11/29/24	10.00	21.6	9.99	-188.0	P/F	L/F
CCV										P/F	L/F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ;

mV pH 4 Range $+180 \pm 50$;

mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 173, slope from 4 to 7 174.5 (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water project)


If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: 9/8/23

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: _____; Date of last verification: _____

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	H. Brown	11/2/23	758	0.000	0.003	P/F	L/F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:



CHAIN OF CUSTODY RECORD

3653 Regent Boulevard, Suite # 509
Jacksonville, FL 32224
P. (904) 807-9625 E. info@delilab.com
F. (904) 807-9627

Project Number
(Lab Use Only)

Page 1 of 1

Company Name		Florida Department of Environmental Protection						
Address		8800 Baymeadows Way West						
City	Jacksonville	State	FL					
Zip	32256							
Attn. Dep-overflowmicro@dep.state.fl.us								
Tel.		E-mail or Fax						
Project Name BMAP 2								
Project Number 2023-1030-19								
Project Location								
Sampler Name/Signature Katrina Villages								
Transfer #	Sample #	Sample Identification	Date Sampled	Time Sampled	Sample Matrix Code	Specific Cond. (Field)	Comp	Grab
1	20030897 *	20030897 *	4/12/23	915	WA	469.8	/	/
2	20030726	20030726		935		399.7	/	/
3	20030753	20030753		1000		114.2	/	/
4	20030123	20030123		1015		611.5	/	/
5	20030653 *	20030653 *		1050		246.1	/	/
6	20030848	20030848		1120		428.1	/	/
7								
8								
9								
0								
Special Instructions:		* Please dilute samples 10x due to high concentrations		Transfer Numbers	1-6			
Relinquished By		[Signature]		Relinquished By				
Date/Time		4/12/23 1139		Date/Time				
Received By		[Signature]		Received By				
Date/Time		4/12/23 1139		Date/Time				
Sample Matrix Codes:		A. Air P. Petroleum		Sample Kit or Container Lot #				
B. Bulk S. Soil/Sludge								
W. Wipe O. Other								
PW. Potable Water								
NPW. Non-Potable Water								
Container Preservation Codes								
9		6		6				
Parameters								
E. Coli - Quantitray		Enterococci - Quantitray		Coliform, Fecal - MF 3 Dilutions				
Preservation Codes:								
0. None 5. Na2S2O3								
1. H2SO4 6. Crushed Ice (4C)								
2. HNO3 7. C6H8O6								
3. HCl 8. NH4Cl								
4. NaOH 9. Other (List)								
Thermal Preservation:								
In Crushed Ice? Yes/ No								
Cooler Temp: 6.2 °C								
Sample Cont. Temp: 7.9 °C								
Turnaround Requested:								
X. Standard (10 Business Days)								
Semi-Rush (3-4 Business Days)								
Rush (1-2 Business Days)								
Turnaround times are estimated & subject to change. Surcharges apply for all Rush samples.								
Billing Information:								
Invoice with Report								
Invoice to Accounting								
Req. #								
P.O. #								



Certification #E821059

Lab General Form 059, Rev. #1, Rev. Date: 02/07/22, Effective Date: 02/07/22.

Visit us online & order kits at: www.delilab.com