

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: <u>12/12/2023</u> Customer: <u>NE-DIST</u> RQ: <u>RQ-2023-12-11-37</u>	Collected By: <u>Katrin Villinger, Katherine Halbert</u> Sampling Agency: <u>FDEP</u> Project ID: <u>BMAP</u>
---	--

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 0

Delivery Method: HandDelivered

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
MONCRIEF CR AT MONCRIEF ROAD	 20030726
MONCRIEF CR AT 21ST ST	 20030897
TROUT RIVER AT OLD KINGS RD	 20030753
TROUT R AT DINSMORE BOAT RAMP DOCK NR US 1	 20030123
TERRAPIN CREEK AT FAYE ROAD	 20030653
NW TRIBUTARY TO OPEN CR AT HODGES	 20030848

RELINQUISHED BY(SIGNATURE):



DATE/TIME: 12/12/2023

1630EST

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By:

Rec'd/Inspected Date:



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:		MONCRIEF CR AT MONCRIEF ROAD				Sample Date:		12/12/2023	
WIN / Field ID:	20030726	ORG ID:	21FLA	ENR:	-	Latitude:	30.37028		
County:	DUVAL	WBID:	2228B	STREAM		Longitude:	-81.68383		
Receiving Body of Water:		Trout River Lower Reach				RQ-	2023-12-11-37		

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Katrin Villinger		x		x	x
Katherine Halbert	x		x		

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		D#4	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	930	0.7	0.3	5.86	58.7	15.5	7.19	0.7	364.1	0.18
								VOB (s)		

Biological Samples Collected: None

SBIO Visit ID: **HA ID:** **RPS ID:** **Macrophyte ID:** **LIMS Sample ID**
In The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab Diversified	ICE			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients			Syringe Lot#; Filter Lot#:		
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC			SyringeLot#	FilterLot#	
Other(s)					
Field Comments:					
Comments on COC: Microbiology sample(s) submitted to contract laboratory.					
Relinquish Date:	12/12/2023	Signature:			

LIMS EVENT ID: _____ WIN Import ID: _____

Enter Field Parameters, Verify Station ID In LIMS DMT: _____ QC Station ID, Field Parameters In LIMS DMT: KH 01/08/2024

Save Field Sheets on Network: 12/12/23 KV (Initials/Date) Migrate Data to WIN: _____ (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	MONCRIEF CR AT 21ST ST				Sample Date:	12/12/2023	
WIN / Field ID:	20030897	ORG ID:	21FLA	ENR:	-		
County:	DUVAL	WBID:	2228B	STREAM			
Receiving Body of Water:	Trout River Lower Reach				RQ-	2023-12-11-37	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Katrin Villinger		x		x	x
Katherine Halbert	x		x		

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
	Syringe Lot#		Filter Lot#
	Secchi Equipment ID:	D#4	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	High
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	945	0.6	0.3	5.52	56.1	16.1	7.18	0.6	427.8	0.21
								VOB (s)		

Biological Samples Collected:	None	
SBIO Visit ID:	HA ID:	RPS ID:
Macrophyte ID:	LIMS Sample ID	
In The Macrophyte Module:		

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients			Syringe Lot#; Filter Lot#:		
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC: Microbiology sample(s) submitted to contract laboratory.					
Relinquish Date:	12/12/2023	Signature:			

LIMS EVENT ID:		WIN Import ID:	
Enter Field Parameters, Verify Station ID In LIMS DMT:		QC Station ID, Field Parameters In LIMS DMT: KH 01/08/2024	
Save Field Sheets on Network: 12/12/23 KV (Initials/Date)		Migrate Data to WIN: (Initials/Date)	



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:		TROUT RIVER AT OLD KINGS RD				Sample Date:		12/12/2023	
WIN / Field ID:	20030753	ORG ID:	21FLA	ENR:	-	Latitude:	30.43128		
County:	DUVAL	WBID:	2203	STREAM		Longitude:	-81.76858		
Receiving Body of Water:		St Johns River Above Dames Point				RQ-	2023-12-11-37		

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Katrin Villinger		x		x	x
Katherine Halbert	x		x		

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		D#4	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	High
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	Falling
High Tide:	940
Low Tide:	1613
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1015	1.8	0.3	8.59	78.2	11.2	6.59	0.3	111.1	0.05
	1017		1.3	8.47	77.2	11.2	6.48		111.2	0.05

Biological Samples Collected: None

SBIO Visit ID: **HA ID:** **RPS ID:** **Macrophyte ID:** **LIMS Sample ID**
In The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab Diversified	ICE			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients		Syringe Lot#; Filter Lot#:			
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:		Microbiology sample(s) submitted to contract laboratory.			
Relinquish Date:	12/12/2023	Signature:			

LIMS EVENT ID: _____ WIN Import ID: _____

Enter Field Parameters, Verify Station ID In LIMS DMT: _____ QC Station ID, Field Parameters In LIMS DMT: KH 01/08/2024

Save Field Sheets on Network: 12/12/23 KV (Initials/Date) Migrate Data to WIN: _____ (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	TROUT R AT DINSMORE BOAT RAMP DOCK NR US 1				Sample Date:	12/12/2023	
WIN / Field ID:	20030123	ORG ID:	21FLA	ENR:	-	Latitude:	30.43662
County:	DUVAL	WBID:	2203B	ESTUARY		Longitude:	-81.76118
Receiving Body of Water:	St Johns River Above Dames Point					RQ-	2023-12-11-37

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Katrin Villinger		x		x	x
Katherine Halbert	x		x		

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
	Syringe Lot#		Filter Lot#
	Secchi Equipment ID:	D#4	
Collection Method			
	Wading		Canoe/Kayak
	From Shore		Electric Motor
x	Dock		Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	Falling
High Tide:	940
Low Tide:	1613
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPT _h)
EST	1035	1.7	0.3	6.75	65.5	14	6.61	0.4	257.9	0.12
	1037		1.2	6.71	64.7	13.7	6.62		253.1	0.12

Biological Samples Collected:	None	
SBIO Visit ID:	HA ID:	RPS ID:
Macrophyte ID:	LIMS Sample ID	
In The Macrophyte Module:		

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	Contract Lab	Enterococci			
Chlorophyll		Diversified			
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC: Microbiology sample(s) submitted to contract laboratory.					
Relinquish Date:	12/12/2023	Signature:			

LIMS EVENT ID:	WIN Import ID:
Enter Field Parameters, Verify Station ID In LIMS DMT:	QC Station ID, Field Parameters In LIMS DMT:
Save Field Sheets on Network:	Migrate Data to WIN:
12/12/23 KV (Initials/Date)	KH 01/08/2024 (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:		TERRAPIN CREEK AT FAYE ROAD				Sample Date:		12/12/2023	
WIN / Field ID:	20030653	ORG ID:	21FLA	ENR:	-	Latitude:	30.43436		
County:	DUVAL	WBID:	2204	STREAM		Longitude:	-81.56556		
Receiving Body of Water:		Dunn Creek				RQ-	2023-12-11-37		

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Katrin Villinger		x		x	x
Katherine Halbert	x		x		

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
			NA
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		D#4	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	Falling
High Tide:	NA
Low Tide:	NA
Photos:	NA
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1120	0.15	0.07	9.05	86.8	13.5	6.48	0.15	160.9	0.08
								VOB (s)		

Biological Samples Collected:		None								
SBIO Visit ID:	HA ID:	RPS ID:	Macrophyte ID:	LIMS Sample ID In The Macrophyte Module:						

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC: Microbiology sample(s) submitted to contract laboratory.					
Relinquish Date:	12/12/2023	Signature:			

LIMS EVENT ID:	WIN Import ID:	KH 01/08/2024	
Enter Field Parameters, Verify Station ID In LIMS DMT:	QC Station ID, Field Parameters In LIMS DMT:	(Initials/Date)	
Save Field Sheets on Network:	12/12/23 KV	(Initials/Date)	
	Migrate Data to WIN:	(Initials/Date)	

**FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION**

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	NW TRIBUTARY TO OPEN CR AT HODGES				Sample Date:	12/12/2023	
WIN / Field ID:	20030848	ORG ID:	21FLA	ENR:	-		
County:	DUVAL	WBID:	2299B	STREAM			
Receiving Body of Water:	ICWW Duval. St Johns County				RQ-	2023-12-11-37	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Katrin Villinger		x		x	x
Katherine Halbert	x		x		

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
			NA
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		D#4	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	Falling
High Tide:	NA
Low Tide:	NA
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1155	0.3	0.15	8.18	83.9	16.5	6.94	0.3	430.7	0.21
								VOB (s)		

Biological Samples Collected: None**SBIO Visit ID:** **HA ID:** **RPS ID:** **Macrophyte ID:** **LIMS Sample ID**
In The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation				
		Type	Lot#	Expiration Date	pH Check	
Microbiology	E. coli Contract Lab Diversified	ICE				
Chlorophyll						
Physical/Aggregate Nutrients						
Filtered Nutrients			Syringe Lot#; Filter Lot#:			
Acid Preserved Nutrients						
Metals						
Organics (LC)						
Macroinvertebrates						
Organics (GC)						
Molecular						
Periphyton						
Phytoplankton						
BOD						
DOC						
Other(s)			SyringeLot#		FilterLot#	
Field Comments:						
Comments on COC: Microbiology sample(s) submitted to contract laboratory.						
Relinquish Date:	12/12/2023	Signature:				

LIMS EVENT ID: _____ WIN Import ID: _____

Enter Field Parameters, Verify Station ID in LIMS DMT: _____

QC Station ID, Field Parameters in LIMS DMT: KH 01/08/2024

Save Field Sheets on Network: 12/12/23 KV (Initials/Date)

Migrate Data to WIN: _____ (Initials/Date)

(Initials/Date)

(Initials/Date)



DIVERSIFIED
ENVIRONMENTAL LABORATORIES, INC.

CHAIN OF CUSTODY RECORD

Project Number:
(Lab Use Only)

3653 Regent Boulevard, Suite # 509
Jacksonville, FL 32224
P. (904) 807-9625 E. info@delilab.com
F. (904) 807-9627

Page 1 of 1

Company Name Florida Department of Environmental Protection										Container Information (Qty, Size, & Type)								Sample Matrix Codes:			
Address 8800 Baymeadows Way West										250 mL	250 mL	250 mL								A. Air	P. Petroleum
City Jacksonville State FL Zip 32256																			B. Bulk	S. Soil/Sludge	
Attn. Dep-overflowmicro@dep.state.fl.us										Container Preservation Codes								Sample Kit or Container Lot #			
Tel. E-mail or Fax										6	6	6									
Project Name BHAP2										Parameters								Preservation Codes:			
Project Number 2023-12-11-37										E. Coll - Quantitray	Enterococci - Quantitray	Coliform, Fecal - MF 3 Dilutions								0. None	5. Na2S2O3
Project Location																					1. H2SO4
Sampler Name/Signature Katrina Villinger																			2. HNO3	7. C6H8O6	
Transfer #	Sample # (Lab Use Only)	Sample Identification	Date Sampled	Time Sampled	Sample Matrix Code	Specific Cond. (Field)	Comp	Grab										3. HCl	8. NH4Cl		
																		4. NaOH	9. Other: (List)		
																		Thermal Preservation:			
																			In Crushed Ice? ☒ Yes / No		
																			Cooler Temp: NA °C		
																			Sample Cont. Temp: 0.2 °C		
																			Turnaround Requested:		
																			☒ Standard (10 Business Days)		
																			☐ Semi-Rush (3-5 Business Days)		
																			☐ Rush (1-2 Business Days)		
																			Turnaround times are estimated & subject to change. Surcharges apply for all Rush samples.		
																			Billing Information:		
																			Invoice with Report		
																			☒ Invoice to Accounting		
																			Req. #:		
																			P.O. #:		
Special Instructions: * 10x dilution due to high concentrations										Transfer Numbers		Relinquished By				Date / Time		Received By		Date / Time	
												Katrina Villinger				12/12/23 12:15		MEJ		12/12/23 12:15	



Certification #E821059

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID: Stitch

RQ: 2023-12-11-37

Project: BMAP 2

Notes: (1) Always wait for meter to stabilize before recording any readings.

(2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).

(3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification 09/08/2023

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro- meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	K. Halbert	12/12/23	807	21.0	770.4	9.0	—	101.4	—	1.073	P/F	L/F
ICV	K. Halbert	12/12/23	810	20.8	770.5	9.1	90.9	101.4	—	1.073	P/F	L/F
CCV	K. Halbert	12/12/23	1413	21.1	770.7	9.0	9.11	102.2	—	1.073	P/F	L/F
CCV											P/F	L/F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ hos/cm	Meter Reading μ hos/cm	Pass / Fail	Lab / Field
Calibr.	K. Halbert	12/12/23	812	230612B	06/2024	1000	1000	P/F	L/F
ICV	K. Halbert	12/12/23	816	231103A	11/2024	100	99.8	P/F	L/F
CCV	K. Halbert	12/12/23	1421	230612B	06/2024	1000	1000	P/F	L/F
CCV				231103B	11/2024			P/F	L/F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	K. Halbert	12/12/23	817	43040117	4/24/25	7.02	21.8	7.02	-18.7	P/F	L/F
Calibr.	K. Halbert	12/12/23	820	43080576	8/31/25	4.00	21.8	4.00	153.7	P/F	L/F
Calibr.	K. Halbert	12/12/23	823	43070485	8/1/25	10.04	21.8	10.04	-192.6	P/F	L/F
ICV	K. Halbert	12/12/23	827	43080576	8/31/25	4.00	21.8	3.97	156.0	P/F	L/F
CCV	K. Halbert	12/12/23	1430	43070485	8/1/25	10.04	21.9	10.07	-194.4	P/F	L/F
CCV										P/F	L/F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ; mV pH 4 Range $+180 \pm 50$; mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 73.9, slope from 4 to 7 172.4 (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water project)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: 09/08/23

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: ; Date of last verification:

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	K. Halbert	12/12/23	830	0.000	0.004	P/F	L/F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS: