

Chemical Analysis Report

CEN-DIST-2023-01-18-01

Florida DEP Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **BMAP - Sweetwater and Salt**
Request ID: **RQ-2023-01-16-54**
Customer: **CEN-DIST**
Project ID: **BMAP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767
Attn: Matthew Bearden

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Thekkekalathil Chandrasekhar, Environmental Consultant

Date Certified: 10-FEB-2023 10:12



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Salt Creek @ Packard Ave.

Collection Date/Time: 01/17/2023 11:38

Field ID: G2CE0088

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2381421	DEP SOP: NU-094-1	Color (true)	200		PCU	P424688	
	EPA 180.1 Rev. 2.0	Turbidity	2.5		NTU	P424697	
	EPA 300.0 Rev. 2.1	Chloride	920		mg Cl/L	P425013	
		Sulfate	120		mg SO4/L	P425016	
	SM 2320 B-2011	Total Alkalinity	108		mg CaCO3/L	P425023	
	SM 2540 C-2015	TDS	1.73E+03		mg/L	P425210	
	SM 2540 D-2015	TSS	4	I	mg/L	P425038	
2381423	SM 4500-F- C-2011	Fluoride	0.11		mg F/L	P425508	
	EPA 350.1 Rev. 2.0	Ammonia-N	0.10		mg N/L	P425220	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.0		mg N/L	P424835	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.098		mg N/L	P425026	
	EPA 365.1 Rev. 2.0	Total-P	0.13		mg P/L	P424894	
2381425	SM 5310 B-2011	Organic Carbon	24		mg C/L	P425050	
	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.10		mg P/L	P424693	

Ref. Method and Comment:

SM 2540 D-2015: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Sweetwater Creek at Florida Avenue

Collection Date/Time: 01/17/2023 11:12

Field ID: G2CE0123

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2381422	DEP SOP: NU-094-1	Color (true)	68	A	PCU	P424688	
	EPA 180.1 Rev. 2.0	Turbidity	2.1		NTU	P424697	
	EPA 300.0 Rev. 2.1	Chloride	150		mg Cl/L	P425014	
		Sulfate	20		mg SO4/L	P425017	
	SM 2320 B-2011	Total Alkalinity	119		mg CaCO3/L	P425023	
	SM 2540 C-2015	TDS	419	A	mg/L	P425210	
	SM 2540 D-2015	TSS	4	IA	mg/L	P425038	
	SM 4500-F- C-2011	Fluoride	0.13		mg F/L	P425508	
2381424	EPA 350.1 Rev. 2.0	Ammonia-N	0.14		mg N/L	P425220	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.60		mg N/L	P424835	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.16		mg N/L	P425026	
	EPA 365.1 Rev. 2.0	Total-P	0.099		mg P/L	P424894	
	SM 5310 B-2011	Organic Carbon	12		mg C/L	P425050	
2381426	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.076		mg P/L	P424693	

Ref. Method and Comment:

SM 2540 C-2015: The reported result is consistent with the conductivity measured in the laboratory, 781 umhos/cm.

SM 2540 D-2015: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report

Method Blank Results

Reference Method: DEP SOP: NU-094-1
Batch ID: P424688

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P424697

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P425013

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P425014

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P425016

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P425017

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P425220

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P424835

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P425026

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P424894

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P424693

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2320 B-2011
Batch ID: P425023

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-2015
Batch ID: P425210

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-2015
Batch ID: P425038

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500-F- C-2011
Batch ID: P425508

Component	Result	Code	Units
Fluoride	0.025	U	mg F/L

Reference Method: SM 5310 B-2011
Batch ID: P425050

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: DEP SOP: NU-094-1
Batch ID: P424688

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	102		P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P424697

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Turbidity	100		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P425013

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	94.1		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P425014

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	97.4		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P425016

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	94.2		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P425017

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	96.9		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P425220

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	102		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P424835

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	101		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P425026

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	101		P	90 - 110

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P424894

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	104		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P424693

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	99.2		P	90 - 110

Reference Method: SM 2320 B-2011
Batch ID: P425023

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	94.5		P	94 - 106

Reference Method: SM 2540 C-2015
Batch ID: P425210

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
TDS	103		P	90 - 110

Reference Method: SM 2540 D-2015
Batch ID: P425038

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
TSS	94.8		P	85 - 106

Reference Method: SM 4500-F- C-2011
Batch ID: P425508

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	99.5		P	96 - 104

Reference Method: SM 5310 B-2011
Batch ID: P425050

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	100		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P425013

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2381222	Chloride	94.5		P	90 - 110
2381223	Chloride	94.3		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P425014

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2381548	Chloride	99.9		P	90 - 110
2381604	Chloride	98.9		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P425016

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2381222	Sulfate	93.8		P	90 - 110
2381223	Sulfate	93.3		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P425017

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2381548	Sulfate	97.7		P	90 - 110
2381604	Sulfate	98.6		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P425220

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2381405	Ammonia-N	98.0	105	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P424835

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2381549	Kjeldahl Nitrogen	101	99.9	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P425026

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2381410	NO2NO3-N	102	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P424894

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2381405	Total-P	106	106	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P424693

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
---------------	-----------	---------	---------	-----------	----------------

Quality Assurance Report

Matrix Spike Accuracy

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P424693

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2381551	O-Phosphate-P	96.8	97.7	P/P	90 - 110

Reference Method: SM 4500-F- C-2011
Batch ID: P425508

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2383441	Fluoride	102	102	P/P	94 - 104

Reference Method: SM 5310 B-2011
Batch ID: P425050

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2381423	Organic Carbon	103		P	85 - 115

Quality Assurance Report Precision

Reference Method: DEP SOP: NU-094-1
Batch ID: P424688

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2381422	Color (true)	1.36	Sample	P	0 - 20

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P424697

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2381375	Turbidity	2.21	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P425013

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2381222	Chloride	0.294	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P425014

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2381548	Chloride	0.489	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P425016

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2381222	Sulfate	0.465	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P425017

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2381548	Sulfate	0.345	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P425220

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2381405	Ammonia-N	6.27	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P424835

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2381549	Kjeldahl Nitrogen	1.05	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 353.2 Rev. 2.0

Batch ID: P425026

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2381410	NO2NO3-N	0.980	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0

Batch ID: P424894

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2381405	Total-P	0.454	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Batch ID: P424693

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2381551	O-Phosphate-P	0.849	Spike	P	0 - 20

Reference Method: SM 2320 B-2011

Batch ID: P425023

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2381409	Total Alkalinity	1.56	Sample	P	0 - 3.8

Reference Method: SM 2540 C-2015

Batch ID: P425210

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2381422	TDS	4.77	Sample	P	0 - 10

Reference Method: SM 4500-F- C-2011

Batch ID: P425508

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2383441	Fluoride	0.509	Spike	P	0 - 1.6

Reference Method: SM 5310 B-2011

Batch ID: P425050

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2381423	Organic Carbon	0.161	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Calibration Verification

Reference Method: DEP SOP: NU-094-1

Run ID: A116956

Included Lab Sample IDs: 2381421, 2381422

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	102	103	P/P	90 - 110
Color (true)	103	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A116957

Included Lab Sample IDs: 2381425, 2381426

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	98.0	99.0	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A116959

Included Lab Sample IDs: 2381421, 2381422

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A117051

Included Lab Sample IDs: 2381421, 2381422

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	97.1	98.2	P/P	90 - 110
Chloride	98.2	101	P/P	90 - 110
Sulfate	97.0	97.6	P/P	90 - 110
Sulfate	97.6	99.2	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A117086

Included Lab Sample IDs: 2381423, 2381424

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	100	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A117093

Included Lab Sample IDs: 2381423, 2381424

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	99.6	96.6	P/P	90 - 110

Reference Method: SM 2320 B-2011

Run ID: A117107

Included Lab Sample IDs: 2381421, 2381422

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	95.6	94.0	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A117114

Included Lab Sample IDs: 2381423, 2381424

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	102	101	P/P	90 - 110

Reference Method: SM 5310 B-2011

Run ID: A117121

Included Lab Sample IDs: 2381423, 2381424

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	99.2	99.7	P/P	90 - 110
Organic Carbon	99.4	98.5	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A117185

Included Lab Sample IDs: 2381423, 2381424

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	99.1	100	P/P	90 - 110

Reference Method: SM 4500-F- C-2011

Run ID: A117311

Included Lab Sample IDs: 2381421, 2381422

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	102	100	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision	
					LCS	MS
DEP SOP: NU-094-1	Color (true)	102			1.36	
EPA 180.1 Rev. 2.0	Turbidity	100			2.21	
EPA 300.0 Rev. 2.1	Chloride	94.1	94.5	94.3	0.294	
	Chloride	97.4	99.9	98.9	0.489	
	Sulfate	94.2	93.8	93.3	0.465	
	Sulfate	96.9	97.7	98.6	0.345	
EPA 350.1 Rev. 2.0	Ammonia-N	102	98.0	105		6.27
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	101	101	99.9		1.05
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	101	102	102		0.980
EPA 365.1 Rev. 2.0	Total-P	104	106	106		0.454
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	99.2	96.8	97.7		0.849
SM 2320 B-2011	Total Alkalinity	94.5			1.56	
SM 2540 C-2015	TDS	103			4.77	
SM 2540 D-2015	TSS	94.8				
SM 4500-F- C-2011	Fluoride	99.5	102	102		0.509
SM 5310 B-2011	Organic Carbon	100	103			0.161

Reference Method Descriptions

Method	Description	Associated Samples
DEP SOP: NU-094-1	True Color measured at 450 nm (not valid for NPDES monitoring)	2381421, 2381422
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2381421, 2381422
EPA 300.0 Rev. 2.1	Chloride in aqueous matrices	2381421, 2381422
EPA 300.0 Rev. 2.1	Sulfate in aqueous matrices	2381421, 2381422
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2381423, 2381424
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2381423, 2381424
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2381423, 2381424
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2381423, 2381424
EPA 365.1 Rev. 2.0 dissolved	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2381425, 2381426
SM 2320 B-2011	Alkalinity in aqueous matrices as mg CaCO ₃ /L	2381421, 2381422
SM 2540 C-2015	Total Dissolved Solids in aqueous matrices	2381421, 2381422
SM 2540 D-2015	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2381421, 2381422
SM 4500-F- C-2011	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2381421, 2381422
SM 5310 B-2011	Nonpurgeable Organic Carbon in aqueous matrices	2381423, 2381424

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
DEP SOP: NU-094-1	01/18/2023			01/18/2023 14:27	Alexis Price	2381422
	01/18/2023			01/18/2023 14:35	Alexis Price	2381421
EPA 180.1 Rev. 2.0	01/18/2023			01/18/2023 14:45	Khloe J Berg	2381421
	01/18/2023			01/18/2023 14:48	Khloe J Berg	2381422
EPA 300.0 Rev. 2.1	01/18/2023			01/24/2023 20:09	Anna M. Plaviak	2381421
	01/18/2023			01/25/2023 01:09	Anna M. Plaviak	2381422
EPA 350.1 Rev. 2.0	01/18/2023			01/31/2023 12:47	Judith K. Clark	2381423
	01/18/2023			01/31/2023 12:48	Judith K. Clark	2381424
EPA 351.2 Rev. 2.0	01/18/2023	01/23/2023 12:30	Simonne.V. Calhoun	01/25/2023 13:37	Judith K. Clark	2381423
	01/18/2023	01/23/2023 12:30	Simonne.V. Calhoun	01/25/2023 13:39	Judith K. Clark	2381424
EPA 353.2 Rev. 2.0	01/18/2023			01/26/2023 09:39	Beverly Y. Sanders	2381423
	01/18/2023			01/26/2023 09:40	Beverly Y. Sanders	2381424
EPA 365.1 Rev. 2.0	01/18/2023	01/24/2023 14:02	Adam P Silver	01/25/2023 09:49	James L Waggeberby	2381423
	01/18/2023	01/24/2023 14:02	Adam P Silver	01/25/2023 09:50	James L Waggeberby	2381424
EPA 365.1 Rev. 2.0 dissolved	01/18/2023			01/18/2023 14:49	Elise M. Gillis	2381426
	01/18/2023			01/18/2023 14:50	Elise M. Gillis	2381425
SM 2320 B-2011	01/18/2023			01/25/2023 07:18	Dale L. Simmons	2381421
	01/18/2023			01/25/2023 07:29	Dale L. Simmons	2381422
SM 2540 C-2015	01/18/2023			01/23/2023 16:20	Yijie Li	2381421, 2381422
SM 2540 D-2015	01/18/2023			01/23/2023 16:20	Yijie Li	2381421, 2381422
SM 4500-F- C-2011	01/18/2023			02/07/2023 21:10	Dale L. Simmons	2381421
	01/18/2023			02/07/2023 21:15	Dale L. Simmons	2381422
SM 5310 B-2011	01/18/2023			01/25/2023 14:02	Khloe J Berg	2381423
	01/18/2023			01/25/2023 20:31	Khloe J Berg	2381424