

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date:	1/4/2024	Collected By:	Jeremy Parrish, Katherine Halbert
Customer:	NE-DIST	Sampling Agency:	FDEP
RQ:	RQ-2024-01-01-35	Project ID:	BMAP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 0 Delivery Method: HandDelivered

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
GOODBYS CR ABOVE WEST BRANCH AT SAN CLERC	 20030891
CRAIG CR AT HENDRICKS AVE	 20030793
CRAIG CR 100M DOWN FROM FOOTBRIDGE IN PARK	 20030958
LITTLE FISHWEIR AT OAK ST	 20030953
BIG FISHWEIR CR SF AT HAMILTON ST	 20030801
BUTCHER PEN CR AT CONFEDERATE PT ROAD	 20030082
BUTCHER PEN CR AT WESCONNETT	 20030760

RELINQUISHED BY(SIGNATURE): 	DATE/TIME: 1/4/2024 1600EST
--	--------------------------------

THIS SECTION TO BE COMPLETED BY LABORATORY
--

Rec'd/Inspected By:	Rec'd/Inspected Date:
----------------------------	------------------------------



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:		GOODBYS CR ABOVE WEST BRANCH AT SAN CLERC				Sample Date:		1/4/2024	
WIN / Field ID:	20030891	ORG ID:	21FLA	ENR:	-	Latitude:	30.22544		
County:	DUVAL	WBID:	2326A	STREAM		Longitude:	-81.60386		
Receiving Body of Water:		St Johns River Above Piney Point				RQ-	2024-01-01-35		

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish					
Katherine Halbert					

Sampling Equipment				
x	Sample Container		Carboy	
	Dipper		Van Dorn	
	Syringe	x	Pole	Na
Syringe Lot#		Filter Lot#		
Secchi Equipment ID:		D#3		
Collection Method				
	Wading		Canoe/Kayak	
x	From Shore		Electric Motor	
			Gasoline Motor	
Depth Measured With		Meter		

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	Falling
High Tide:	0443
Low Tide:	1149
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1020	0.4	0.3	7.19	68.7	13.1	7.24	0.4	370	0.18
								VOB (s)		

Biological Samples Collected: None

SBIO Visit ID: **HA ID:** **RPS ID:** **Macrophyte ID:** **LIMS Sample ID**
In The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation				
		Type	Lot#	Expiration Date	pH Check	
Microbiology	E. coli Contract Lab Diversified	ICE				
Chlorophyll						
Physical/Aggregate Nutrients						
Filtered Nutrients			Syringe Lot#; Filter Lot#:			
Acid Preserved Nutrients						
Metals						
Organics (LC)						
Macroinvertebrates						
Organics (GC)						
Molecular						
Periphyton						
Phytoplankton						
BOD						
DOC			SyringeLot#		FilterLot#	
Other(s)						
Field Comments:						
Comments on COC: Microbiology sample(s) submitted to contract laboratory.						
Relinquish Date:	01/04/2024	Signature:				

LIMS EVENT ID: WIN Import ID: KH 03/12/2024

Enter Field Parameters, Verify Station ID In LIMS DMT: (Initials/Date) (Initials/Date)

Save Field Sheets on Network: KH 01/04/2024 Migrate Data to WIN: (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	CRAIG CR AT HENDRICKS AVE				Sample Date:	1/4/2024	
WIN / Field ID:	20030793	ORG ID:	21FLA	ENR:	-	Latitude:	30.29631
County:	DUVAL	WBID:	2297B	ESTUARY		Longitude:	-81.64803
Receiving Body of Water:	St Johns River Above Warren Bridge				RQ-	2024-01-01-35	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Katherine Halbert		x		x	

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
	Syringe Lot#		Filter Lot#
	Secchi Equipment ID:	D#3	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	NA
Matrix:	Fresh
Tide Stage:	Rising
High Tide:	0322
Low Tide:	0950
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1055	0.3	0.15	7.1	71.3	14.8	7.21	0.3	447	0.22
								VOB (s)		

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID In The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Type	Lot#	Expiration Date	pH Check
Microbiology	Contract Lab	Enterococci			
Chlorophyll		Diversified			
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	01/04/2024	Signature:			

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT: KH 03/12/2024

Save Field Sheets on Network: KH 01/04/2024 (Initials/Date) Migrate Data to WIN: (Initials/Date)

(Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:		CRAIG CR 100M DOWN FROM FOOTBRIDGE IN PARK				Sample Date:		1/4/2024	
WIN / Field ID:	20030958	ORG ID:	21FLA	ENR:	-	Latitude:	30.29522		
County:	DUVAL	WBID:	2297B	ESTUARY		Longitude:	-81.64989		
Receiving Body of Water:		St Johns River Above Warren Bridge				RQ-	2024-01-01-35		

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish					
Katherine Halbert					

Sampling Equipment				
x	Sample Container		Carboy	
	Dipper		Van Dorn	
	Syringe	x	Pole	Na
Syringe Lot#		Filter Lot#		
Secchi Equipment ID:		D#3		
Collection Method				
	Wading		Canoe/Kayak	
x	From Shore		Electric Motor	
			Gasoline Motor	
Depth Measured With		Meter		

Water Level:	Normal
Flow:	NA
Matrix:	Marine
Tide Stage:	Rising
High Tide:	0322
Low Tide:	0950
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1105	0.5	0.3	7.28	73.1	14.3	7.12	0.4	5510	3

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID
In The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	Contract Lab	Enterococci			
		Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC: Microbiology sample(s) submitted to contract laboratory.					
Relinquish Date:	01/04/2024	Signature:			

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT: KH 03/12/2024

Save Field Sheets on Network: KH 01/04/2024 Migrate Data to WIN:



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:		LITTLE FISHWEIR AT OAK ST				Sample Date:		1/4/2024	
WIN / Field ID:	20030953	ORG ID:	21FLA	ENR:	-	Latitude:	30.29467		
County:	DUVAL	WBID:	2280A	STREAM		Longitude:	-81.70919		
Receiving Body of Water:		St Johns River Above Warren Bridge				RQ-	2024-01-01-35		

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Katherine Halbert		x		x	

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		D#3	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	Rising
High Tide:	0322
Low Tide:	0950
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1135	0.3	0.15	6.56	65.5	15	7.23	0.3	404	0.19
								VOB (s)		

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID
In The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients			Syringe Lot#; Filter Lot#:		
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	01/04/2024	Signature:			

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT: KH 03/12/2024

Save Field Sheets on Network: 01/04/2024 (Initials/Date) Migrate Data to WIN: (Initials/Date)

(Initials/Date)

(Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	BUTCHER PEN CR AT CONFEDERATE PT ROAD				Sample Date:	1/4/2024	
WIN / Field ID:	20030082	ORG ID:	21FLA	ENR:	-	Latitude:	30.26461
County:	DUVAL	WBID:	2322	STREAM		Longitude:	-81.73458
Receiving Body of Water:	Cedar River				RQ-	2024-01-01-35	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Katherine Halbert		x		x	

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
			Na C
	Syringe Lot#		Filter Lot#
	Secchi Equipment ID:	D#4	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
	Depth Measured With	Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	Falling
High Tide:	0818
Low Tide:	0245
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1215	1	0.3	8.31	77.7	12.2	7.12	0.5	440	0.21

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID
In The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	01/04/2024	Signature:			

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT: KH 03/12/2024

Save Field Sheets on Network: KH 01/04/2024 Migrate Data to WIN:



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:		BUTCHER PEN CR AT WESCONNETT				Sample Date:		1/4/2024	
WIN / Field ID:	20030760	ORG ID:	21FLA	ENR:	-	Latitude:	30.25983		
County:	DUVAL	WBID:	2322	STREAM		Longitude:	-81.74019		
Receiving Body of Water:		Cedar River				RQ-	2024-01-01-35		

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Katherine Halbert		x		x	

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		D#3	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	Falling
High Tide:	0818
Low Tide:	0245
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1230	1.3	0.3	8.49	81	13	7.27	0.5	264	0.13

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID
In The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	01/04/2024	Signature:			

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT: KH 03/12/2024

Save Field Sheets on Network: KH 01/04/2024 Migrate Data to WIN:



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	BIG FISHWEIR CR SF AT HAMILTON ST				Sample Date:	1/4/2024	
WIN / Field ID:	20030801	ORG ID:	21FLA	ENR:	-	Latitude:	30.29315
County:	DUVAL	WBID:	2280A	STREAM		Longitude:	-81.72209
Receiving Body of Water:	St Johns River Above Warren Bridge				RQ-	2024-01-01-35	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Katherine Halbert		x		x	

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
	Syringe Lot#		Filter Lot#
	Secchi Equipment ID:	D#3	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	Rising
High Tide:	0322
Low Tide:	0950
Photos:	No
Meter ID:	Stitch
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1150	0.5	0.3	7.7	74.4	13.4	7.49	0.5	556	0.27
								VOB (s)		

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID
In The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	01/04/2024	Signature:			

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT: KH 03/12/2024

Save Field Sheets on Network: KH 01/04/2024 Migrate Data to WIN:

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID: Stitch

RQ: 2024-01-01-35

Project: BMAP1

Notes: (1) Always wait for meter to stabilize before recording any readings.

(2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).

(3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification 12/18/23

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro- meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	K. Halbert	1/4/24	745	20.8	762.4	9.0	—	100.3	—	1.068	P/F	L/F
ICV	K. Halbert	1/4/24	756	20.8	762.6	9.0	8.99	100.4	—	1.068	P/F	L/F
CCV	J. Parns	1/4/24	7435	21.1	762.7	8.9	8.94	100.4	—	—	P/F	L/F
CCV											P/F	L/F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ hos/cm	Meter Reading μ hos/cm	Pass / Fail	Lab / Field
Calibr.	K. Halbert	1/4/23	757	231103B	11/2024	1000	1000	P/F	L/F
ICV	K. Halbert	1/4/23	800	231103A	11/2024	100	100.0	P/F	L/F
CCV	J. Parns	1/4/24	1437	230612L	6/2024	90000	99687	P/F	L/F
CCV								P/F	L/F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	K. Halbert	1/4/23	805	43040117	4/24/25	7.01	22.0	7.01	-17.9	P/F	L/F
Calibr.	K. Halbert	1/4/23	810	43080576	8/31/25	4.00	22.2	4.00	155.7	P/F	L/F
Calibr.	K. Halbert	1/4/23	815	43070485	8/11/25	10.03	22.1	10.03	194.0	P/F	L/F
ICV	K. Halbert	1/4/23	820	43080576	8/31/25	4.00	22.2	4.04	154.1	P/F	L/F
CCV	J. Parns	1/4/24	1439	43070485	8/11/25	10.00	22.0	10.05	-14.6	P/F	L/F
CCV										P/F	L/F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 $\pm$ 50; mV pH 4 Range $\pm 180 \pm 50$; mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 176.1, slope from 4 to 7 175.6 (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water project)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: 12/18/23

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: —; Date of last verification: —

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	K. Halbert	1/4/24	825	0.000	0.000	P/F	L/F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:

*23 $\rightarrow$ 234 KH 1/4/24



DIVERSIFIED
ENVIRONMENTAL LABORATORIES, INC.

CHAIN OF CUSTODY RECORD

Project Number:

(Lab Use Only)

3653 Regent Boulevard, Suite # 509
Jacksonville, FL 32224
P. (904) 807-9625 E. info@delilab.com
F. (904) 807-9627

Page 1 of 1

Company Name Florida Department of Environmental Protection										Container Information (Qty, Size, & Type)						Sample Matrix Codes:			
Address 8800 Baymeadows Way West										250 mL	250 mL	250 mL						A. Air P. Petroleum	
City Jacksonville State FL Zip 32256																	B. Bulk S. Soil/Sludge		
Attn. Dep-overflowmicro@dep.state.fl.us										Container Preservation Codes						Sample Kit or Container Lot #			
Tel. E-mail or Fax										6	6	6						NA	
Project Name BMAP 1										Parameters						Preservation Codes:			
Project Number 2024-01-01-35										E. Coll - Quantitray	Enterococci - Quantitray	Coliform, Fecal - MF 3 Dilutions						0. None 5. Na2S2O3	
Project Location																		1. H2SO4 6. Crushed Ice (4C)	
Sampler Name/Signature Katherine Halberstam / [Signature]																		2. HNO3 7. CSH806	
																		3. HCl 8. NH4Cl	
Transfer #	Sample # (Lab Use Only)	Sample Identification	Date Sampled	Time Sampled	Sample Matrix Code	Specific Cond. (Field)	Comp	Grab									4. NaOH 9. Other: (List)		
1		20030891	01/04/24	1020	NPW	370		✓	1								Thermal Preservation:		
2	*	20030793	01/04/24	1055	NPW	447		✓		2							In Crushed Ice? ☒ Yes / No		
3	*	20030958	01/04/24	1105	NPW	5510		✓	1								Cooler Temp: NA °C		
4	*	20030953	01/04/24	1135	NPW	404		✓	1								Sample Cont. Temp: 3.3 °C		
5		20030801	01/04/24	1150	NPW	556		✓	2								Turnaround Requested:		
6	*	20030882	01/04/24	1215	NPW	440		✓	1								☒ X Standard (10 Business Days)		
7	*	20030760	01/04/24	1230	NPW	204		✓	1								☐ Semi-Rush (3-5 Business Days)		
8																	☐ Rush (1-2 Business Days)		
9																	Turnaround times are estimated & subject to change. Surcharges apply for all Rush samples.		
0																	Billing Information:		
Special Instructions:										Transfer Numbers		Relinquished By		Date / Time		Received By		Date / Time	
										1-7		Jery [Signature]		1/4/24 1305		Donnell Tagerty		01/04/24 1305	



Certification #E821059