

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 4/3/2024

Collected By: Jeremy Parrish, Kyle Coker

Customer: NE-DIST

Sampling Agency: FDEP

RQ: RQ-2024-04-01-25

Project ID: BMAP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 0

Delivery Method: HandDelivered

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
GOODBYS CR ABOVE WEST BRANCH AT SAN CLERC	 20030891
CRAIG CR AT HENDRICKS AVE	 20030793
CRAIG CR 100M DOWN FROM FOOTBRIDGE IN PARK	 20030958
LITTLE FISHWEIR AT OAK ST	 20030953
BIG FISHWEIR CR SF AT HAMILTON ST	 20030801
BUTCHER PEN CR AT CONFEDERATE PT ROAD	 20030082
BUTCHER PEN CR AT WESCONNETT	 20030760

RELINQUISHED BY(SIGNATURE):


DATE/TIME: 4/3/2024
1600EST

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By:	Rec'd/Inspected Date:
----------------------------	------------------------------



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:		GOODBYS CR ABOVE WEST BRANCH AT SAN CLERC				Sample Date:		4/3/2024	
WIN / Field ID:	20030891	ORG ID:	21FLA	ENR:	-	Latitude:	30.22544		
County:	DUVAL	WBID:	2326A	STREAM		Longitude:	-81.60386		
Receiving Body of Water:		St Johns River Above Piney Point				RQ-	2024-04-01-25		

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish					
x					
Kyle Coker					
x					
x					
x					
x					

Sampling Equipment			
Sample Container		Carboy	
Dipper		Van Dorn	
Syringe		x	Pole
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:			
Collection Method			
Wading		Canoe/Kayak	
x	From Shore	Electric Motor	
		Gasoline Motor	
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Desi
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	830	0.7	0.3	5.3	60.1	21.5	7.18	0.7	387	0.19
								VOB (s)		

Biological Samples Collected:		None								
SBIO Visit ID:	HA ID:	RPS ID:	Macrophyte ID:	LIMS Sample ID						
In The Macrophyte Module:										

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology					
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients			Syringe Lot#; Filter Lot#:		
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:					
Relinquish Date:	04/03/2024	Signature:			

LIMS EVENT ID:	WIN Import ID:
Enter Field Parameters, Verify Station ID In LIMS DMT:	QC Station ID, Field Parameters In LIMS DMT: KH 06/19/2024
Save Field Sheets on Network:	Migrate Data to WIN:



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV
Yes / No

WIN Station Name:	CRAIG CR AT HENDRICKS AVE				Sample Date:	4/3/2024	
WIN / Field ID:	20030793	ORG ID:	21FLA	ENR:	-	Latitude:	30.29631
County:	DUVAL	WBID:	2297B	ESTUARY		Longitude:	-81.64803
Receiving Body of Water:	St Johns River Above Warren Bridge				RQ-	2024-04-01-25	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Kyle Coker		x		x	x

Sampling Equipment			
Sample Container		Carboy	
Dipper		Van Dorn	
Syringe	x	Pole	NA
Syringe Lot#	Filter Lot#		
Secchi Equipment ID:			
Collection Method			
Wading		Canoe/Kayak	
x From Shore		Electric Motor	
		Gasoline Motor	
Depth Measured With	Meter		

Water Level:	Normal
Flow:	NA
Matrix:	Fresh
Tide Stage:	N/A
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Desi
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	845	0.15	0.07	4.9	55.4	21	7.271	0.15	493	0.24
								VOB (s)		

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID
In The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Type	Lot#	Expiration Date	pH Check
Microbiology	Contract Lab Enterococci Diversified	ICE			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients			Syringe Lot#; Filter Lot#;		
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC			SyringeLot#	FilterLot#	
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	04/03/2024	Signature:			

LIMS EVENT ID: WIN Import ID: KH 06/19/2024

Enter Field Parameters, Verify Station ID In LIMS DMT: (Initials/Date) QC Station ID, Field Parameters In LIMS DMT: (Initials/Date)

Save Field Sheets on Network: (Initials/Date) Migrate Data to WIN: (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV
Yes / No

WIN Station Name:	CRAIG CR 100M DOWN FROM FOOTBRIDGE IN PARK				Sample Date:	4/3/2024	
WIN / Field ID:	20030958	ORG ID:	21FLA	ENR:	-	Latitude:	30.29522
County:	DUVAL	WBID:	2297B	ESTUARY		Longitude:	-81.64989
Receiving Body of Water:	St Johns River Above Warren Bridge				RQ-	2024-04-01-25	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Kyle Coker		x		x	x

Sampling Equipment			
Sample Container		Carboy	
Dipper		Van Dorn	
Syringe	x	Pole	NA
Syringe Lot#	Filter Lot#		
Secchi Equipment ID:			
Collection Method			
Wading		Canoe/Kayak	
x From Shore		Electric Motor	
		Gasoline Motor	
Depth Measured With	Meter		

Water Level:	Normal
Flow:	NA
Matrix:	Fresh
Tide Stage:	N/A
High Tide:	
Low Tide:	
Photos:	Yes
Meter ID:	Desi
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	855	0.8	0.3	5.7	66.8	22.5	7.19		4116	2.19

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID
In The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	Contract Lab Enterococci Diversified	ICE			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients			Syringe Lot#; Filter Lot#:		
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC			SyringeLot#	FilterLot#	
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	04/03/2024	Signature:			

LIMS EVENT ID: WIN Import ID: KH 06/19/2024
Enter Field Parameters, Verify Station ID In LIMS DMT: (Initials/Date)
QC Station ID, Field Parameters In LIMS DMT: (Initials/Date)
Save Field Sheets on Network: (Initials/Date)
Migrate Data to WIN: (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	LITTLE FISHWEIR AT OAK ST				Sample Date:	4/3/2024	
WIN / Field ID:	20030953	ORG ID:	21FLA	ENR:	-	Latitude:	30.29467
County:	DUVAL	WBID:	2280A	STREAM		Longitude:	-81.70919
Receiving Body of Water:	St Johns River Above Warren Bridge				RQ-	2024-04-01-25	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Kyle Coker		x		x	x

Sampling Equipment			
Sample Container		Carboy	
Dipper		Van Dorn	
Syringe	x	Pole	NA
Syringe Lot#	Filter Lot#		
Secchi Equipment ID:			
Collection Method			
Wading		Canoe/Kayak	
x From Shore		Electric Motor	
		Gasoline Motor	
Depth Measured With	Meter		

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	N/A
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Desi
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	915	0.1	0.05	3.36	37.6	20.6	7.07	0.1	428	0.21
								VOB (s)		

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID
In The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	04/03/2024	Signature:			

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT: KH 06/19/2024

Save Field Sheets on Network: Migrate Data to WIN:



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	BIG FISHWEIR CR SF AT HAMILTON ST				Sample Date:	4/3/2024	
WIN / Field ID:	20030801	ORG ID:	21FLA	ENR:	-	Latitude:	30.29315
County:	DUVAL	WBID:	2280A	STREAM		Longitude:	-81.72209
Receiving Body of Water:	St Johns River Above Warren Bridge				RQ-	2024-04-01-25	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Kyle Coker		x		x	x

Sampling Equipment			
Sample Container		Carboy	
Dipper		Van Dorn	
Syringe	x	Pole	NA
Syringe Lot#	Filter Lot#		
Secchi Equipment ID:			
Collection Method			
Wading		Canoe/Kayak	
x From Shore		Electric Motor	
		Gasoline Motor	
Depth Measured With	Meter		

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	N/A
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Desi
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	930	0.4	0.3	4.33	49.2	21.4	7.22	0.4	1950	1
								VOB (s)		

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID
In The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	04/03/2024	Signature:			

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT:

QC Station ID, Field Parameters In LIMS DMT: KH 06/19/2024

(Initials/Date)

(Initials/Date)

Save Field Sheets on Network:

Migrate Data to WIN:

(Initials/Date)

(Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	BUTCHER PEN CR AT CONFEDERATE PT ROAD				Sample Date:	4/3/2024	
WIN / Field ID:	20030082	ORG ID:	21FLA	ENR:	-	Latitude:	30.26461
County:	DUVAL	WBID:	2322	STREAM		Longitude:	-81.73458
Receiving Body of Water:	Cedar River				RQ-	2024-04-01-25	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish	x		x		
Kyle Coker		x		x	

Sampling Equipment			
	Sample Container		Carboy
x	Dipper		x Van Dorn Boris
	Syringe		Pole
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		D#3	
Collection Method			
	Wading		Canoe/Kayak
	From Shore		Electric Motor
x	Bridge pool		Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	N/A
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Desi
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	950	0.3	0.15	2.9	34.7	22.4	7.07	0.3	3050	1.59
								VOB (s)		

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID
In The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	04/03/2024	Signature:			

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT: KH 06/19/2024

(Initials/Date) (Initials/Date)

Save Field Sheets on Network: Migrate Data to WIN:

(Initials/Date) (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:		BUTCHER PEN CR AT WESCONNETT				Sample Date:		4/3/2024	
WIN / Field ID:	20030760	ORG ID:	21FLA	ENR:	-	Latitude:	30.25983		
County:	DUVAL	WBID:	2322	STREAM		Longitude:	-81.74019		
Receiving Body of Water:		Cedar River				RQ-	2024-04-01-25		

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check						
Jeremy Parrish						x		x			
Kyle Coker							x		x	x	

Sampling Equipment			
Sample Container		Carboy	
Dipper		Van Dorn	
Syringe	x	Pole	NA
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:			
Collection Method			
Wading		Canoe/Kayak	
x	From Shore	Electric Motor	
		Gasoline Motor	
Depth Measured With Meter			

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	N/A
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Desi
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPT _h)
EST	1005	0.5	0.3	5.62	62.8	20.6	7.29	0.4	350	0.17

Biological Samples Collected: None

SBIO Visit ID: **HA ID:** **RPS ID:** **Macrophyte ID:** **LIMS Sample ID**
In The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab Diversified	ICE			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients		Syringe Lot#; Filter Lot#:			
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC: Microbiology sample(s) submitted to contract laboratory.					
Relinquish Date:	04/03/2024	Signature:			

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT:

Save Field Sheets on Network: Migrate Data to WIN:

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID:

DesF

RQ:

2024-04-01-25

Project:

BMAP

Notes: (1) Always wait for meter to stabilize before recording any readings.

(2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).

(3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro-meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	JParr	4/3/24	805	22.3	751	98.9	8.7	98.9	—	1.02	(P) F	(L) F
ICV	J	4/3/24	806	22.3	751	98.9	8.7	98.9	—	1.02	(P) F	(L) F
CCV	JParr	4/3/24	1830	21.5	751	98.9	8.80	99.7	—	—	(P) F	(L) F
CCV											P / F	L / F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ mhos/cm	Meter Reading μ mhos/cm	Pass / Fail	Lab / Field
Calibr.	JParr	4/3/24	807	240208B	2/25	1000	1000	(P) F	(L) F
ICV	J	4/3/24	808	231103A	11/24	100	98	(P) F	(L) F
CCV	JParr	4/3/24	1131	231110	11/24	15000	14874	(P) F	(L) F
CCV								P / F	L / F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	JParr	4/3/24	809	43080549	9/25	7.01	22.4	7.01	-39.5	(P) F	(L) F
Calibr.	J	4/3/24	810	43100538	10/25	4.00	22.5	4.00	141.5	(P) F	(L) F
Calibr.	J	4/3/24	811	43080574	9/25	10.03	22.2	10.01	-20.5	(P) F	(L) F
ICV	J	4/3/24	812	43100538	10/25	4.00	22.3	4.25	133	(P) F	(L) F
CCV	JParr	4/3/24	1435	43080574	9/25	10.00	22.2	10.07	-20.5	(P) F	(L) F
CCV										P / F	L / F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ; mV pH 4 Range $+180 \pm 50$; mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 _____, slope from 4 to 7 _____ (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water project)


If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: _____

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: _____; Date of last verification: _____

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	JParr	4/3/24	815	0.02	0.02	(P) F	(L) F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:



DIVERSIFIED
ENVIRONMENTAL LABORATORIES, INC.

CHAIN OF CUSTODY RECORD

Project Number:
(Lab Use Only)

3653 Regent, Boulevard, Suite # 509
Jacksonville, FL 32224
P. (904) 807-9625 E. info@delilab.com
F. (904) 807-9627

Page 1 of 1

Company Name		Florida Department of Environmental Protection	
Address		8800 Baymeadows Way West	
City		Jacksonville	
State		FL	
Zip		32256	
Attn.		Dep-overflowmicro@dep.state.fl.us	
Tel.		E-mail or Fax	
Project Name		BMAP	
Project Number		2024-04-01-25	
Project Location			
Sampler Name/Signature		KYLE COKE	
Transfer #		KYLE COKE	
Sample # (Lab Use Only)		Sample Identification	
Date Sampled		Time Sampled	
Sample Matrix Code		Specific Cond. (Field)	
Comp		Grab	
E. Coli - Quantitray		Enterococci - Quantitray	
Coliform, Fecal - MF 3 Dilutions			
Parameters			
Preservation Codes:		Sample Kit or Container Lot#	
1. None 5. Na2S2O3		NR	
2. H2SO4 6. Crushed Ice (4C)			
3. HNO3 7. C6H8O6			
4. HCl 8. NH4Cl			
9. Other: (List)			
In Crushed Ice? (Yes / No)			
Cooler Temp: NA °C			
Sample Cont. Temp: 2.2 °C			
Turnaround Requested:			
X Standard (10 Business Days)			
Semi-Rush (3-5 Business Days)			
Rush (1-2 Business Days)			
Turnaround times are estimated & subject to change. Surcharges apply for all Rush samples.			
Billing Information:			
Invoice with Report			
Invoice to Accounting			
Req. #:			
P.O. #:			
Special Instructions:			
* 10x dilution			
Transfer Numbers:		Relinquished By:	
1-7		KYLE COKE	
Date / Time:		4/3/24 10:30	
Received By:		MOSKE	
Date / Time:		04/03/24 10:30	



Certification #E8271059

Lab General Form 059, Rev. #1, Rev. Date: 02/07/22, Effective Date: 02/07/22.

Visit us online & order kits at: www.delilab.com