

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 5/1/2024
Customer: NE-DIST
RQ: RQ-2024-04-29-19

Collected By: Katherine Halbert, Kyle Coker
Sampling Agency: FDEP
Project ID: BMAP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 0

Delivery Method: HandDelivered

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
GOODBYS CR ABOVE WEST BRANCH AT SAN CLERC	 20030891
CRAIG CR AT HENDRICKS AVE	 20030793
CRAIG CR 100M DOWN FROM FOOTBRIDGE IN PARK	 20030958
LITTLE FISHWEIR AT OAK ST	 20030953
BIG FISHWEIR CR SF AT HAMILTON ST	 20030801
BUTCHER PEN CR AT WESCONNETT	 20030760
BUTCHER PEN CR AT CONFEDERATE PT ROAD	 20030082

RELINQUISHED BY(SIGNATURE):



DATE/TIME: 5/1/2024

1630EST

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By:	Rec'd/Inspected Date:
----------------------------	------------------------------



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	GOODBYS CR ABOVE WEST BRANCH AT SAN CLERC				Sample Date:	5/1/2024	
WIN / Field ID:	20030891	ORG ID:	21FLA	ENR:	-	Latitude:	30.22544
County:	DUVAL	WBID:	2326A	STREAM		Longitude:	-81.60386
Receiving Body of Water:	St Johns River Above Piney Point				RQ-	2024-04-29-19	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Katherine Halbert	x		x		
Kyle Coker		x		x	x

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
			NA
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		Disco	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Bruce
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	850	0.4	0.2	4.27	48.8	22	7.28	0.4	916	0.45
								VOB (s)		

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID
In The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	05/01/2024	Signature:			

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT: KH 06/26/2024

Save Field Sheets on Network: KH 05/01/2024 Migrate Data to WIN:

(Initials/Date)

(Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV
Yes / No

WIN Station Name:	CRAIG CR AT HENDRICKS AVE				Sample Date:	5/1/2024	
WIN / Field ID:	20030793	ORG ID:	21FLA	ENR:	-	Latitude:	30.29631
County:	DUVAL	WBID:	2297B	ESTUARY		Longitude:	-81.64803
Receiving Body of Water:	St Johns River Above Warren Bridge				RQ-	2024-04-29-19	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Katherine Halbert	x		x		
Kyle Coker		x		x	x

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
			NA
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		Disco	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Marine
Tide Stage:	N/A
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Bruce
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	920	0.6	0.3	1.13	14.4	24.6	6.89	0.5	13687	7.9

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID
In The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	Contract Lab	Enterococci			
		Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	05/01/2024	Signature:			

LIMS EVENT ID: WIN Import ID: KH 06/26/2024

Enter Field Parameters, Verify Station ID In LIMS DMT: (Initials/Date)

QC Station ID, Field Parameters In LIMS DMT: (Initials/Date)

Save Field Sheets on Network: KH 05/01/2024 (Initials/Date)

Migrate Data to WIN: (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	CRAIG CR 100M DOWN FROM FOOTBRIDGE IN PARK				Sample Date:	5/1/2024	
WIN / Field ID:	20030958	ORG ID:	21FLA	ENR:	-	Latitude:	30.29522
County:	DUVAL	WBID:	2297B	ESTUARY		Longitude:	-81.64989
Receiving Body of Water:	St Johns River Above Warren Bridge				RQ-	2024-04-29-19	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Katherine Halbert	x		x		
Kyle Coker		x		x	x

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
			NA
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		Disco	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Marine
Tide Stage:	N/A
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Bruce
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	925	0.9	0.3	4.25	53.7	24.7	7.14	0.3	15530	9.06

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID
In The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Type	Lot#	Expiration Date	pH Check
Microbiology	Contract Lab	Enterococci			
		Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	05/01/2024	Signature:			

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT: KH 06/26/2024

(Initials/Date) (Initials/Date)

Save Field Sheets on Network: KH 05/01/2024 Migrate Data to WIN:

(Initials/Date)

(Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:		LITTLE FISHWEIR AT OAK ST				Sample Date:		5/1/2024	
WIN / Field ID:	20030953	ORG ID:	21FLA	ENR:	-	Latitude:	30.29467		
County:	DUVAL	WBID:	2280A	STREAM		Longitude:	-81.70919		
Receiving Body of Water:		St Johns River Above Warren Bridge				RQ-	2024-04-29-19		

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Katherine Halbert	x		x		
Kyle Coker		x		x	x

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		Disco	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Bruce
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	950	0.1	0.05	2.78	31.5	21.6	7.31	0.1	423.5	0.2
								VOB (s)		

Biological Samples Collected:

None

SBIO Visit ID:

HA ID:

RPS ID:

Macrophyte ID:

LIMS Sample ID

In The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	ICE			
Chlorophyll	Diversified				
Physical/Aggregate Nutrients					
Filtered Nutrients			Syringe Lot#; Filter Lot#:		
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	05/01/2024	Signature:			

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT:

QC Station ID, Field Parameters In LIMS DMT: KH 06/26/2024

Save Field Sheets on Network: KH 05/01/2024 (Initials/Date)

Migrate Data to WIN: (Initials/Date)

(Initials/Date)

(Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	BIG FISHWEIR CR SF AT HAMILTON ST				Sample Date:	5/1/2024	
WIN / Field ID:	20030801	ORG ID:	21FLA	ENR:	-	Latitude:	30.29315
County:	DUVAL	WBID:	2280A	STREAM		Longitude:	-81.72209
Receiving Body of Water:	St Johns River Above Warren Bridge				RQ-	2024-04-29-19	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Katherine Halbert	x		x		
Kyle Coker		x		x	x

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
			NA
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		Disco	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Low
Flow:	Flowing
Matrix:	Marine
Tide Stage:	
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	Bruce
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPT _h)
EST	1010	0.7	0.3	1.28	15.6	23.9	7.08	0.7	7191	3.96
								VOB (s)		

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID
In The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	05/01/2024	Signature:			

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT: KH 06/26/2024

Save Field Sheets on Network: KH 05/01/2024 (Initials/Date) Migrate Data to WIN: (Initials/Date)

(Initials/Date) (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	BUTCHER PEN CR AT WESCONNETT				Sample Date:	5/1/2024	
WIN / Field ID:	20030760	ORG ID:	21FLA	ENR:	-	Latitude:	30.25983
County:	DUVAL	WBID:	2322	STREAM		Longitude:	-81.74019
Receiving Body of Water:	Cedar River				RQ-	2024-04-29-19	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Katherine Halbert	x		x		
Kyle Coker		x		x	x

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe	x	Pole
	Syringe Lot#		Filter Lot#
	Secchi Equipment ID:	Disco	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Low
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	Falling
High Tide:	0329
Low Tide:	1102
Photos:	No
Meter ID:	Bruce
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1040	0.9	0.3	4.18	47.3	21.3	7.39	0.7	359.5	0.17

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID
In The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	05/01/2024	Signature:			

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT: KH 06/26/2024

Save Field Sheets on Network: KH 05/01/2024 (Initials/Date) Migrate Data to WIN: (Initials/Date)

(Initials/Date) (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BASIN MANAGEMENT ACTION PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	BUTCHER PEN CR AT CONFEDERATE PT ROAD				Sample Date:	5/1/2024	
WIN / Field ID:	20030082	ORG ID:	21FLA	ENR:	-	Latitude:	30.26461
County:	DUVAL	WBID:	2322	STREAM		Longitude:	-81.73458
Receiving Body of Water:	Cedar River				RQ-	2024-04-29-19	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Katherine Halbert	x		x		
Kyle Coker		x		x	x

Sampling Equipment			
x	Sample Container		Carboy
x	Dipper		x Van Dorn Goku
	Syringe		Pole
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		Disco	
Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With		Meter	

Water Level:	Low
Flow:	Flowing
Matrix:	Marine
Tide Stage:	Falling
High Tide:	0329
Low Tide:	1102
Photos:	No
Meter ID:	Bruce
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1025	0.7	0.3	4.97	61.6	25.1	7.17	0.6	7360	4.04

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID
In The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli Contract Lab	Diversified			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients					
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC					
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	05/01/2024	Signature:			

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT: KH 06/26/2024

Save Field Sheets on Network: KH 05/01/2024 (Initials/Date) Migrate Data to WIN: (Initials/Date)

(Initials/Date) (Initials/Date)

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID: **BRUCE**

RQ: **2024-04-29-19**

Project: **BMAP 1**

- Notes: (1) Always wait for meter to stabilize before recording any readings.
 (2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).
 (3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification **4/1/2024**

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro-meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	K. Coker	5/1/24	753	21.6	760.7	8.8	—	99.9	—	1.029	Ⓟ F	Ⓟ F
ICV	K. Coker	5/1/24	755	21.2	760.7	8.7	8.95	100.7	—	1.029	Ⓟ F	Ⓟ F
CCV	K. Coker	5/1/24	1155	22.0	760.4	8.7	8.77	100.0	—	1.029	Ⓟ F	Ⓟ F
CCV											P / F	L / F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ mhos/cm	Meter Reading μ mhos/cm	Pass / Fail	Lab / Field
Calibr.	K. Coker	5/1/24	757	240208B	6/2/25	1000	1000	Ⓟ F	Ⓟ F
ICV	K. Coker	5/1/24	759	230612A	06/2024	100	100.5	Ⓟ F	Ⓟ F
CCV	K. Coker	5/1/24	1200	231103C	11/2024	50,000	50,219	Ⓟ F	Ⓟ F
CCV								P / F	L / F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	K. Coker	5/1/24	802	43080549	9/7/25	7.01	22.2	6.99	-27.9	Ⓟ F	Ⓟ F
Calibr.	K. Coker	5/1/24	805	43150538	10/31/25	4.00	21.5	3.95	148.5	Ⓟ F	Ⓟ F
Calibr.	K. Coker	5/1/24	808	43080574	9/9/25	10.03	21.5	10.00	-202.4	Ⓟ F	Ⓟ F
ICV	K. Coker	5/1/24	811	43080549	9/7/25	7.01	22.3	7.04	-28.3	Ⓟ F	Ⓟ F
CCV	K. Coker	5/1/24	1203	43080574	9/9/25	10.03	22.0	10.06	-204.5	Ⓟ F	Ⓟ F
CCV										P / F	L / F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ; mV pH 4 Range $+180 \pm 50$; mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 _____, slope from 4 to 7 _____ (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? **YES** / NO / NA (not surf. water project)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: **4/1/2024**

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: _____; Date of last verification: _____

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	K. Coker	5/1/24	813	0.00	0.000	Ⓟ F	Ⓟ F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:



DIVERSIFIED
ENVIRONMENTAL LABORATORIES, INC.

CHAIN OF CUSTODY RECORD

Project Number:
(Lab Use Only)

3653 Regent Boulevard, Suite # 509
Jacksonville, FL 32224
P. (904) 807-9625 E. info@delilab.com
F. (904) 807-9627

Page _____ of _____

Company Name Florida Department of Environmental Protection										Container Information (Qty, Size, & Type)								Sample Matrix Codes:							
Address 8800 Baymeadows Way West										250 mL	250 mL	250 mL								A. Air P. Petroleum					
City Jacksonville State FL Zip 32256																			B. Bulk S. Soil/Sludge						
Attn. Dep-overflowmicro@dep.state.fl.us										Container Preservation Codes								Sample Kit or Container Lot #							
Tel. E-mail or Fax										6	6	6													
Project Name RMAP 1										Parameters								Preservation Codes:							
Project Number 2024- 04-29-19										E. Coli - Quantitray	Enterococci - Quantitray	Coliform, Fecal - MF 3 Dilutions								0. None 5. Na2S2O3					
Project Location																				1. H2SO4 6. Crushed Ice (4C)					
Sampler Name/Signature Kyle Cooker Kyle Cooker																		2. HNO3 7. C6H8O6							
Transfer #	Sample # (Lab Use Only)	Sample Identification	Date Sampled	Time Sampled	Sample Matrix Code	Specific Cond. (Field)	Comp	Glab										3. HCl 8. NH4Cl							
1		20030891	5/1/24	0850	NPW	916		X	X									4. NaOH 9. Other: (List)							
2	*	20030793	5/1/24	0920	NPW	13687		X		X								Thermal Preservation:							
3	*	20030958	5/1/24	0925	NPW	15530		X		X								In Crushed Ice? (Yes) / No							
4	*	20030953	5/1/24	0950	NPW	423.5		X	X									Cooler Temp: NA °C							
5		20030801	5/1/24	1010	NPW	7191		X	X									Sample Cont. Temp: 0.5 °C							
6	*	20030082	5/1/24	1025	NPW	7360		X	X									Turnaround Requested:							
7	*	20030760	5/1/24	1040	NPW	359.5		X	X									☒ Standard (10 Business Days)							
8																		☐ Semi-Rush (3-5 Business Days)							
9																		☐ Rush (1-2 Business Days)							
0																		Turnaround times are estimated & subject to change. Surcharges apply for all Rush samples.							
Special Instructions: * 10x dilution										Billing Information:															
										Invoice with Report															
										Invoice to Accounting															
										Req. #:															
										P.O. #:															
Transfer Numbers										Relinquished By				Date / Time				Received By				Date / Time			
1-7										Katherine Halbert				05/01/24 / 11:16				MEJR				05/01/24 11:16			



Certification #E821059