



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

PAGE ____ OF ____

February 2016

Data Qualified?
Yes / No

STORET Station Name: Three Mile Lake Center Date: 7/13/2016
(mm/dd/yyyy)

STORET Station ID: GINE0024 Latitude: 29.67309
(Decimal Degrees)

WBID: 3687 RQ-2016-07-04-25 ORG ID: 21 FLA Longitude: 82.77627
(Decimal Degrees)

Receiving Body of Water: NH Field ID: _____ County: Gilchrist

Sampling Team Members					WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
J Parnish									
B Davis									

Sampling Equipment		
☒ Sample Container	☐ Van Dorn	☐ Pole
☐ Carboy	☐ Syringe	
☐ Dipper	☐ Other	
Equipment ID		
Collection Method		
☐ Wading From	Via Boat	
☐ Shore	☒ Canoe/Kayak	
☐ Other (note below)	☐ Electric	
	☐ Motor	

Water Level: Dry / Low / Normal / High / Flooded Matrix: Fresh / Marine / DI
Meter ID# YSI #3 Photos: Yes / No Tide Falling: Yes / No / NA

Time	Time	Sample Depth	Total Depth	DO	DO	pH	Salinity	Secchi Disk(m)	Sp COND	Temp. (C°)
Zon		(m)	(m)	(mg/L)	(%SAT)		(ppt)		(µmhos/cm)	
EST	1040	0.3	3.9	4.24	55.0	3.88	0.04	0.3	86	29.4
CEN	1045	1.5		0.81	10.1	3.89	0.04		81	25.89

Biological Samples Collected: None HA SCI LVS RPS LVI Other _____

Parameter Suite	Parameter Methods	Preservation	Acid Lot#	Expiration	pH
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☒ H2SO4			☒ <2
Metals	☒ W-ICPMS ☒ W-ICP	☒ Ice ☒ HNO3			☒ <2
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter	☒ Ice			
Chlorophyll	☒ CHLSUITE-W	☒ Ice			
BOD	☐ BOD-UNIN	☐ Ice			
Physical/Aggregate (Kit A)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CI-IC / W-COLOR / W-SO4-IC / W-TDS	☒ Ice			
Physical/Aggregate (Kit B)	☐ Alkalinity / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates	☐ MI-FW-QLDC	☐ Formalin			
Microbiology	☐ E Coli ☐ F Coli ☐ Entero ☐ QPCR	☐ Ice			
Periphyton	☐ ALGAE-ID	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-AHERB-AA ☐ W-PYR-AA-R	☐ Ice			
	☐ W-PC-AA-SF ☐ W-UHERB-AA ☐ W-GLYPH	☐ Other			

Phyto/Diatom: Diatom PKP Legals Turkey la b

Notes: _____

Place Label Here
(If Available)

Signature: Jerry Parnish Date: 7/13/16

Field Parameters Entered into LIMS: _____ Field Parameters QC in LIMS: _____
(Initials/Date) (Initials/Date)

Date Migrated to STORET: _____ Field Sheets Scanned/Saved: _____
(Initials/Date) (Initials/Date)

Contains
1:1
Sulfuric Acid
SA-5259020
EXP: 09/16/16
Warning!
See MSDS

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there is qualified data on this page.

Meter YSI #3 RQ- 2016-07-04-25 Project Lake Geneva

- Notes: (1) Numbers ≤ 4 , are rounded down; numbers ≥ 5 are rounded up (e.g., 5.15 becomes 5.2).
 (2) Always wait for meter to stabilize before recording any readings.
 (3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Circle/Fill In: Lab Calibration or Calibration/Verification on Site Lsg

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification 7/1/2016

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	J Parrish	7/13/16	700	23.2	8.54	8.54	100	61.4	0.963	P	L
ICV	J	L	703	23.3	8.53	8.45	94.3	61.4	J	P	L
CCV	B Davis	7/13/16	1447	24.87	8.27	8.47	102.2	58.4	0.9631	P	L
CCV											

Report DO mg/L with one decimal figure and DO % saturation as a whole number with no decimals.

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15; DO charge N/A.

Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ mhos/cm	Meter Reading μ mhos/cm	Pass / Fail	Lab / Field
Calibr.									
ICV	J Parrish	7/13/16	707	160216A	2/17	1000	993	P	L
CCV	B Davis	7/13/16	1450	151113A	11/16	100	101	P	L
CCV									

Report specific conductance as a whole number with no decimal figure.

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.						7.0				
Calibr.						4.0				
Calibr.						10.0				
ICV	J Parrish	7/13/16	710	2504F74	9/17	4.0	4.03	166.3	P	L
CCV	B Davis	7/13/16	1453	2510A81	10/17	7.0	7.03	-10.6	P	L
CCV										

Report pH with one decimal place; pH Acceptance criteria ± 0.2 SU;

mV pH7 Range 0 $\pm$ 50;

mV pH 4 Range

+180 $\pm$ 50; mV pH 10 Range -180 $\pm$ 50;

Slope from 7 to 10 and 4 to 7 must be between 165

and 180mV

Depth (Quarterly)

Date of Last Depth Verification

Depth Sensor (Daily)	Name	Date	Time CT-ET	Zero the Sensor	ICV Value	Pass / Fail	Lab / Field
Pressure mode in air	J P	7/13/16	714	0.000	0.000	P	L

ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater

DEP FORM FD 9000-27 LAKE VEGETATION INDEX FIELD SHEET

Waterbody: <u>3 Mile Lake</u>	County: <u>Gilchrist</u>	Date: <u>7/13/16</u>									
Analyst: <u>B. Davis</u>	Signature: <u>B. Davis</u>	STORET: <u>611VE002</u> 4									
Except where noted as "sp." species level identification required. *Genera that may require lab verification* Plants in bold = FLEPPC invasive exotic. It is important to note dominant or co-dominant taxa (by areal extent) for each unit. Use "D" to denote dominant taxon, or "C" for the 2 co-dominant taxa.		Lake units sampled (circle one group): 1, 4, 7, 10 2, 5, 8, 11 3, 6, 9, 12									
SPECIES	3	6	9	12	Collected? (✓)	SPECIES	3	6	9	12	Collected? (✓)
Acer rubrum				✓		Habenaria repens					
Alternanthera philoxeroides						Hydrilla verticillata					
Andropogon sp.						Hydrocotyle sp.					
Azolla filiculoides (A. caroliniana)						Hygrophila polysperma					
Baccharis sp.						*Hypericum fasciculatum					
Bacopa caroliniana						*Hypericum hypericoides					
Bacopa monnieri						*Hypericum myrtifolium					
Bidens laevis						Ilex cassine					
Bidens mitis						Ipomoea aquatica					
Blechnum serrulatum						Ipomoea sagittata					
Boehmeria cylindrica						Itea virginica					
Brasenia schreberi						Juncus effusus					
Cabomba caroliniana						*Juncus marginatus					
Casuarina equisetifolia						*Juncus megacephalus					
Centella asiatica						Juncus repens					
Cephalanthus occidentalis						*Juncus scirpoides					
Ceratophyllum demersum						Lachnanthes caroliniana			✓	✓	
Chara sp.						Leersia hexandra					
Cladium jamaicense						Landoltia punctata (Spirodela punctata)					
Cliftonia monophylla						Lemna sp.					
Colocasia esculenta						Leucothoe racemosa (Eubotrys racemosa)		C	C	C	
*Commelina						Limnium spongia					
Crinum americanum						Limnophila sessiliflora					
*Cyperus alternifolius (C. involucratus)						Liquidambar styraciflua					
Cyperus articulatus						*Ludwigia arcuata					
Cyperus haspan						*Ludwigia leptocarpa					
*Cyperus lecontei						*Ludwigia linearis					
*Cyperus polystachyos						*Ludwigia octovalvis					
*Cyperus odoratus						*Ludwigia peruviana					
*Cyperus surinamensis						*Ludwigia repens					
Cyrtilla racemiflora						*Ludwigia					
Decodon verticillatus						Luziola fluitans (Hydrochloa carolinensis)					
Diodia virginiana						Lyonia lucida					
*Echinochloa crus-galli						Magnolia virginiana			✓		
*Echinochloa muricatum						Mayaca fluviatilis					
Echinochloa walteri						Melaleuca quinquenervia					
Eclipta prostrata (E. alba)						Micranthemum glomeratum					
Egeria densa						Micranthemum umbrosum					
Eichhornia crassipes						Mikania scandens					
*Eleocharis baldwinii						Mimosa pigra					
*Eleocharis						Myrica cerifera					
Eleocharis cellulosa						Eleocharis / Pogonoble RECE					
Eleocharis equisetoides											
Eleocharis interstincta											
*Eriocaulon compressum											
*Eriocaulon decangulare											
Eupatorium capillifolium											
*Fuirena											
Fuirena scirpoidea											
Gordonia lasianthus	✓	✓		✓							

FORM FD 9000-27: LAKE VEGETATION INDEX FIELD SHEET

Site:						Date:					
SPECIES	3	6	9	12	Collected? (✓)	SPECIES	3	6	9	12	Collected? (✓)
Myriophyllum aquaticum						Salix caroliniana					
*Myriophyllum heterophyllum						Salvinia minima					
*Myriophyllum laxum						Sambucus canadensis					
*Myriophyllum pinnatum						Sapium sebiferum					
Myriophyllum spicatum						Saururus cernuus					
*Najas filifolia						Schinus terebinthifolius					
*Najas guadalupensis						*Schoenoplectus californicus					
*Najas minor						*Schoenoplectus pungens					
Nelumbo lutea						*Schoenoplectus tabernaemontani (Scirpus validus)					
Nitella spp.						Scirpus cubensis (Oxycaryon cubense)					
Nuphar sp.	✓	✓	✓	✓		Scirpus cyperinus				✓	
Nymphaea odorata						*Sesbania					
Nymphoides aquatica						Solidago sp.					
Nyssa sylvatica var. biflora						Sparganium americanum					
Orontium aquaticum						Spartina bakeri					
Osmunda cinnamomea						Spirodela polyrhiza					
Osmunda regalis						Taxodium sp.	✓	✓			
Panicum hemitomon						Thalia geniculata					
Panicum repens						Thelypteris palustris					
Paspalidium geminatum						Triadenum virginicum					
*Paspalum repens						Typha sp.					
Paspalum urvillei						Urochloa mutica (Brachiaria mutica)					
Peltandra sp.						*Utricularia gibba (U. biflora)					
Persea sp.						*Utricularia floridana					
Pennisetum purpureum						*Utricularia foliosa					
Phragmites australis						*Utricularia inflata					
Pinus elliotii	✓	✓	✓	✓		*Utricularia purpurea					
Pistia stratioides						*Utricularia cornuta					
Pluchea sp.						*Utricularia radiata					
*Polygonum glabrum (densiflorum)						Vallisneria americana					
*Polygonum hydropiperoides						*Websteria confervoides					
*Polygonum punctatum						Wedelia trilobata (Sphagneticola trilobata)					
*Polygonum						Wolffiella spp.					
Pontederia cordata						Woodwardia virginica					
*Potamogeton diversifolius						Xyris sp.					
*Potamogeton illinoensis						Zizania aquatica					
*Potamogeton pusillus						Zizaniopsis milacea					
*Potamogeton pectinatus (Stuckenia pectinatus)						Sm. sp.	✓	✓	✓	✓	
Proserpinaca pectinata											
*Rhexia											
*Rhynchospora corniculata											
*Rhynchospora inundata											
Rhynchospora tracyi											
Ricciocarpus natans											
Sabal palmetto											
Sacciolepis striata											
*Sagittaria filiformis											
*Sagittaria graminea											
*Sagittaria isoetiformis											
Sagittaria lancifolia											
Sagittaria latifolia											

DEP Form FD 9000-6: Lake Habitat Assessment Field Sheet

STORET STATION NUMBER: G1NECO24	DATE (M/D/Y) 7/13/16	LAKE NAME 3 Mile Lake		FIELD ID / NAME:
ECO-REGION:	COUNTY: Franklin	SAMPLING LOCATION/DESCRIPTION:		LAKE SIZE:
PARAMETER	No surface inflow or outflow present, very long water residence time, groundwater seepage dominates ☒	Surface water inflow present, but flow is rare, moderate to long water residence time ☐	Surface water inflow and outflow present (or outflow only), sometimes with visible flow, short water residence time ☐	Impounded, hydrology of system artificially controlled ☐
HYDROLOGY				
Color	Very clear, uncolored water (benthic sampling appropriate) ☐	Water somewhat tannin stained (benthic sampling appropriate) ☐	Dark, discolored water (water color 20 PCU or higher) ☐	Visibility extremely reduced due to high color ☒
	Optimal	Suboptimal	Marginal	Poor
Secchi 3	Secchi >3 m Or VOB 20 19 18 17 16	3 2.6 2.2 1.8 1.4 15 14 13 12 11	1.0 0.9 0.8 0.7 0.6 10 9 8 7 6	0.5 0.4 0.3 0.2 0.1 5 4 3 2 1
Vegetation Quality 19	Diverse, expected native vegetation (emergent or submersed), less than 5% nuisance taxa 20 19 18 17 16	Mostly expected native plants, but moderate growths (6%-20% of lake) of nuisance macrophytes, or more than 50% of lake covered with plants 15 14 13 12 11	Large masses (21%-40%) of nuisance macrophytes (e.g., Hydrilla, hyacinth, cattail, etc.) or algal mats 10 9 8 7 6	Lake choked (>40%) with nuisance macrophytes (duckweed, hyacinth, etc.) or algal mats, or few plants present at all (e.g., plants removed) 5 4 3 2 1
Stormwater Inputs 18	Stormwater enters system via sheet flow over non-cultivated and/or natural vegetation 20 19 18 17 16	Some direct stormwater inputs (ditches, pipes, cultivated vegetation < 10%) but good BMPs in place 15 14 13 12 11	Moderate direct inputs of stormwater (ditches, pipes, cultivated vegetation 11%-50%) but few BMPs in place 10 9 8 7 6	Much direct input of stormwater (ditches, pipes, cultivated vegetation > 51%) and no or ineffective BMPs in place 5 4 3 2 1
Bottom Substrate Quality 20	Diverse mixture of sand, detritus, with small amounts of CPOM/mud/muck. SAV may be present 20 19 18 17 16	Mixture of sand or clay and detritus with higher % CPOM/mud/muck content. SAV may be present 15 14 13 12 11	Moderate layer of CPOM/mud/muck, or hardpacked sand only, or moderate algal growth (mats or Chara) on bottom 10 9 8 7 6	Thick deposits of CPOM, or fine detritus and anaerobic muck/mud/silt, or algal growth or nuisance plants (Hydrilla) cover bottom 5 4 3 2 1
Lakeside Adverse Human Alterations 19	Very few man-made structures, roads, or other disturbance adjacent to lake (<10%) 20 19 18 17 16	Moderate disturbance visible (structures, roads or other), 10%-49% lakeside affected 15 14 13 12 11	Many structures, roads or other human disturbance visible (50%-70%) lakeside affected 10 9 8 7 6	Highly developed or disturbed (>70% of lakeside affected) 5 4 3 2 1
Upland Buffer Zone 20	Expected native vegetation between uplands and littoral zone, greater than 90% of shore with >18 m buffer 20 19 18 17 16	89%-51% of shoreline with >18m buffer or >75% with 10m to 18m buffer 15 14 13 12 11	50%-30% of shoreline with >18m buffer or 50%-74% with 10m to 18m buffer 10 9 8 7 6	< 29% of shoreline with >18m buffer 5 4 3 2 1
Adverse Watershed Land Use 19	Score the potential effects from adverse human land uses, based on a continuum of amount and type, with least to most adverse as follows: Native vegetation, Silviculture, Pasture or Citrus, Low Density Residential, Row Crops, Commercial, High Density Residential, Urban, Industrial 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1			
TOTAL SCORE 118	COMMENTS:			
ANALYSIS DATE: 7/13/16	ANALYST: <i>Jerry P...</i>		SIGNATURE:	