

Date of Request: 05-JUN-2014
 Created By: JACKSON_J On: 05-JUN-2014
 Modified By: WATTS_J On: 18-JUN-2014
 Customer: BSSP
 Project: SCIREF
 Division: Division of Environmental Assessment and Restoration
 District: AEQA
 Sampling Event: SCI Reference Sites

Send Coolers To:

Phone: 80-245-8074
 2600 Blair Stone Road, MS 6511

 Tallahassee, FL 32399
 Attn: Joy Jackson

Program Module Number:
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 18-JUN-2014
 Biology Request Reviewed By: MILLER_EB On: 10-JUN-2014
 Sampling Kit Required: YES Ship on: 23-JUN-2014
 Sampling Kit Shipped: YES On: 24-JUN-2014
 Sampling Kit Packed By: KITCHEN_S
 Date to Receive Samples: 07-JUL-2014
 Received By:

Send Final Report To:

Bureau of Standards and Special Project
 2600 Blair Stone Rd., MS 6511
 Tallahassee, FL 32399-2400
 Attn: Joy Jackson

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Econfina and Little Crooked Creek

Suite A (Biological) With 2 Samples:

Bottle Type: PJ-2L Number of Bottles: 4 Preserved With: Formalin
 MI-FW-QLDC Template: (SOP-IZ06) No. Taxa of FW macroinverts, qual samp, 20 dipnets.
 *Macroinvert-FW-Qual-DipnetX20-#Taxa-Rep2

Suite B (Water) With 2 Samples:

Bottle Type: BP-1L Number of Bottles: 2 Preserved With: ICE
 CHL-CORR-W Template: DEFAULT (SM 10200 H (mod.)) Phytoplankton chlorophyll-a (corrected for phaeophytin) and phaeophytin by spectrophotometry
 Chlorophyll-a, Corrected
 Phaeophytin-a

Bottle Type: P-1L Number of Bottles: 2 Preserved With: ICE
 TURBIDITY Template: DEFAULT (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
 Turbidity
 W-ALK Template: DEFAULT (SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
 Alkalinity
 W-COLOR Template: DEFAULT (SM 2120 B) True Color measured at 450 nm
 Color (true)
 W-TDS Template: DEFAULT (SM 2540 C-97) Total Dissolved Solids in aqueous matrices
 TDS
 W-TSS Template: DEFAULT (SM 2540 D-97) Total Suspended Solids in aqueous matrices
 TSS
 Bottle Type: P-500ML Number of Bottles: 2 Preserved With: ICE And H2SO4
 W-NH3 Template: DEFAULT (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
 Ammonia-N
 W-NO2NO3 Template: DEFAULT (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
 NO2NO3-N
 W-S-A-TP Template: DEFAULT (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
 Total-P
 W-TKN Template: DEFAULT (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
 Kjeldahl Nitrogen
 W-TOC Template: DEFAULT (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices

Suite B (Water) With 2 Samples:

Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H2SO4
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Organic Carbon		

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.