

DEP Form FD 9000-3 Physical/Chemical Characterization Field Sheet

SAMPLE ID 74791 ORG ID 21FLWQSP LATITUDE 30.1321
COUNTY WALKULLA STORET # 22020050 LONGITUDE -84.4944
DATE 9.3.15 TIME 1030 SAMPLING AGENCY FDEP / AEGA
SITE NAME SOPCHOPPY RIVER
FIELD ID/NAME SOPREF RECEIVING BODY OF WATER OCHLOCKNEE BAY

RIPARIAN ZONE / STREAM FEATURES

PREDOMINANT LAND-USE IN WATERSHED (specify relative percent in each category): Forest/Natural ☐ Silviculture ☐ Field/Pasture ☐ Agricultural ☐ Residential ☐ Commercial ☐ Industry ☐ Other (Specify) ☐								Landscape Development Intensity Index (LDI) ☐
Local Watershed Erosion (select one): ☒ None ☐ Slight ☐ Moderate ☐ Heavy Local Watershed NPS Pollution: ☒ No evidence ☐ Slight ☐ Moderate ☐ Heavy								Typical Width (m) Depth (m)/Velocity (m/sec) Transect m wide m/s m/s m/s m deep m deep m deep
Width of Riparian Vegetation (m) on Each Buffer Side Left Bank: Right Bank:				Hydrologic Modification Score (per FT 3101)				
High Water Mark: + = (m) (above present water level) (present depth) (above bed)				Artificially Impounded ☐ Yes ☒ No				
Artificially ☒ No ☐ Mostly recovered, more sinuous Channelized: ☐ Some recovery ☐ Recent, severe				Canopy Cover % ☐ Open ☒ Lightly Shaded (11-45%) ☐ Heavily Shaded ☐ Moderate Shaded (46-80%)				

SEDIMENT / SUBSTRATE

Sediment Oils ☒ Absent ☐ Slight ☐ Moderate ☐ Profuse			Sediment Odors ☒ Normal ☐ Sewage ☐ Petroleum ☐ Chemical ☐ Anaerobic ☐ Other (Specify):			Smothering of Substrates Sand Smothering: None ☐ Slight ☒ Moderate ☐ Severe ☐ Silt Smothering: None ☒ Slight ☐ Moderate ☐ Severe ☐ Algae Smothering: None ☒ Slight ☐ Moderate ☐ Severe ☐																																																																											
SUBSTRATE TYPE Assessment Tool: ☒ SCI ☒ RPS ☒ LVS ☐ LCI ☐ BioRecon <table border="1"> <thead> <tr> <th></th> <th>% Coverage</th> <th>INVERT # Times Sampled</th> <th>PERI # Times Sampled</th> </tr> </thead> <tbody> <tr> <td>Woody Debris (Snags)</td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td>Undercut Banks / Roots</td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td>Leaf Packs or Mats</td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td>Aquatic Vegetation</td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td>Rock or Shell Rubble</td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td>Sand</td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td>Mud / Muck / Silt</td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td>Other</td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td>Other</td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>				% Coverage	INVERT # Times Sampled	PERI # Times Sampled	Woody Debris (Snags)				Undercut Banks / Roots				Leaf Packs or Mats				Aquatic Vegetation				Rock or Shell Rubble				Sand				Mud / Muck / Silt				Other				Other				WATER QUALITY <table border="1"> <thead> <tr> <th></th> <th>Depth (M)</th> <th>Temp. (°C)</th> <th>pH (SU)</th> <th>D.O. (MG/L)</th> <th>D.O. Sat (%)</th> <th>Cond. (UMHO/CM)</th> <th>Salinity (PPT)</th> <th>SECCHI (M)</th> </tr> </thead> <tbody> <tr> <td>Top:</td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td>Mid:</td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td>Bottom:</td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> Meter ID:				Depth (M)	Temp. (°C)	pH (SU)	D.O. (MG/L)	D.O. Sat (%)	Cond. (UMHO/CM)	Salinity (PPT)	SECCHI (M)	Top:									Mid:									Bottom:								
	% Coverage	INVERT # Times Sampled	PERI # Times Sampled																																																																														
Woody Debris (Snags)																																																																																	
Undercut Banks / Roots																																																																																	
Leaf Packs or Mats																																																																																	
Aquatic Vegetation																																																																																	
Rock or Shell Rubble																																																																																	
Sand																																																																																	
Mud / Muck / Silt																																																																																	
Other																																																																																	
Other																																																																																	
	Depth (M)	Temp. (°C)	pH (SU)	D.O. (MG/L)	D.O. Sat (%)	Cond. (UMHO/CM)	Salinity (PPT)	SECCHI (M)																																																																									
Top:																																																																																	
Mid:																																																																																	
Bottom:																																																																																	
Water Odors Normal ☒ Petroleum ☐ Sewage ☐ Chemical ☐ Other ☐			Water Surface Oils Normal ☒ Sheen ☐ Globs ☐ Slick ☐ Other ☐																																																																														
Water Sample Taken? ☒ Yes ☐ No Sample Preserved? ☐ Yes ☐ No Lot Number: Exp:			Color Tannic ☒ Green (Algae) ☐ Clear ☐ Other (Specify)																																																																														
Algae Sample Taken? ☐ Yes ☒ No Sample Preserved? ☐ Yes ☐ No Lot Number: Exp:			Clarity Clear ☒ Slightly Turbid ☐ Turbid ☐ Opaque																																																																														
ABUNDANCE Not Obs. Rare Common Abundant Periphyton: ☐ ☒ ☐ ☐ Fish: ☒ ☐ ☐ ☐ Aquatic Plants: ☒ ☐ ☐ ☐ Iron/Sulfur Bacteria: ☒ ☐ ☐ ☐			System Type: Stream ☒ Lake ☐ Wetland ☐ Estuary ☐ Other(Specify)																																																																														
SAMPLING TEAM <u>JACKSON, CSWANSON, L O'NEW</u>			SIGNATURE: <u>A. Jack</u>																																																																														
DATE: <u>9/3/15</u>			AMBIENT FIELD CONDITIONS / NOTES: <u>~90F, CALM, PARTLY CLOUDY. GAGE HT ~ 9 FT.</u> ☒ The antecedent hydrologic conditions have been met to my best knowledge.																																																																														

DEP Form FD 9000-5 Stream/River Habitat Assessment Field Sheet

SAMPLING AGENCY: <u>FDEP/AEQA</u>		STORET STATION NUMBER: <u>22020050</u>	DATE (MM/DD/YY): <u>9.3.15</u>	RECEIVING BODY OF WATER:
REMARKS: <u>GOOD H2O LEVEL FOR SCI</u>	COUNTY: <u>WAKULLA</u>	LOCATION: <u>SOPCHOPPY RIVER</u>	FIELD ID/NAME: <u>SOPREF</u>	


Habitat Parameter	Optimal	Suboptimal	Marginal	Poor
Primary Habitat Components	Four or more major productive habitats present [snags, tree roots, aquatic vegetation, leaf packs (partially decayed), rock]	Three major productive habitats present. Adequate habitat. Some substrates may be new fall (fresh leaves or snags)	Two major productive habitats present. Less than desirable habitat, frequently disturbed or removed	One or less major productive habitat. Lack of habitat is obvious, substrates unstable or smothered
Substrate Diversity <u>13</u>	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1
Substrate Availability <u>7</u>	Greater than 30% major productive habitat present at site 20 19 18 17 16	16% to 30% major productive habitat, by aerial extent 15 14 13 12 11	6% to 15% major productive habitat 10 9 8 <u>7</u> 6	Less than 5% major productive habitat 5 4 3 2 1
Water Velocity <u>12</u>	Max. observed at typical transect: > 0.25 m/sec. But < 1 m/sec ≥0.33 0.31 0.29 0.27 >0.25 20 19 18 17 16	Max. observed at typical transect: >0.1 to 0.25 m/sec 0.25 0.21 0.17 0.13 >0.1 15 14 13 <u>12</u> 11	Max. observed at typical transect: 0.05 to 0.1 m/sec 0.1 0.09 0.07 0.06 0.05 10 9 8 7 6	Max. observed at typical transect: <0.05 m/sec; or spate occurring: > 1 m/sec <0.05 0.04 0.03 0.01 <0.01 5 4 3 2 1
Habitat Smothering <u>18</u> ----- Primary Score <u>50</u>	Adequate number of stable pools (1-2 per 12 times width) and <25% of habitats affected by sand, silt, or algae. 20 19 18 17 16	Adequate number of stable pools (1-2 per 12 times width) and >25% of habitats affected by sand, silt, or algae. 15 14 13 12 11	Does not have required number of stable pools (1-2 per 12 x width) and/or has shallow pools (<2 x prevailing depth). 10 9 8 7 6	Stable pools are absent. Most habitats affected by sand, silt, or algae accumulation. 5 4 3 2 1
Secondary Habitat Components	Expected sinuosity given the stream width. No evidence of dredging or artificial straightening. No spoil banks.	Good sinuosity within old channelized area. Evidence of dredging in the past (>25 yrs) but mostly recovered.	Straightened with trapezoidal cross section, but has a small degree of sinuosity developed within channelized area.	Straightened or engineered by dredging, has trapezoidal or box cut cross section, lacks required pools. May have spoil banks.
Artificial Channelization <u>20</u>	<u>20</u> 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1
Bank Stability	Bankfull > 60% of bank height. Slope of bank ≤ 60° from bankfull to top of bank. Bankfull is within or above the root zone with few raw, eroded areas.	Only meets 2 of the 3 requirements for optimal bank stability.	Only meets 1 of the 3 requirements for optimal bank stability.	Bankfull < 60% of bank height. Slope of bank > 60°. Bankfull is below the root zone with raw, eroded areas.
Right Bank <u>9</u> Left Bank <u>9</u>	10 9	8 7 6	5 4	3 2 1
Riparian Buffer Zone Width	Width of vegetation greater than 18 m	Width of vegetation >12 to 18m	Width of vegetation 6 to 12 m. human activities close to system	Less than 6 m of buffer zone due to intensive human activities
Right Bank <u>10</u> Left Bank <u>10</u>	10 9	8 7 6	5 4	3 2 1
Riparian Zone Vegetation Quality	Over 80% of riparian surfaces consist of normal, expected plant community for given sunlight & habitat conditions (e.g., native plants; tree, shrub, and forbs represented, if appropriate). Minimal disturbance.	>50% to 80% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Some disruption in community observed.	25% to 50% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Disruption obvious.	Less than 25% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions).
Right Bank <u>10</u> Left Bank <u>10</u> ----- Secondary Score <u>78</u>	10 9	8 7 6	5 4	3 2 1

128

TOTAL SCORE

Date: <u>9/3/15</u>	Analyst: <u>J Jackson</u>	Signature: <u>[Signature]</u>
---------------------	---------------------------	-------------------------------

DEP Form FD 9000-4 Stream/River Habitat Assessment Sketch Sheet



Length of grid represents 100 m of stream (not linear meters).
(Horizontal scale is double vertical scale, draw proportionately).

Location: SOPCHOPPY RIVER
Date: 9-3-15
Sampler: J JACKSON

100 m: Latitude	_____
Longitude	_____
0 m: Latitude	_____
Longitude	_____
Substrates: Code key, draw proportionate habitat abundance. %	
☒ #	Snags _____
☒ SS	Roots/undercut banks _____
☒ M	Leaf Packs (or mats) _____
☐	Aquatic Macrophytes _____
☒ E3	<u>ROCK</u> _____
☐	_____
☒ PLENTY	Pools total # observed = _____ # range expected = _____

Average width 10 m
Average depth 0.8 m

Velocity measured at 23 meter mark.

WQ & chemistry taken at 23 meter mark.

Habitat Smothering:
Note areas (on map) where sand or silt is smothering substrates, limiting habitability.

Bank Stability:
Note areas (on map) with unstable, eroding banks.

Riparian Buffer Width:
Note areas (on map) where natural vegetation is altered or eliminated.

Plants observed / other notes:

DEP FORM FD 9000-25 Rapid Periphyton Survey Field Sheet

Site: SOPCHOPPY RIVER County: WAKULLA Date: 7.3.15 Investigators: J JARSON

Transect (m) Point 1=right 9=left Algal Thickness Rank (N-6, X) Estimated Canopy Cover

Transect (m) Point 1=right 9=left Algal Thickness Rank (N-6, X) Estimated Canopy Cover

0 1 2 3 4 5 6 7 8 9 60 1 2 3 4 5 6 7 8 9

10 1 2 3 4 5 6 7 8 9 70 1 2 3 4 5 6 7 8 9

20 1 2 3 4 5 6 7 8 9 80 1 2 3 4 5 6 7 8 9

30 1 2 3 4 5 6 7 8 9 90 1 2 3 4 5 6 7 8 9

40 1 2 3 4 5 6 7 8 9 100 1 2 3 4 5 6 7 8 9

50 1 2 3 4 5 6 7 8 9

Record "N" and check "Estimated" for points deeper than the Secchi depth; algae are presumed absent. Check "Estimated" if thickness estimated for deep points which can be seen but not reached.

Record "X" for points shallower than Secchi depth for which substrate cannot be seen or reached with the hand. No estimated rank.

Record canopy cover as the number of small densiometer quadrants (out of 96) that HAVE canopy cover. Measure facing upstream at point 4, 5, or 6.

Collect algal mat sample following DEP SOP FS 7240 if the percentage of total sampled points with a thickness rank of 4, 5, or 6 is >20%.

STORET Station Number: 22020050

Secchi depth 0.6
Estimated? N

points ranked 4-6 1
total points assessed 99
% points ranked 4-6 <1%

Check accompanying data collected at same site/date.

Algal mat sample N
Linear Veg Survey Y
Habitat Assessment Y
SCI/Biorecon Y
Water sample T

RQ- 2015-08-17-30

Algal Thickness Rank	
N	rough, no algae, slimy, algae up to 1mm
3	>1mm - 6mm
4	>6mm - 20mm
5	>20mm - 10 cm
6	>10 cm

Waterbody: SOPCHOPPY RIVER	Date: 9.3.15	County: WAKULLA	Storet Number: 220205
Analyst: JACKSON	Signature: [Signature]		
Comments: NO PLANTS IN WATER			

[illegible]

SITE NAME: SOPCHOPPY RIVER DATE: 9.3.15 TIME 1030 EST CST DEPTH: 0.15 ft m FIELD ID: SURF
 (military)

SAMPLING TEAM MEMBERS	WQ MEASUREMENTS	DOCUMENTATION	SAMPLE COLLECTION	PRESERVATION	PRESERVATION CHECK
J JACKSON		X			
C SWANSON, <u>9/11/15</u>	X		X		
L OLNEY - <u>H₂O, SCI</u>			X	X	

SAMPLING EQUIPMENT	
☒ Sample Container	☐ Tubing type: _____
☐ Pole	☐ Other: _____
☐ Pump ID#: _____	☐ Other: _____
WATER QUALITY MEASUREMENTS	
Instrument ID: <u>YSI # 7</u>	
COLLECTION MODE	
☒ Wading	☐ Via Boat
☐ Diving	☐ Canoe
☐ From Shore	☐ Electric Motor
☐ Other: <u>EXCEPT QPCR - TAKEN w/ POLE FROM SHORE</u>	☐ Gasoline Motor

Parameter Suite	Parameter(s)/Method	Matrix Code	Preservation**	Preservative Lot #	pH Check	# Bottles ...
Preserved Nutrients	☒ TKN ☒ TP ☒ NOx ☒ NH3 ☒ TOC ☐ Total N ☐ Other: _____	S W	☒ Ice ☒ H ₂ SO ₄	5A-5113000	☒ <2	1
Filtered Nutrients	☐ oP ☐ Other: _____	W	☐ Ice ☐ .45 um Filter			
Unpreserved Nutrients	☐ NO ₂ ☐ NO ₃ ☐ SO ₄ ☐ Other: _____	W	☐ Ice			
Physical/Aggregate Properties	☒ TDS ☒ TSS ☐ TS ☒ Turbidity ☒ Alk ☒ Color ☐ Other: _____	S W	☒ Ice			1
Chlorophyll	☒ CHL-PPTN-W	S W	☒ Ice			1
BOD	☐ BOD-INHB ☐ BOD-UNIN	W	☐ Ice			
Microbiology	MF: ☒ E coli ☐ T Coli ☒ F Coli ☐ Entero ☐ F Strep	S W	☒ Ice			2
Macroinvertebrates	☒ MI-FW-QLDC ☐ MI-FW-QLBR ☐ MI-FW-QNNC ☐ MI-MN-QNNC	S W	☒ Formalin			2
Phytoplankton	☐ PKD-QN-C ☐ DTY-QN-C	W	☐ Lugol's			
Periphyton	☐ PRN-QL-C ☐ DTM-QL-C ☐ PRN-QN-C ☐ DTM-QN-C	W	☐ Formalin			
AGP	☐ AA-AGP ☐ AA-LIM-NUT	W	☐ Ice			
Metals	☐ W-ICP ☐ W-FIAS ☐ W-ICPMS ☐ W-ICP-Tr	W	☐ HNO ₃		☐ <2	
Filtered Metals	☐ W-ICP-F ☐ W-FIAS-F ☐ W-ICPMS-F ☐ W-ICP-Tr-F	W	☐ HNO ₃ ☐ .45 um Filter		☐ <2	
Mercury	☐ W-HG-AF	W				
Base/Neutral / Acid Extractable	☐ W-BNA ☐ W-AE ☐ W-BN ☐ W-PAH ☐ W-FL-PRO ☐ W ☐ Other: _____	W	☐ Ice		☐ <2	
Pesticides	☐ W-PEST-CL ☐ W-PCB ☐ W-PEST-NP ☐ W-PSCL-PCB ☐ W-NP-AA-SF ☐ W-PC-AA-SF ☐ W-PSHRB-NP ☐ W-SLFN-UREA ☐ W-SULFN-LC ☐ Other: _____ ☐ W-ACIDHERB ☐ W-CARB	W	☐ Ice			
Purgeables	☐ W-VOC-MS ☐ W-VOC-MS-A	W	☐ Ice ☐ H ₂ SO ₄			
Bioassay	Specify Test: _____	W	☐ Ice			
OTHER	<u>W-SUC-AA-R</u>	S W	☒ Other: <u>ICE</u>			1

 Notes: QPCR S ICE 2

Use one line for each set of sample (as supplied by the laboratory) containers. Use separate sheet for field or laboratory duplicate or blank or different water depth

^Enter "S" for surface if collected at a depth less than or equal to 1 foot

*Matrix Codes (Insert prefix): SW = Surface Water GW = Groundwater DW = Drinking Water WW = Wastewater O = Other: _____

**PRESERVATIVES: 1 ml added unless otherwise noted

***Enter number of containers supplied by the laboratory for the test (e.g., 3 for volatile organics, etc.)

DEP Bureau of Laboratories Water Sample Collection Record

(Use with FDEP SOP-001/01 Form FD 9000-3 Physical/Chemical Characterization Field Sheet)