

Date of Request: 07-MAR-2016
 Created By: SKAGGS_J On: 07-MAR-2016
 Modified By: WATTS_J On: 14-MAR-2016
 Customer: SE-DIST
 Project: SCIREF
 Division: Division of Environmental Assessment and Restoration
 District: Southeast District
 Sampling Event: MOSQTUNK3/21

Send Coolers To:

Phone: (772) 467-5571
 FL Dept. of Environmental Protection
 2199 South Rock Road
 Fort Pierce, FL 34945
 Attn: Jordan Skaggs

Program Module Number: 1306
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 14-MAR-2016
 Biology Request Reviewed By: SWANSON_C On: 10-MAR-2016
 Sampling Kit Required: YES Ship on: 14-MAR-2016
 Sampling Kit Shipped: YES On: 14-MAR-2016
 Sampling Kit Packed By: LASHLEY_C
 Preservatives Needed: NO
 Date to Receive Samples: 21-MAR-2016
 Received By: SHAIK_A On: 24-MAR-2016

Send Final Report To:

FL Dept. of Environmental Protection
 2199 South Rock Road
 Fort Pierce, FL 34945
 Attn: Jordan Skaggs

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
Total Alkalinity		
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
Turbidity		
W-BR-IC	Template: DEFAULT	(EPA 300.0) Bromide in aqueous matrices
*Bromide		
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
Chloride		
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Fluoride		
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
Sulfate		
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
TDS		
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
TSS		
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
O-Phosphate-P		
Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
BOD-UNIN	Template: DEFAULT	(SM 5210 B) BOD, NOT nitrogen-inhibited
Biochemical Oxygen Demand-5 Day		
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry

Bottle Group A (Water) With 1 Samples:

Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Chlorophyll/Phaeophytin Ratio		
Chlorophyll-a, Corrected		
Chlorophyll-a, Uncorrected		
Phaeophytin-a		
Bottle Type: ECOLI-18QT	Number of Bottles: 2	Preserved With: ICE
Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems	
Escherichia Coli-Quanti-Tray		
ENT-24-QT	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert Quanti-Tray method - non-chlorinated water systems
Enterococci-Quanti-Tray		
Bottle Type: P-120ML-OC	Number of Bottles: 1	Preserved With: ICE
FCOLI-MF	Template: DEFAULT	(SM 9222 D) Fecal coliforms by membrane filter method - non-chlorinated water systems
Fecal Coliforms-Membrane Filter		
Bottle Type: QPCR-P-250ML	Number of Bottles: 2	Preserved With: ICE
PCR-HF183	Template: DEFAULT	(SOP-PCR-1.0) Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction
*HF183-qPCR		
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICP	Template: DEFAULT	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Magnesium		
Potassium		
Sodium		
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
Ammonia-N		
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
NO2NO3-N		
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
Total-P		
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Kjeldahl Nitrogen		
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Organic Carbon		
Bottle Type: BG-1L	Number of Bottles: 1	Preserved With: ICE
W-PCP-AA-R	Template: DEFAULT	(EPA 8321B) Personal Care Products and pesticides in water matrices by HPLC/MS/MS
*Acetaminophen		
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
*Sucralose		

Bottle Group B (Biological) With 1 Samples:

Bottle Type: PJ-2L	Number of Bottles: 2	Preserved With: Formalin
MI-FW-QLDC	Template: DEFAULT	(SOP-IZ06) No. Taxa of FW macroinverts, qual samp, 20 dipnets.
*Macroinvert-FW-Qual-DipnetX20-#Taxa-Rep2		
*Stream Condition Index (SCI)		

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.