

Laboratory Results

Lee County Environmental Laboratory

60-2 Danley Drive
Fort Myers, FL 33907
239-533-8600



To: Natural Resources Management
1500 Monroe St
Fort Myers FL 33901
RE: Tidal Caloosa

Report Date: 2/12/2018

Below are the results of samples submitted to this laboratory on 1/29/2018

Laboratory ID	AD65232	Collection date and time	1/29/2018 10:35 AM
Location Code	CRNEP_RS	Sample Collector	NICOLE REISTAD
Sample Description	Grid #417		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	3.79		mg/M3	0.5	2.0	1/30/2018	9:15 AM	SM21 10200 H
Pheophytin	2.96		mg/M3	0.5	2.0	1/30/2018	9:15 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	0.6	I J99	mg/L	0.3	1.2	1/30/2018	10:11 AM	SM20 5210 B
For this data set AD65232- AD65238, seed correction at 1.2 mg/L, not within 0.6-1.0 mg/L range								
Color	55.7		CU	1.6	6.4	1/30/2018	9:17 AM	SM21 2120 C
Oxygen, Dissolved, Electrode, by Client	9.0		mg/L	0.1		1/29/2018	10:35 AM	FDEP FT1500
Enterococci	31		MPN/100mL	10		1/29/2018	3:00 PM	Enterolert®
E.coli Enumeration	42		MPN/100mL	10		1/29/2018	3:00 PM	Colilert-18®
Ammonia	0.014	U	mg/L as N	0.014	0.056	1/31/2018	11:34 AM	EPA 350.1
Nitrite	0.003	U	mg/L as N	0.003	0.012	1/30/2018	8:45 AM	EPA 353.2
Nitrate	0.012	I	mg/L as N	0.01	0.04	1/30/2018	8:45 AM	EPA 353.2
Nitrate + Nitrite	0.012	I	mg/L as N	0.01	0.04	1/30/2018	8:45 AM	EPA 353.2
Nitrogen, Organic	0.67		mg/L as N	0.05	0.2	1/31/2018	9:03 AM	TKN - NH3
Phosphorus, Ortho	0.027		mg/L as P	0.004	0.016	1/29/2018	3:25 PM	EPA 365.1
Salinity by meter by Client	12.5		SU	0.1		1/29/2018	10:35 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	1.0	S	meters	0.1		1/29/2018	10:35 AM	FDEP FT 1700
Silica, dissolved as SiO2	1.8		mg/L as SiO2	0.1	0.4	1/29/2018	3:07 PM	SM4500 C
Depth of Water Body	1.0		Meters			1/29/2018	10:35 AM	FS2100
Nitrogen, Kjeldahl, Total	0.67		mg/L as N	0.05	0.2	1/31/2018	9:03 AM	EPA 351.2
Nitrogen, Total	0.68		mg/L as N	0.05	0.2	1/31/2018	9:03 AM	TKN + NOX

Laboratory ID	AD65232	Collection date and time	1/29/2018 10:35 AM
Location Code	CRNEP_RS	Sample Collector	NICOLE REISTAD
Sample Description	Grid #417		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Total Organic Carbon	11		mg/L	1	4	1/31/2018	3:35 PM	SM21 5310 B
Phosphorus, Total	0.073		mg/L as P	0.006	0.024	1/31/2018	9:09 AM	EPA 365.1
Total Suspended Solids	8.15		mg/L	0.6	2.4	1/30/2018	8:00 AM	SM21 2540 D
Turbidity (Nephelometric)	1.43		NTU	0.2	0.8	1/30/2018	7:51 AM	EPA 180.1

Laboratory ID	AD65233	Collection date and time	1/29/2018 12:20 PM
Location Code	CRNEP_RS	Sample Collector	NICOLE REISTAD
Sample Description	Grid #453		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	4.86		mg/M3	0.5	2.0	1/30/2018	9:15 AM	SM21 10200 H
Pheophytin	4.93		mg/M3	0.5	2.0	1/30/2018	9:15 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	0.5	I J99	mg/L	0.3	1.2	1/30/2018	10:11 AM	SM20 5210 B
Color	72.6		CU	1.6	6.4	1/30/2018	9:17 AM	SM21 2120 C
Oxygen, Dissolved, Electrode, by Client	8.6		mg/L	0.1		1/29/2018	12:20 PM	FDEP FT1500
Enterococci	75		MPN/100mL	10		1/29/2018	3:00 PM	Enterolert®
E.coli Enumeration	207		MPN/100mL	10		1/29/2018	3:00 PM	Colilert-18®
Ammonia	0.044	I	mg/L as N	0.014	0.056	1/31/2018	11:34 AM	EPA 350.1
Nitrite	0.004	I	mg/L as N	0.003	0.012	1/30/2018	8:45 AM	EPA 353.2
Nitrate	0.191		mg/L as N	0.01	0.04	1/30/2018	8:45 AM	EPA 353.2
Nitrate + Nitrite	0.195		mg/L as N	0.01	0.04	1/30/2018	8:45 AM	EPA 353.2
Nitrogen, Organic	0.65		mg/L as N	0.05	0.2	1/31/2018	9:03 AM	TKN - NH3
Phosphorus, Ortho	0.059		mg/L as P	0.004	0.016	1/29/2018	3:25 PM	EPA 365.1
Salinity by meter by Client	5.3		SU	0.1		1/29/2018	12:20 PM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	0.55		meters	0.1		1/29/2018	12:20 PM	FDEP FT 1700
Silica, dissolved as SiO2	5.2		mg/L as SiO2	0.1	0.4	1/29/2018	3:07 PM	SM4500 C
Depth of Water Body	1.5		Meters			1/29/2018	12:20 PM	FS2100
Nitrogen, Kjeldahl, Total	0.69		mg/L as N	0.05	0.2	1/31/2018	9:03 AM	EPA 351.2
Nitrogen, Total	0.89		mg/L as N	0.05	0.2	1/31/2018	9:03 AM	TKN + NOX
Total Organic Carbon	14		mg/L	1	4	1/31/2018	3:35 PM	SM21 5310 B
Phosphorus, Total	0.11		mg/L as P	0.006	0.024	1/31/2018	9:09 AM	EPA 365.1
Total Suspended Solids	11.9		mg/L	0.6	2.4	1/30/2018	8:00 AM	SM21 2540 D

Laboratory ID	AD65233	Collection date and time	1/29/2018 12:20 PM
Location Code	CRNEP_RS	Sample Collector	NICOLE REISTAD
Sample Description	Grid #453		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Turbidity (Nephelometric)	8.80		NTU	0.2	0.8	1/30/2018	7:51 AM	EPA 180.1

Laboratory ID	AD65234	Collection date and time	1/29/2018 9:53 AM
Location Code	CRNEP_RS	Sample Collector	NICOLE REISTAD
Sample Description	Grid #386		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	2.51		mg/M3	0.5	2.0	1/30/2018	9:15 AM	SM21 10200 H
Pheophytin	1.44	I	mg/M3	0.5	2.0	1/30/2018	9:15 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	0.4	I J99	mg/L	0.3	1.2	1/30/2018	10:11 AM	SM20 5210 B
Color	28.1		CU	1.6	6.4	1/30/2018	9:17 AM	SM21 2120 C
Oxygen, Dissolved, Electrode, by Client	8.3		mg/L	0.1		1/29/2018	9:53 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		1/29/2018	3:00 PM	Enterolert®
E.coli Enumeration	10	U	MPN/100mL	10		1/29/2018	3:00 PM	Colilert-18®
Ammonia	0.014	U	mg/L as N	0.014	0.056	1/31/2018	11:34 AM	EPA 350.1
Nitrite	0.003	U	mg/L as N	0.003	0.012	1/30/2018	8:45 AM	EPA 353.2
Nitrate	0.010	U	mg/L as N	0.01	0.04	1/30/2018	8:45 AM	EPA 353.2
Nitrate + Nitrite	0.010	U	mg/L as N	0.01	0.04	1/30/2018	8:45 AM	EPA 353.2
Nitrogen, Organic	0.44		mg/L as N	0.05	0.2	1/31/2018	9:03 AM	TKN - NH3
Phosphorus, Ortho	0.019		mg/L as P	0.004	0.016	1/29/2018	3:25 PM	EPA 365.1
Salinity by meter by Client	24.1		SU	0.1		1/29/2018	9:53 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	1.2		meters	0.1		1/29/2018	9:53 AM	FDEP FT 1700
Silica, dissolved as SiO2	1.4		mg/L as SiO2	0.1	0.4	1/29/2018	3:07 PM	SM4500 C
Depth of Water Body	1.6		Meters			1/29/2018	9:53 AM	FS2100
Nitrogen, Kjeldahl, Total	0.44		mg/L as N	0.05	0.2	1/31/2018	9:03 AM	EPA 351.2
Nitrogen, Total	0.44		mg/L as N	0.05	0.2	1/31/2018	9:03 AM	TKN + NOX
Total Organic Carbon	6.7		mg/L	1	4	1/31/2018	3:35 PM	SM21 5310 B
Phosphorus, Total	0.045		mg/L as P	0.006	0.024	1/31/2018	9:09 AM	EPA 365.1
Total Suspended Solids	23.7		mg/L	0.6	2.4	1/30/2018	8:00 AM	SM21 2540 D
Turbidity (Nephelometric)	3.30		NTU	0.2	0.8	1/30/2018	7:51 AM	EPA 180.1

Laboratory ID	AD65235	Collection date and time	1/29/2018 11:55 AM
Location Code	CRNEP_RS	Sample Collector	NICOLE REISTAD
Sample Description	Grid #448		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	3.19		mg/M3	0.5	2.0	1/30/2018	9:15 AM	SM21 10200 H
Pheophytin	2.33		mg/M3	0.5	2.0	1/30/2018	9:15 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	0.5	I J99	mg/L	0.3	1.2	1/30/2018	10:11 AM	SM20 5210 B
Color	67.7		CU	1.6	6.4	1/30/2018	9:17 AM	SM21 2120 C
Oxygen, Dissolved, Electrode, by Client	8.8		mg/L	0.1		1/29/2018	11:55 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		1/29/2018	3:00 PM	Enterolert®
E.coli Enumeration	42		MPN/100mL	10		1/29/2018	3:00 PM	Colilert-18®
Ammonia	0.028	I	mg/L as N	0.014	0.056	1/31/2018	11:34 AM	EPA 350.1
Nitrite	0.003	I	mg/L as N	0.003	0.012	1/30/2018	8:45 AM	EPA 353.2
Nitrate	0.111		mg/L as N	0.01	0.04	1/30/2018	8:45 AM	EPA 353.2
Nitrate + Nitrite	0.114		mg/L as N	0.01	0.04	1/30/2018	8:45 AM	EPA 353.2
Nitrogen, Organic	0.77		mg/L as N	0.05	0.2	1/31/2018	9:03 AM	TKN - NH3
Phosphorus, Ortho	0.047		mg/L as P	0.004	0.016	1/29/2018	3:25 PM	EPA 365.1
Salinity by meter by Client	7.6		SU	0.1		1/29/2018	11:55 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	0.9		meters	0.1		1/29/2018	11:55 AM	FDEP FT 1700
Silica, dissolved as SiO2	3.8		mg/L as SiO2	0.1	0.4	1/29/2018	3:07 PM	SM4500 C
Depth of Water Body	2.2		Meters			1/29/2018	11:55 AM	FS2100
Nitrogen, Kjeldahl, Total	0.80		mg/L as N	0.05	0.2	1/31/2018	9:03 AM	EPA 351.2
Nitrogen, Total	0.91		mg/L as N	0.05	0.2	1/31/2018	9:03 AM	TKN + NOX
Total Organic Carbon	13		mg/L	1	4	2/9/2018	9:09 AM	SM21 5310 B
Phosphorus, Total	0.082		mg/L as P	0.006	0.024	1/31/2018	9:09 AM	EPA 365.1
Total Suspended Solids	8.30		mg/L	0.6	2.4	1/30/2018	8:00 AM	SM21 2540 D
Turbidity (Nephelometric)	4.15		NTU	0.2	0.8	1/30/2018	7:51 AM	EPA 180.1

Laboratory ID	AD65236	Collection date and time	1/29/2018 11:10 AM
Location Code	CRNEP_RS	Sample Collector	NICOLE REISTAD
Sample Description	Grid #436		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	3.46		mg/M3	0.5	2.0	1/31/2018	9:07 AM	SM21 10200 H
Pheophytin	2.48		mg/M3	0.5	2.0	1/31/2018	9:07 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	0.5	I J99	mg/L	0.3	1.2	1/30/2018	10:11 AM	SM20 5210 B

Laboratory ID	AD65236	Collection date and time	1/29/2018 11:10 AM
Location Code	CRNEP_RS	Sample Collector	NICOLE REISTAD
Sample Description	Grid #436		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Color	65.1		CU	1.6	6.4	1/30/2018	9:17 AM	SM21 2120 C
Oxygen, Dissolved, Electrode, by Client	8.8		mg/L	0.1		1/29/2018	11:10 AM	FDEP FT1500
Enterococci	31		MPN/100mL	10		1/29/2018	3:00 PM	Enterolert®
E.coli Enumeration	42		MPN/100mL	10		1/29/2018	3:00 PM	Colilert-18®
Ammonia	0.021	I	mg/L as N	0.014	0.056	1/31/2018	11:34 AM	EPA 350.1
Nitrite	0.003	I	mg/L as N	0.003	0.012	1/30/2018	8:45 AM	EPA 353.2
Nitrate	0.086		mg/L as N	0.01	0.04	1/30/2018	8:45 AM	EPA 353.2
Nitrate + Nitrite	0.089		mg/L as N	0.01	0.04	1/30/2018	8:45 AM	EPA 353.2
Nitrogen, Organic	0.66		mg/L as N	0.05	0.2	1/31/2018	9:03 AM	TKN - NH3
Phosphorus, Ortho	0.039		mg/L as P	0.004	0.016	1/29/2018	3:25 PM	EPA 365.1
Salinity by meter by Client	8.7		SU	0.1		1/29/2018	11:10 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	0.9		meters	0.1		1/29/2018	11:10 AM	FDEP FT 1700
Silica, dissolved as SiO2	3.3		mg/L as SiO2	0.1	0.4	1/29/2018	3:07 PM	SM4500 C
Depth of Water Body	2.4		Meters			1/29/2018	11:10 AM	FS2100
Nitrogen, Kjeldahl, Total	0.68		mg/L as N	0.05	0.2	1/31/2018	9:03 AM	EPA 351.2
Nitrogen, Total	0.77		mg/L as N	0.05	0.2	1/31/2018	9:03 AM	TKN + NOX
Total Organic Carbon	12		mg/L	1	4	2/9/2018	9:09 AM	SM21 5310 B
Phosphorus, Total	0.068		mg/L as P	0.006	0.024	1/31/2018	9:09 AM	EPA 365.1
Total Suspended Solids	7.93		mg/L	0.6	2.4	1/30/2018	8:00 AM	SM21 2540 D
Turbidity (Nephelometric)	5.56		NTU	0.2	0.8	1/30/2018	7:51 AM	EPA 180.1

Laboratory ID	AD65237	Collection date and time	1/29/2018 11:23 AM
Location Code	CRNEP_RSBOT	Sample Collector	NICOLE REISTAD
Sample Description	Grid #436 Bottom		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	3.47		mg/M3	0.5	2.0	1/31/2018	9:07 AM	SM21 10200 H
Pheophytin	2.41		mg/M3	0.5	2.0	1/31/2018	9:07 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	0.4	I J99	mg/L	0.3	1.2	1/30/2018	10:11 AM	SM20 5210 B
Color	61.0		CU	1.6	6.4	1/30/2018	9:17 AM	SM21 2120 C
Oxygen, Dissolved, Electrode, by Client	5.3		mg/L	0.1		1/30/2018	11:12 AM	FDEP FT1500
Enterococci	20		MPN/100mL	10		1/29/2018	3:00 PM	Enterolert®

Laboratory ID AD65237
 Location Code CRNEP_RSBOT
 Sample Description Grid #436 Bottom

Collection date and time 1/29/2018 11:23 AM
 Sample Collector NICOLE REISTAD

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
E.coli Enumeration	31		MPN/100mL	10		1/29/2018	3:00 PM	Colilert-18®
Ammonia	0.018	I	mg/L as N	0.014	0.056	1/31/2018	11:34 AM	EPA 350.1
Nitrite	0.003	I	mg/L as N	0.003	0.012	1/30/2018	8:45 AM	EPA 353.2
Nitrate	0.049		mg/L as N	0.01	0.04	1/30/2018	8:45 AM	EPA 353.2
Nitrate + Nitrite	0.052		mg/L as N	0.01	0.04	1/30/2018	8:45 AM	EPA 353.2
Nitrogen, Organic	0.69		mg/L as N	0.05	0.2	1/31/2018	9:03 AM	TKN - NH3
Phosphorus, Ortho	0.031		mg/L as P	0.004	0.016	1/29/2018	3:25 PM	EPA 365.1
Salinity by meter by Client	9.9		SU	0.1		1/30/2018	11:12 AM	FDEP FT 1300
Silica, dissolved as SiO2	2.6		mg/L as SiO2	0.2	0.8	1/30/2018	1:48 PM	SM4500 C
Depth of Water Body	2.4		Meters			1/30/2018	11:12 AM	FS2100
Nitrogen, Kjeldahl, Total	0.71		mg/L as N	0.05	0.2	1/31/2018	9:03 AM	EPA 351.2
Nitrogen, Total	0.76		mg/L as N	0.05	0.2	1/31/2018	9:03 AM	TKN + NOX
Total Organic Carbon	12		mg/L	1	4	2/9/2018	9:09 AM	SM21 5310 B
Phosphorus, Total	0.061		mg/L as P	0.006	0.024	1/31/2018	9:09 AM	EPA 365.1
Total Suspended Solids	5.73		mg/L	0.6	2.4	1/30/2018	8:00 AM	SM21 2540 D
Turbidity (Nephelometric)	3.11		NTU	0.2	0.8	1/30/2018	7:51 AM	EPA 180.1

Laboratory ID AD65238
 Location Code CRNEP_EQ
 Sample Description EB Site #453

Collection date and time 1/29/2018 12:40 PM
 Sample Collector NICOLE REISTAD

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	0.50	U	mg/M3	0.5	2.0	1/30/2018	9:15 AM	SM21 10200 H
Pheophytin	0.50	U	mg/M3	0.5	2.0	1/30/2018	9:15 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	0.3	U J99	mg/L	0.3	1.2	1/30/2018	10:11 AM	SM20 5210 B
Color	1.6	U	CU	1.6	6.4	1/30/2018	9:17 AM	SM21 2120 C
Oxygen, Dissolved, Electrode, by Client	9.2		mg/L	0.1		1/29/2018	12:40 PM	FDEP FT1500
Enterococci	2	U	MPN/100mL	2		1/29/2018	3:00 PM	Enterolert®
E.coli Enumeration	2	U	MPN/100mL	2		1/29/2018	3:00 PM	Colilert-18®
Ammonia	0.014	U	mg/L as N	0.014	0.056	1/31/2018	11:34 AM	EPA 350.1
Nitrite	0.003	U	mg/L as N	0.003	0.012	1/30/2018	8:45 AM	EPA 353.2
Nitrate	0.010	U	mg/L as N	0.01	0.04	1/30/2018	8:45 AM	EPA 353.2

Laboratory ID AD65238
Location Code CRNEP_EQ
Sample Description EB Site #453

Collection date and time 1/29/2018 12:40 PM
Sample Collector NICOLE REISTAD

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Nitrate + Nitrite	0.010	U	mg/L as N	0.01	0.04	1/30/2018	8:45 AM	EPA 353.2
Nitrogen, Organic	0.0500	U	mg/L as N	0.05	0.2	1/31/2018	9:03 AM	TKN - NH3
Phosphorus, Ortho	0.004	U	mg/L as P	0.004	0.016	1/29/2018	3:25 PM	EPA 365.1
Salinity by meter by Client	0.1	U	SU	0.1		1/29/2018	12:40 PM	FDEP FT 1300
Silica, dissolved as SiO2	0.1	U	mg/L as SiO2	0.1	0.4	1/29/2018	3:07 PM	SM4500 C
Nitrogen, Kjeldahl, Total	0.05	U	mg/L as N	0.05	0.2	1/31/2018	9:03 AM	EPA 351.2
Nitrogen, Total	0.0500	U	mg/L as N	0.05	0.2	1/31/2018	9:03 AM	TKN + NOX
Total Organic Carbon	1.000	U	mg/L	1	4	1/31/2018	3:35 PM	SM21 5310 B
Phosphorus, Total	0.006	U	mg/L as P	0.006	0.024	1/31/2018	9:09 AM	EPA 365.1
Total Suspended Solids	0.6	U	mg/L	0.6	2.4	1/30/2018	8:00 AM	SM21 2540 D
Turbidity (Nephelometric)	0.20	U	NTU	0.2	0.8	1/30/2018	7:51 AM	EPA 180.1

Qualifiers:

- I The value is less than, or equal to, the laboratory's practical quantitation limit (PQL) and greater than the minimum detection limit (MDL).
I J99 The value is < or = to the PQL and > the MDL. Seeded BOD samples did not exhibit dissolved oxygen drop of at least 2 mg/L.
S Secchi disk visible to bottom of waterbody. Value reported is the depth of the waterbody at the location of Secchi disk measurement.
U Indicates that the compound was analyzed for but not detected.
U J99 Indicates that the compound was analyzed for but not detected. Seeded BOD samples did not exhibit DO drop of at least 2 mg/L.

Unless noted otherwise, these test results meet all the requirements of the 2003 NELAC Standards.
The results provided herein relate only to the samples cited as they were received by the laboratory. All questions regarding this report should be directed to Rick Armstrong, Laboratory Manager.



Rick Armstrong
Lab Manager
Lee County Environmental Lab

LCEL



Lee County Environmental Laboratory
60-2 Danley Dr Ft Myers, FL 33907
Phone: (239) 533-8600

Analysis Request & Chain of Custody Record

Lab Certification: E45049

LCEL_F_COC_20150828R1

LCEL does not accept any samples used for evidentiary purposes

Report/Result Information				Billing/Invoice Information				Page 1 of 1													
Name: FDEP - South ATTN: Kirby Wolfe Address: 2295 Victoria Ave, Suite 364 PO Box 2549 Ft Myers FL 33901 Phone: (239) 344-5719 Sample Collector(s) (please print): MaryAnn Dugan / Nicole Reistad				Name: DNR RE: CCHMN-Tidal Caloosa Address: 1500 Monroe St Ft Myers, FL 33901 Phone: (239) 533-8109 Sample Collector Signature:				Matrix Codes: DW-Drinking water GW- Ground water WW-Waste water SW-Surface water WWS-Wastewater Sludge S-Sediment O-Other				Preservative Codes: NP-No Preservative N-Nitric Acid S-Sulfuric Acid H-Hydrochloric Acid SH-Sodium Hydroxide ST-Sodium Thiosulfate O-Other									
Relinquished By: (signature) 				Date 01/29/18		Time 1430		Received By: (signature) 		\$Chloro. _prep		O-PO4, Color, NOX		TOC		NH3, TKN, TN, T-PO4, NO3, ONIT		Turb, NO2, TSS, Silica, Bod, Bodi		Mug2QT, Entero	
Relinquished By: (signature)				Date		Time		Received By: (signature)													
Relinquished By: (signature)				Date		Time		Received By: (signature)													
Sample(s) on ice ☒ Yes or ☐ No? Temperature °C: 0.8°C				NP		NPF		S		S		NP		ST		Preservatives (see codes)					
Collection Date Time		Sample Description & Location		Matrix (see codes)		# of Sample Containers Submitted								Lab ID #							
01/29/18 1035		CRNEP_RS #417		SWE		1		1		1		1		2		1		AD65232			
01/29/18 1220		CRNEP_RS #453		SWE		1		1		1		1		2		1		AD65233			
01/29/18 0953		CRNEP_RS #386		SWE		1		1		1		1		2		1		AD65234			
01/29/18 1155		CRNEP_RS #448		SWE		1		1		1		1		2		1		AD65235			
01/29/18 1110		CRNEP_RS #436		SWE		1		1		1		1		2		1		AD65236			
01/29/18 1123		CRNEP_RSBOT #436 Bottom		SWE		1		1		1		1		2		1		AD65237			
01/29/18 1240		CRNEP_EQ #		SWE		1		1		1		1		2		1		AD65238			

**SAMPLES SHOULD BE IN WET ICE & LESS THAN 6° C (42.8°F)
OR THEY MAYBE QUALIFIED***

*Qualified = the data may not be accurate and regulatory agencies may not accept qualified data.