

Log-in Checklist

RQ-2018-10-01-11

Login Station ID: #4

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 10/25/18 @ 10:20

Cooler Temperature*	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
				Present?		*Intact?		
	HNO ₃	Formalin		Yes	No	Yes	No	
6.3°C			15		X			4385 5033 7465
0.9°C			10		X			4385 5033 7454
1.9°C			15		X			4385 5033 7443

* HNO₃ and Formalin persevered samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes No X Date

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No X If yes, is it intact? Yes No

**Caps on tight? Yes ✓ No **Containers intact? Yes ✓ No

**Sufficient Sample Volume: Yes ✓ No

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes No X Init: me

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21			W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No NA Init: me

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No NA X Init: me

Coolers Unpacked/Checked by: Tyler K. Date: 10/25/18 NCRs (Y/N)? N

Event ID: CALOOSA LT 3240BC NCR #

SO-DIST-2018-10-25-03 (BMAP)

Page 1 of 2, 8/ Date Received: 25-OCT-2018 10:2

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_04_2018
pH Paper 0.0 – 3.0 Lot #	230515 EXP:10/30/2018
pH Paper 0 – 13 Lot #	222516 EXP:09/15/2019
Chlorine Test Strips Lot #	091417V EXP:09/2021

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Central Laboratory Submittal Form

Customer: SO-DIST

Project ID: BMAP

Requester: John Barrington

Field Report Prepared By: JOHN BARRINGTON

Collected By: JOHN BARRINGTON, CHASE CONLEY

Sampling Agency: FDEP SOROC 8052

Field ID/WIN ID G3SD0112		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 10/24/18 Time 1155	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Location US 41, Marker # 38		Matrix (type, e.g., Salt, Fresh, etc) SALT	Diss. Oxygen 10.89	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Temp (C) 27.67	pH 8.33	Sample Depth 0.3	Sp. Conductance (umho/cm) 8547	
Field ID/WIN ID G3SD0113		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 10/24/18 Time 1710	Eastern Central	Composite end Date Time	Bottle Group(s)
Location Marker # 28		Matrix (type, e.g., Salt, Fresh, etc) SALT	Diss. Oxygen 8.15	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Temp (C) 29.32	pH 7.96	Sample Depth 0.3	Sp. Conductance (umho/cm) 5999	
Field ID/WIN ID G3SD0114		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 10/24/18 Time 1720	Eastern Central	Composite end Date Time	Bottle Group(s)
Location Marker # 22		Matrix (type, e.g., Salt, Fresh, etc) SALT	Diss. Oxygen 6.74	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Temp (C) 30.84	pH 7.72	Sample Depth 0.3	Sp. Conductance (umho/cm) 3862	
Field ID/WIN ID G3SD0115		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 10/24/18 Time 1730	Eastern Central	Composite end Date Time	Bottle Group(s)
Location Old Swing Bridge		Matrix (type, e.g., Salt, Fresh, etc) SALT	Diss. Oxygen 6.00	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Temp (C) 31.00	pH 7.71	Sample Depth 0.3	Sp. Conductance (umho/cm) 3787	

Relinquished By: JOHN BARRINGTON	Date/Time 10/24/18, 1600	Shipping Method FEDEX	Number of Coolers Shipped: 3	Received By: Tyler R.	Date/Time 10/25/18 @ 10:20
-------------------------------------	-----------------------------	--------------------------	---------------------------------	--------------------------	-------------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 8	Preservative: ICE	Enter Number of Bottles Sent to Lab	8
BOD-UNIN						
Group: A	Bottle Type:	P-125ML	# of Bottles: 8	Preservative: FILTER-H2SO4-ICE	Enter Number of Bottles Sent to Lab	8
W-DOC						
Group: A	Bottle Type:	P-500ML	# of Bottles: 8	Preservative: HNO3	Enter Number of Bottles Sent to Lab	8
W-ICP						
W-ICPMS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 8	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	8
W-NO2NO3						
W-TKN						
W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 8	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	8
W-PO4-F						

Customer: SO-DIST

Requester: John Barrington

Field Report Prepared By: JOHN BARRINGTON

Project ID: BMAP

Collected By: JOHN BARRINGTON, CHASE COUNTY

Sampling Agency: FDEP SOROC 8052

Lc	Field ID/WIN ID G3SD0116	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 10/24/18 Time 1240	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s) (See pg 2)
Fi	Location MidChannel@OrangeRiver	Matrix (type, e.g., Salt, Fresh, etc) FRESH	Diss. Oxygen 5.67	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) _____	A
W	Temp (C) 33.84	pH 7.65	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 3529	
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt) ☐ dd ☐ dms		Comments
Lc	Field ID/WIN ID G3SD0117	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 10/24/18 Time 1250	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s)
Fi	Location Upstream of Power Plant	Matrix (type, e.g., Salt, Fresh, etc) FRESH	Diss. Oxygen 6.78	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) _____	A
W	Temp (C) 28.49	pH 7.63	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 3148	
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt) ☐ dd ☐ dms		Comments
Lc	Field ID/WIN ID G3SD0118	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 10/24/18 Time 1305	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s)
Fi	Location Mid Channel off Oxbow	Matrix (type, e.g., Salt, Fresh, etc) FRESH	Diss. Oxygen 5.48	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) _____	A
W	Temp (C) 28.72	pH 7.53	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 2633	
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt) ☐ dd ☐ dms		Comments
Lc	Field ID/WIN ID G3SD0119	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 10/24/18 Time 1315	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s)
Fi	Location Mid channel off point	Matrix (type, e.g., Salt, Fresh, etc) FRESH	Diss. Oxygen 5.17	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) _____	A
W	Temp (C) 28.54	pH 7.56	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 2348	
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt) ☐ dd ☐ dms		Comments

Relinquished By: JOHN BARRINGTON	Date/Time 10/24/18, 1600	Shipping Method FEDEX	Number of Coolers Shipped: 3	Received By: Tyler N.	Date/Time 10/20/18 @ 10:20
-------------------------------------	-----------------------------	--------------------------	---------------------------------	--------------------------	-------------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 8	Preservative: ICE	Enter Number of Bottles Sent to Lab	8
BOD-UNIN						
Group: A	Bottle Type:	P-125ML	# of Bottles: 8	Preservative: FILTER-H2SO4-ICE	Enter Number of Bottles Sent to Lab	8
W-DOC						
Group: A	Bottle Type:	P-500ML	# of Bottles: 8	Preservative: HNO3	Enter Number of Bottles Sent to Lab	8
W-ICP						
W-ICPMS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 8	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	8
				SA 8197090 7/16/19		
				LA 8099110 7/9/19		
Group: A	Bottle Type:	P-125ML	# of Bottles: 8	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	8
W-PO4-F						

Date of Request: 30-JUL-2018
 Created By: BARRINGT_J On: 30-JUL-2018
 Modified By: SWANSON_C On: 12-SEP-2018
 Customer: SO-DIST
 Project: BMAP
 Division: Division of Environmental Assessment and Restoration
 District: South District
 Sampling Event: CALOOSA LT 3240BC

Send Coolers To:

Phone: 239-344-5720
 FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: John Barrington

Send Final Report To:

FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: John Barrington

Program Module Number:

Priority: 3

Event Status: S

Criminal Investigation: NO

Chemistry Request Reviewed By: AYRES_J On: 12-SEP-2018

Biology Request Reviewed By: SWANSON_C On: 12-SEP-2018

Sampling Kit Required: YES Ship on: 21-SEP-2018

Sampling Kit Shipped: YES On: 17-SEP-2018

Sampling Kit Packed By: GREENWOO_J

Preservatives Needed: YES

Date to Receive Samples: 01-OCT-2018

Received By:

Report Type: Final Only

FTP Data: NO

QC Report: YES

Date Log: NO

Authorization Log: NO

Comments: Group B: WBID 3240B AND 3240C

Bottle Group A (Water) With 8 Samples:

Bottle Type: P-1L	Number of Bottles: 8	Preserved With: ICE
BOD-UNIN	Template: DEFAULT	(SM 5210 B) BOD, NOT nitrogen-inhibited
Bottle Type: P-125ML	Number of Bottles: 8	Preserved With: FILTER-H2SO4-ICE
W-DOC	Template: DEFAULT	(SM 5310 B-00) Dissolved Nonpurgeable Organic Carbon in filtered, aqueous matrices
Bottle Type: P-500ML	Number of Bottles: 8	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Chromium		
Iron		
Zinc		
W-ICPMS	Template: PRTY	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		
Cadmium		
Copper		
Lead		
Nickel		
Silver		
Bottle Type: P-500ML	Number of Bottles: 8	Preserved With: ICE And H2SO4
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 8	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

