

RQ-201812-03-09

Log-in Checklist

Login Station ID: #2

Shipping Method: FedEx | UPS | HD | GreyhoundDate/Time of Receipt: 12-12-18/10:20

Cooler Temperature*	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
	HNO ₃	Formalin		Present?		*Intact?		
				Yes	No	Yes	No	
1.9			5		✓			
-0.5			20		✓			
-1.3			15					

* HNO₃ and Formalin preserved samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes No Date

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ✓ No ✓ If yes, is it intact? Yes ✓ No

**Caps on tight? Yes ✓ No **Containers intact? Yes ✓ No

**Sufficient Sample Volume: Yes ✓ No

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes No Init:

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21			W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No NA Init: SR

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No ✓ NA Init: SR

Coolers Unpacked/Checked by: SR Date: 12-12-18 NCRs (Y/N)? N

Event ID: CALOOSA LT 3240BC
SO-DIST-2018-12-02 (BMAP)

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_02_2018
pH Paper 0.0 – 3.0 Lot #	230515 EXP:10-30-18
pH Paper 0 – 13 Lot #	222516 EXP:08-15-19
Chlorine Test Strips Lot #	7226 EXP: 07/2020

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

CALOOSA LT 3240BC

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SO-DIST

Requester: John Barrington

Field Report Prepared By:

JOHN BARRINGTON

Project ID: BMAP

Collected By:

JOHN BARRINGTON, CHASE CONLEY

Sampling Agency:

FDEP SOROC 8052

Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 12/11/18 Time 1122	Eastern Central	Composite end Date — Time —	Bottle Group(s) (See pg 2)
Field ID	Location	G3SD0112	Matrix (type, e.g., Salt, Fresh, etc) SALT		Diss. Oxygen 7.51	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) —
WIN/STORE		US 41, Marker # 38	Temp (C) 20.10	pH 7.96	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 7343
Latitude	☐ uu ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) —	Comments		
Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 12/11/18 Time 1135	Eastern Central	Composite end Date — Time —	Bottle Group(s)
Field ID	Location	G3SD0113	Matrix (type, e.g., Salt, Fresh, etc) SALT		Diss. Oxygen 5.94	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) —
WIN/STORE		Marker # 28	Temp (C) 21.46	pH 7.87	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 5728
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) —	Comments		
Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 12/11/18 Time 1150	Eastern Central	Composite end Date — Time —	Bottle Group(s)
Field ID	Location	G3SD0114	Matrix (type, e.g., Salt, Fresh, etc) SALT		Diss. Oxygen 7.04	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) —
WIN/STORE		Marker # 22	Temp (C) 23.22	pH 7.92	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 3025
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) —	Comments		
Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 12/11/18 Time 1200	Eastern Central	Composite end Date — Time —	Bottle Group(s)
Field ID	Location	G3SD0115	Matrix (type, e.g., Salt, Fresh, etc) FRESH		Diss. Oxygen 6.96	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) —
WIN/STORE		Old Swing Bridge	Temp (C) 22.87	pH 7.85	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 2818
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) —	Comments		

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
JOHN BARRINGTON	12/11/18 1530	FEDEX	2	SR	12/12/18 10:20

12/12/18

Group: A	Bottle Type: BOD-UNIN	P-1L	# of Bottles: 8	Preservative: ICE	Enter Number of Bottles Sent to Lab	8
Group: A	Bottle Type: W-DOC	P-125ML	# of Bottles: 8	Preservative: FILTER-H2SO4-I CE	Enter Number of Bottles Sent to Lab	8
Group: A	Bottle Type: W-ICP W-ICPMS	P-500ML	# of Bottles: 8	Preservative: HNO3	Enter Number of Bottles Sent to Lab	8
Group: A	Bottle Type: W-NO2NO3 W-TKN W-TOC	P-500ML	# of Bottles: 8	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	8
Group: A	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 8	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	8

CALOOSA LT 3240BC

Central Laboratory Submittal Form

last revised Jan 25, 2018


Customer: SO-DIST

Requester: John Barrington

Field Report Prepared By: John Barrington

Project ID: BMAP

Collected By: John Barrington Chase CountySampling Agency: FDEP SURLOC 8052

Location		Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>12/11/18</u> Time <u>1217</u>	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s) (See pg 2)
Field ID	Location <u>G3SD0116</u>			Matrix (type, e.g., Salt, Fresh, etc) <u>FRESH</u>		Diss. Oxygen <u>6.98</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) _____
WIN/ST				Temp (C) <u>25.46</u>	pH <u>7.91</u>	Sample Depth <u>0.3</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) _____
Latitude		☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments		
Location		Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>12/11/18</u> Time <u>1235</u>	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID	Location <u>G3SD0117</u>			Matrix (type, e.g., Salt, Fresh, etc) <u>FRESH</u>		Diss. Oxygen <u>8.00</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) _____
WIN/ST				Temp (C) <u>20.88</u>	pH <u>7.96</u>	Sample Depth <u>0.3</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) <u>2568</u>
Latitude		☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments		
Location		Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>12/11/18</u> Time <u>1250</u>	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID	Location <u>G3SD0118</u>			Matrix (type, e.g., Salt, Fresh, etc) <u>FRESH</u>		Diss. Oxygen <u>8.32</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) _____
WIN/STOR				Temp (C) <u>20.94</u>	pH <u>8.00</u>	Sample Depth <u>0.3</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) <u>1974</u>
Latitude		☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments		
Location		Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>12/11/18</u> Time <u>1256</u>	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID	Location <u>G3SD0119</u>			Matrix (type, e.g., Salt, Fresh, etc) <u>FRESH</u>		Diss. Oxygen <u>8.05</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) _____
WIN/STORE				Temp (C) <u>21.20</u>	pH <u>7.99</u>	Sample Depth <u>0.3</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) _____
Latitude		☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments		

Relinquished By: <u>John Barrington</u>	Date/Time <u>12/11/18 1530</u>	Shipping Method <u>FedEx</u>	Number of Coolers Shipped: <u>2</u>	Received By: <u>SFR</u>	Date/Time <u>12/12/18/10:20</u>
--	-----------------------------------	---------------------------------	--	----------------------------	------------------------------------

Group: A	Bottle Type: P-1L	# of Bottles: 8	Preservative: ICE	Enter Number of Bottles Sent to Lab	8
BOD-UNIN					
Group: A	Bottle Type: P-125ML	# of Bottles: 8	Preservative: FILTER-H2SO4-ICE	Enter Number of Bottles Sent to Lab	8
W-DOC					
Group: A	Bottle Type: P-500ML	# of Bottles: 8	Preservative: HNO3	Enter Number of Bottles Sent to Lab	8
W-ICP					
W-ICPMS					
Group: A	Bottle Type: P-500ML	# of Bottles: 8	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	8
W-NO2NO3					
W-TKN					
W-TOC					
Group: A	Bottle Type: P-125ML	# of Bottles: 8	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	8
W-PO4-F					

SA 8274050 10/1/19
NA 8099110 4/9/19

Printed: 12/12/2018 11:45:19 AM

Page 1 of 1

Date of Request: 20-AUG-2018
 Created By: BARRINGT_J On: 20-AUG-2018
 Modified By: JASROTIA_P On: 14-NOV-2018
 Customer: SO-DIST
 Project: BMAP
 Division: Division of Environmental Assessment and Restoration
 District: South District
 Sampling Event: CALOOSA LT 3240BC

Send Coolers To:

Phone: 239-344-5720
 FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: John Barrington

Program Module Number:

Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 13-NOV-2018
 Biology Request Reviewed By: JASROTIA_P On: 14-NOV-2018
 Sampling Kit Required: YES Ship on: 21-NOV-2018
 Sampling Kit Shipped: YES On: 19-NOV-2018
 Sampling Kit Packed By: KLUG_K
 Preservatives Needed: NO
 Date to Receive Samples: 03-DEC-2018
 Received By:

Send Final Report To:

FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: John Barrington

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: WBID 3240B AND 3240C

Bottle Group A (Water) With 8 Samples:

Bottle Type: P-1L	Number of Bottles: 8	Preserved With: ICE
BOD-UNIN	Template: DEFAULT (SM 5210 B)	BOD, NOT nitrogen-inhibited
Bottle Type: P-125ML	Number of Bottles: 8	Preserved With: FILTER-H2SO4-ICE
W-DOC	Template: DEFAULT (SM 5310 B-00)	Dissolved Nonpurgeable Organic Carbon in filtered, aqueous matrices
Bottle Type: P-500ML	Number of Bottles: 8	Preserved With: HNO3
W-ICP	Template: (EPA 200.7 Rev. 4.4)	Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Iron		
Zinc		
W-ICPMS	Template: PRTY (EPA 200.8 Rev. 5.4)	Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		
Cadmium		
Chromium		
Copper		
Lead		
Nickel		
Silver		
Bottle Type: P-500ML	Number of Bottles: 8	Preserved With: ICE And H2SO4
W-NO2NO3	Template: DEFAULT (EPA 353.2 Rev. 2.0)	Nitrite/Nitrate in aqueous matrices as mg N/L
W-TKN	Template: DEFAULT (EPA 351.2 Rev. 2.0)	Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT (SM 5310 B-00)	Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 8	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT (EPA 365.1 Rev. 2.0)	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L



Do Not Lift Using This Tag

ORIGIN ID: TLHA (239) 344-5720
JOHN BARRINGTON
FDEP SOUTH DISTRICT OFFICE
2295 VICTORIA AVE SUITE 364

SHIP DATE: 19NOV18
ACTWGT: 10.00 LB MAN
CAD: 0446970/CAFE3211

FORT MYERS, FL 33901
UNITED STATES US

TO JOHN WATTS
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD


TALLAHASSEE FL 32399

(850) 246-8077

REF:

DEPT:

RMA: ||| ||| |||



FedEx
Express



FedEx

TRK#
0221 4385 5035 7434

WED - 12 DEC 10:30A
PRIORITY OVERNIGHT

XH TLHA

32399
FL-US
TLH



FID 5201257 11DEC18 PGDA 553C1/F1FE/0C8A

Part # 156148-434 RIT EXP 07/19 **



Do Not Lift Using This Tag

OTUS. PRIORITY OVERNIGHT

ORIGIN ID: TLHA (239) 344-5720
JOHN BARRINGTON
FDEP SOUTH DISTRICT OFFICE
2295 VICTORIA AVE SUITE 364

SHIP DATE: 19NOV18
ACTWGT: 10.00 LB MAN
CAD: 0446970/CAFE3211

FORT MYERS, FL 33901
UNITED STATES US

TO **JOHN WATTS**
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399


(850) 246-8077

REF:

DEPT:

INVT:
PO:

RMA: |||||



FedEx
Express



J18111806050104

FedEx

TRK#
0221

4385 5035 7445

WED - 12 DEC 10:30A
PRIORITY OVERNIGHT

32399

FL-US
TLH

XH TLHA



FID 5201257 11DEC18 PGDA 553C1/FIFE/OC8A