

Chemical Analysis Report

WQAP-2017-03-02-03

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780


Event Description: **Lake Istokpoga**
Request ID: **RQ-2017-02-06-02**
Customer: **WQAP**
Project ID: **SPPROJECTS**

Send Reports to:
FL Dept. of Environmental Protection
2295 Victoria AVE
Suite 364
Fort Myers, FL 33901
Attn: Kirby Wolfe

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, PhD, QA Officer
Phone (850) 245-8085

Certified by: Colin Wright, Program Administrator

Date Certified: 28-MAR-2017 16:52



NON-CONFORMANCE REPORT INCLUDED

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Lake Istokpoga Algae NW

Collection Date/Time: 02/28/2017 10:10

Field ID: G4SD0152

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1877056	EPA 180.1 Rev. 2.0	Turbidity	8.8	AQ	NTU	P320867	
	SM 2120 B	Color (true)	75	Q	PCU	P320874	
	SM 2540 D-97	TSS	24		mg/L	P321319	
1877058	EPA 350.1 Rev. 2.0	Ammonia-N	0.01		mg N/L	P321551	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.6		mg N/L	P320981	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P321078	
	EPA 365.1 Rev. 2.0	Total-P	0.074		mg P/L	P321035	
	SM 5310 B-00	Organic Carbon	14		mg C/L	P320940	
1877060	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	UQ	mg P/L	P320858	

Ref. Method and Comment:

EPA 180.1 Rev. 2.0: The sample expired upon receipt.

SM 2120 B: The sample expired upon receipt.

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 365.1 Rev. 2.0 dissolved: O-Phosphate-P: The sample expired upon receipt.

Sample Location: Lake Istokpoga Algae W

Collection Date/Time: 02/28/2017 10:20

Field ID: G4SD0155

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1877057	EPA 180.1 Rev. 2.0	Turbidity	9.9	Q	NTU	P320867	
	SM 2120 B	Color (true)	76	Q	PCU	P320874	
	SM 2540 D-97	TSS	35		mg/L	P321319	
1877059	EPA 350.1 Rev. 2.0	Ammonia-N	0.009		mg N/L	P321551	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.4		mg N/L	P320981	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P321078	
	EPA 365.1 Rev. 2.0	Total-P	0.085		mg P/L	P321035	
	SM 5310 B-00	Organic Carbon	14		mg C/L	P320940	
1877061	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	UQ	mg P/L	P320858	

Ref. Method and Comment:

EPA 180.1 Rev. 2.0: The sample expired upon receipt.

SM 2120 B: The sample expired upon receipt.

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 365.1 Rev. 2.0 dissolved: O-Phosphate-P: The sample expired upon receipt.

Non-Conformance Report

NCR ID: 6280

Event(s)

WQAP-2017-03-02-03

Job(s)

NCR Type: SHIPPING/RECEIVING

Sample(s)

NCR Category:

Test(s)

Samples arrived late

Observation: FedEx code:810392837207
 Samples collected on 02/28/17 arrived 1 or more days late.
 Field ID(s): G4SD0152 AND G4SD0155

Resolution: Emailed Clell Ford and Kirby Wolfe.
 Biology and Chemistry supervisors were notified by email(Josh Ayres).

Authorised by/Date: Ramsey K. White 3/20/2017

The Non-Conformance Report details exceptions or problems encountered with the events/jobs/samples/test.
Please address questions to:

Chemistry Colin Wright (850) 245-8085
Biology Cheryl Swanson (850) 245-8177

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P320867

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P321551

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P320981

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P321078

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P321035

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P320858

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P320874

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2540 D-97
Batch ID: P321319

Component	Result	Code	Units
TSS	2	U	mg/L

Quality Assurance Report Method Blank Results

Reference Method: SM 5310 B-00
Batch ID: P320940

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P321551

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	102		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P320981

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	102		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P321078

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	103		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P321035

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	99.3		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P320858

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	97.4		P	90 - 110

Reference Method: SM 5310 B-00
Batch ID: P320940

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	97.8		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P321551

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1876861	Ammonia-N	99.7	99.6	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P320981

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1877087	Kjeldahl Nitrogen	95.8	98.8	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P321078

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1876999	NO2NO3-N	101	103	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P321035

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1877087	Total-P	99.7	95.2	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P320858

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1877060	O-Phosphate-P	94.8	96.1	P/P	90 - 110

Reference Method: SM 5310 B-00
Batch ID: P320940

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1876425	Organic Carbon	95.8	94.6	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P320867

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1877056	Turbidity	1.82	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P321551

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1876861	Ammonia-N	0.118	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P320981

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1877087	Kjeldahl Nitrogen	1.96	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P321078

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1876999	NO2NO3-N	1.70	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P321035

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1877087	Total-P	4.37	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P320858

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1877060	O-Phosphate-P	1.36	Spike	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P320874

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1876993	Color (true)	16.6	Sample	P	0 - 20

Reference Method: SM 5310 B-00
Batch ID: P320940

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1876425	Organic Carbon	0.724	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Run ID: A74855
Included Lab Sample IDs: 1877060, 1877061

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	98.3	99.4	P/P	90 - 110
O-Phosphate-P	99.2	99.3	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0
Run ID: A74856
Included Lab Sample IDs: 1877056, 1877057

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	99.5	99.5	P/P	95 - 105

Quality Assurance Report Calibration Verification

Reference Method: SM 2120 B

Run ID: A74857

Included Lab Sample IDs: 1877056, 1877057

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	95.0	94.0	P/P	85 - 115

Reference Method: SM 5310 B-00

Run ID: A74885

Included Lab Sample IDs: 1877058, 1877059

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	98.0	98.7	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A74933

Included Lab Sample IDs: 1877058, 1877059

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	96.5	95.0	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A74934

Included Lab Sample IDs: 1877058, 1877059

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	99.0	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A74996

Included Lab Sample IDs: 1877058, 1877059

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	96.6	96.6	P/P	90 - 110
Total-P	96.6	98.9	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A75099

Included Lab Sample IDs: 1877058, 1877059

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	103	103	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements. Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity				1.82	
EPA 350.1 Rev. 2.0	Ammonia-N	102	99.7 99.6			0.118
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	102	95.8 98.8			1.96

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision SMP	MS
EPA 353.2 Rev. 2.0	NO2NO3-N	103	101	103			1.70
EPA 365.1 Rev. 2.0	Total-P	99.3	99.7	95.2			4.37
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	97.4	94.8	96.1			1.36
SM 2120 B	Color (true)					16.6	
SM 5310 B-00	Organic Carbon	97.8	95.8	94.6			0.724

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1877056, 1877057
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1877058, 1877059
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1877058, 1877059
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1877058, 1877059
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1877058, 1877059
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1877060, 1877061
SM 2120 B / E31780	True Color measured at 450 nm	1877056, 1877057
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1877056, 1877057
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1877058, 1877059

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	03/02/2017			03/02/2017 15:50	Sima Feizi	1877056, 1877057
EPA 350.1 Rev. 2.0	03/02/2017			03/14/2017	Sofia Elnemr	1877058, 1877059
EPA 351.2 Rev. 2.0	03/02/2017	03/06/2017	Adrian Shelby	03/07/2017	Joseph Suarez	1877058, 1877059
EPA 353.2 Rev. 2.0	03/02/2017			03/07/2017	Beverly Y. Sanders	1877058, 1877059
EPA 365.1 Rev. 2.0	03/02/2017	03/07/2017	Adrian Shelby	03/08/2017	Lipi Saha	1877058, 1877059
EPA 365.1 Rev. 2.0 dissolved	03/02/2017			03/02/2017 14:31	Julia Storbeck	1877060
	03/02/2017			03/02/2017 15:03	Julia Storbeck	1877061
SM 2120 B	03/02/2017			03/02/2017 17:07	Julie Michelle Frank	1877056
	03/02/2017			03/02/2017 17:08	Julie Michelle Frank	1877057
SM 2540 D-97	03/02/2017			03/06/2017	Sima Feizi	1877056, 1877057
SM 5310 B-00	03/02/2017			03/03/2017	Julie Michelle Frank	1877058, 1877059