

Chemical Analysis Report

SO-DIST-2018-07-13-03

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Shell Creek Chloride Monitoring**
Request ID: **RQ-2018-07-02-21**
Customer: **SO-DIST**
Project ID: **TMDL**

Send Reports to:
FL Dept. of Environmental Protection
FLDEP South District Office
2295 Victoria Ave. Suite 364
Fort Myers, FL 33901
Attn: Steven Cofone

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Thekkekalathil Chandrasekhar, Chemist Administrator

Date Certified: 31-JUL-2018 13:47



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: ShellCr.@WashingtonLoop

Collection Date/Time: 07/12/2018 09:40

Field ID: G3SD0120

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2007514	EPA 300.0 Rev. 2.1	Chloride	66		mg Cl/L	P348905	
	SM 2540 C-97	TDS	365		mg/L	P348940	

Sample Location: **PrairieCr@WashingtnLoop**

Collection Date/Time: **07/12/2018 09:50**

Field ID: G3SD0121				Matrix: W-SURF-FRH			
Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2007515	EPA 300.0 Rev. 2.1	Chloride	45		mg Cl/L	P348905	
	SM 2540 C-97	TDS	297		mg/L	P348941	

Sample Location: Horse Cr. @ Kings Hwy

Collection Date/Time: 07/12/2018 10:40

Field ID: G3SD0122

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2007516	EPA 300.0 Rev. 2.1	Chloride	10		mg Cl/L	P348905	
	SM 2540 C-97	TDS	154		mg/L	P348941	

Sample Location: Prairie Cr. @ SR 31

Collection Date/Time: 07/12/2018 11:25

Field ID: G3SD0123

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2007517	EPA 300.0 Rev. 2.1	Chloride	36		mg Cl/L	P348906	
	SM 2540 C-97	TDS	274		mg/L	P348941	

Sample Location: Myrtle Slough @ SR 31

Collection Date/Time: 07/12/2018 11:45

Field ID: G3SD0124

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2007518	EPA 300.0 Rev. 2.1	Chloride	110		mg Cl/L	P348906	
	SM 2540 C-97	TDS	448		mg/L	P348941	

Sample Location: Shell Cr. @ SR 31

Collection Date/Time: 07/12/2018 12:10

Field ID: G3SD0125

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2007519	EPA 300.0 Rev. 2.1	Chloride	150		mg Cl/L	P348906	
	SM 2540 C-97	TDS	646	A	mg/L	P348941	

Quality Assurance Report

Method Blank Results

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P348905

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P348906

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: SM 2540 C-97
Batch ID: P348940

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 C-97
Batch ID: P348941

Component	Result	Code	Units
TDS	15	U	mg/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P348905

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	101		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P348906

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	101		P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P348905

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2007428	Chloride	101		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P348906

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2005281	Chloride	102		P	90 - 110

Quality Assurance Report Precision

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P348905

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2007428	Chloride	1.45	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P348906

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2005281	Chloride	4.75	Sample	P	0 - 20

Reference Method: SM 2540 C-97
Batch ID: P348940

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2007287	TDS	1.73	Sample	P	0 - 10

Reference Method: SM 2540 C-97
Batch ID: P348941

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2007519	TDS	1.39	Sample	P	0 - 10

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A85337

Included Lab Sample IDs: 2007514, 2007515, 2007516, 2007517, 2007518, 2007519

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	102	96.5	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	Precision		
				LCS	SMP	MS
EPA 300.0 Rev. 2.1	Chloride	101	101		1.45	
	Chloride	101	102		4.75	
SM 2540 C-97	TDS				1.73	
	TDS				1.39	

Reference Method Descriptions

Method / DoH Cert #	Description	<u>Associated Samples</u>
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	2007514, 2007515, 2007516, 2007517, 2007518, 2007519
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	2007514, 2007515, 2007516, 2007517, 2007518, 2007519

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 300.0 Rev. 2.1	07/13/2018			07/21/2018 01:02	Lipi Saha	2007514
	07/13/2018			07/21/2018 01:14	Lipi Saha	2007515
	07/13/2018			07/21/2018 01:26	Lipi Saha	2007516
	07/13/2018			07/21/2018 02:37	Lipi Saha	2007517
	07/13/2018			07/21/2018 02:49	Lipi Saha	2007518
	07/13/2018			07/21/2018 03:01	Lipi Saha	2007519
SM 2540 C-97	07/13/2018			07/18/2018 16:21	Yijie Li	2007514, 2007515, 2007516, 2007517, 2007518, 2007519