

RQ- 2019-04-01-57

Log-in Checklist

Login Station ID: #2Shipping Method: FedEx | UPS | HD | GreyhoundDate/Time of Receipt: 4-2-19 / 10:04

Cooler Temperature*	* All Samples in Cooler Preserved with:		Number of Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
	HNO ₃	Formalin		Present?		*Intact?		
				Yes	No	Yes	No	
<u>1.2</u>			<u>18</u>		☒			

* HNO₃ and Formalin preserved samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked below, fill out the back of this form (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ☐ No ☐ Date

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☒ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes ☐ No ☐ Init:

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.						
Analysis	Yes	No	Analysis	Yes	No	
W-1,4 DIOX			W-PC-AA-SF			
W-E8321-DI, -MS, -21			W-NP-AA-SF			
W-BNA (-625, -R)			W-PDQUAT			
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R			
W-U2060-MS			W-TR-TQ			
W-PCB-R			W-CT-CI-R			
W-PAH (-R)			W-PSNP-TQ			
W-PFAS-MS						

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: SR

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☒ NA ☐ Init: SR

Coolers Unpacked/Checked by: SR Date: 4-2-19 NCRs (Y/N)? N

Event ID: Caloosa Creeks
SO-DIST-2019-04-02-02 (BMAP) NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_02_2018EXP:4/27/19
pH Paper 0.0 – 3.0 Lot #	
pH Paper 0 – 13 Lot #	222516 EXP:08-15-19
Chlorine Test Strips Lot #	8261 EXP: 07/2021

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Caloosa Creeks

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SO-DIST

Requester: Gary Snorek

Field Report Prepared By: Steve CoFore

Project ID: BMAP

Collected By: GARY SNOREK

Sampling Agency: SOROC

Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 4/1/19 Time 0900		Eastern Central	Composite end Date Time		Bottle Group(s) (See pg 2)
Field ID	Field ID/WIN ID G3SD0130	Matrix (type, e.g., Salt, Fresh, etc) FRESH MARINE		Diss. Oxygen 61.8	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		A
WIN/STC	Location Hancock Creek	Temp (C) 23.98	pH 7.61	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 5883		
Latitude	☐ dd Longitude ☐ dms	Salinity (ppt) 3.20		Comments				
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 4/1/19 Time 0940		Eastern Central	Composite end Date Time		Bottle Group(s)
Field ID	Field ID/WIN ID G3SD0128	Matrix (type, e.g., Salt, Fresh, etc) FRESH		Diss. Oxygen 7.83	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		A
WIN/STC	Location Orange River	Temp (C) 23.37	pH 7.72	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 577		
Latitude	☐ dd Longitude ☐ dms	Salinity (ppt) 0.20		Comments				
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 4/1/19 Time 1030		Eastern Central	Composite end Date Time		Bottle Group(s)
Field ID	Field ID/WIN ID G3SD0129	Matrix (type, e.g., Salt, Fresh, etc) FRESH		Diss. Oxygen 5.48	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		A
WIN/STC	Location Trielegraph Creek	Temp (C) 22.13	pH 7.40	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 479		
Latitude	☐ dd Longitude ☐ dms	Salinity (ppt) 0.23		Comments				
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time		Eastern Central	Composite end Date Time		Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
WIN/STORET #		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)		
Latitude		☐ dd Longitude ☐ dms	Salinity (ppt) ☐ dd ☐ dms		Comments			

Relinquished By: 0052/CoFore	Date/Time: 4/1/19 1500	Shipping Method: FEDEX	Number of Coolers Shipped: 1	Received By: SR	Date/Time: 4-2-19/10:04
------------------------------	------------------------	------------------------	------------------------------	-----------------	-------------------------

SOROC

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY					
	W-COLOR					
	W-F					
	W-TSS					
Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	BOD-UNIN					
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative: FILTER-H2SO4-I	CE	Enter Number of Bottles Sent to Lab _____
	W-DOC					
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative: ICE And H2SO4		Enter Number of Bottles Sent to Lab _____
	W-NH3					
	W-NO2NO3					
	W-S-A-TP					
	W-TKN					
	W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative: FILTER-ICE		Enter Number of Bottles Sent to Lab _____
	W-PO4-F					

Printed: 4/2/2019 10:44:56 AM

Page 1 of 1

Date of Request: 19-MAR-2019
 Created By: SNOREK_G On: 19-MAR-2019
 Modified By: SAVAGE_J On: 19-MAR-2019
 Customer: SO-DIST
 Project: BMAP
 Division: Division of Environmental Assessment and Restoration
 District: South District
 Sampling Event: Caloosa Creeks

Send Coolers To:

Phone: 239-344-5683
 FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: Gary Snorek

Program Module Number:

Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 19-MAR-2019
 Biology Request Reviewed By: SAVAGE_J On: 19-MAR-2019
 Sampling Kit Required: YES Ship on: 22-MAR-2019
 Sampling Kit Shipped: YES On: 20-MAR-2019
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 01-APR-2019
 Received By:

Send Final Report To:

FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: Gary Snorek

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: caloosa creeks sampling

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L	
W-COLOR Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm	
Color (true)		
W-F Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	
W-TSS Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	
Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
BOD-UNIN Template: DEFAULT	(SM 5210 B) BOD, NOT nitrogen-inhibited	
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: FILTER-H ₂ SO ₄ -ICE
W-DOC Template: DEFAULT	(SM 5310 B-00) Dissolved Nonpurgeable Organic Carbon in filtered, aqueous matrices	
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H ₂ SO ₄
W-NH ₃ Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L	
W-NO ₂ NO ₃ Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L	
W-S-A-TP Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L	
W-TKN Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices	
W-TOC Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices	
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: FILTER-ICE
W-PO ₄ -F Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	

Do Not Lift Using This Tag

856

1
10:30
9522
04.02
B

ORIGIN ID: TLHA (239) 344-5683
GARY SNOREK
FDEP SOUTH DISTRICT OFFICE
2295 VICTORIA AVE SUITE 364

SHIP DATE: 20MAR19
ACTWGT: 38.00 LB MAN
CAD: 0446970/CAFE3211

FORT MYERS, FL 33901
UNITED STATES US

TO JOHN WATTS
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD


TALLAHASSEE FL 32399

(850) 246-8077

REF:

DEPT:

RMA: || || || ||



FedEx
Express



FedEx

TRK#
0221

4751 8777 9522

XH TLHA

02 APR 10:30
TY OVERNIGHT

32399

FL-US

TLH

