

Laboratory Results

Lee County Environmental Laboratory

60-2 Danley Drive
Fort Myers, FL 33907
239-533-8600



To: Natural Resources Management
1500 Monroe St
Fort Myers FL 33901
RE: Tidal Caloosa

Report Date: 7/10/2020

Below are the results of samples submitted to this laboratory on 6/24/2020

Laboratory ID	AE52062	Collection date and time	6/24/2020 10:00 AM
Location Code	CRNEP_RS	Sample Collector	REISTADT/HORMUTH
Sample Description	Grid #388		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	2.21		mg/M3	0.5	2.0	7/2/2020	7:44 AM	SM21 10200 H
Pheophytin	0.88	I	mg/M3	0.5	2.0	7/2/2020	7:44 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	1.1	I	mg/L	0.3	1.2	6/25/2020	12:02 PM	SM 5210 B
Color	33.7		CU	1.6	6.4	6/25/2020	2:31 PM	SM21 2120 C
Oxygen, Dissolved, Electrode, by Client	5.06		mg/L			6/24/2020	10:00 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		6/24/2020	2:47 PM	Enterolert®
E.coli Enumeration	10	U	MPN/100mL	10		6/24/2020	2:55 PM	Colilert-18®
Ammonia	0.014	U	mg/L as N	0.014	0.056	6/25/2020	10:50 AM	EPA 350.1
Nitrite	0.003	I	mg/L as N	0.003	0.012	6/25/2020	8:31 AM	EPA 353.2
Nitrate	0.010	U	mg/L as N	0.01	0.04	6/25/2020	8:31 AM	EPA 353.2
Nitrate + Nitrite	0.010	U	mg/L as N	0.01	0.04	6/25/2020	8:31 AM	EPA 353.2
Nitrogen, Organic	0.72		mg/L as N	0.05	0.2	7/8/2020	9:00 AM	TKN - NH3
Phosphorus, Ortho	0.051		mg/L as P	0.004	0.016	6/25/2020	2:16 PM	EPA 365.1
Salinity by meter by Client	15.15		SU			6/24/2020	10:00 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	1.6		meters			6/24/2020	10:00 AM	FDEP FT 1700
Silica, dissolved as SiO2	5.3		mg/L as SiO2	0.1	0.4	6/25/2020	3:35 PM	SM4500-SiO2 C
Depth of Water Body	1.9		Meters			6/24/2020	10:00 AM	FS2100
Nitrogen, Kjeldahl, Total	0.72		mg/L as N	0.05	0.2	7/8/2020	9:00 AM	EPA 351.2
Nitrogen, Total	0.72		mg/L as N	0.05	0.2	7/8/2020	9:00 AM	TKN + NOX
Total Organic Carbon	9.5		mg/L	1	4	7/8/2020	2:14 PM	SM 5310 B
Phosphorus, Total	0.071		mg/L as P	0.006	0.024	7/8/2020	9:06 AM	EPA 365.1

Report Format: NELAC

DOH #E45049



Laboratory ID	AE52062	Collection date and time	6/24/2020 10:00 AM
Location Code	CRNEP_RS	Sample Collector	REISTADT/HORMUTH
Sample Description	Grid #388		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Total Suspended Solids	1.35	I	mg/L	0.6	2.4	6/25/2020	10:39 AM	SM 2540 D
Turbidity (Nephelometric)	0.400	I	NTU	0.2	0.8	6/25/2020	2:26 PM	EPA 180.1

Laboratory ID	AE52063	Collection date and time	6/24/2020 9:35 AM
Location Code	CRNEP_RS	Sample Collector	REISTADT/HORMUTH
Sample Description	Grid #386		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	2.85		mg/M3	0.5	2.0	7/2/2020	7:44 AM	SM21 10200 H
Pheophytin	0.62	I	mg/M3	0.5	2.0	7/2/2020	7:44 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	1.1	I	mg/L	0.3	1.2	6/25/2020	12:02 PM	SM 5210 B
Color	29.4		CU	1.6	6.4	6/25/2020	2:31 PM	SM21 2120 C
Oxygen, Dissolved, Electrode, by Client	5.93		mg/L			6/24/2020	9:35 AM	FDEP FT1500
Enterococci	10		MPN/100mL	10		6/24/2020	2:47 PM	Enterolert®
E.coli Enumeration	10		MPN/100mL	10		6/24/2020	2:55 PM	Colilert-18®
Ammonia	0.014	U	mg/L as N	0.014	0.056	6/25/2020	10:50 AM	EPA 350.1
Nitrite	0.003	I	mg/L as N	0.003	0.012	6/25/2020	8:31 AM	EPA 353.2
Nitrate	0.010	U	mg/L as N	0.01	0.04	6/25/2020	8:31 AM	EPA 353.2
Nitrate + Nitrite	0.010	U	mg/L as N	0.01	0.04	6/25/2020	8:31 AM	EPA 353.2
Nitrogen, Organic	0.69		mg/L as N	0.05	0.2	7/8/2020	9:00 AM	TKN - NH3
Phosphorus, Ortho	0.037		mg/L as P	0.004	0.016	6/25/2020	2:16 PM	EPA 365.1
Salinity by meter by Client	15.98		SU			6/24/2020	9:35 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	2.2		meters			6/24/2020	9:35 AM	FDEP FT 1700
Silica, dissolved as SiO2	4.7		mg/L as SiO2	0.1	0.4	6/25/2020	3:35 PM	SM4500-SiO2 C
Depth of Water Body	2.3		Meters			6/24/2020	9:35 AM	FS2100
Nitrogen, Kjeldahl, Total	0.69		mg/L as N	0.05	0.2	7/8/2020	9:00 AM	EPA 351.2
Nitrogen, Total	0.69		mg/L as N	0.05	0.2	7/8/2020	9:00 AM	TKN + NOX
Total Organic Carbon	8.6		mg/L	1	4	7/8/2020	2:14 PM	SM 5310 B
Phosphorus, Total	0.057		mg/L as P	0.006	0.024	7/8/2020	9:06 AM	EPA 365.1
Total Suspended Solids	0.6	U	mg/L	0.6	2.4	6/25/2020	10:39 AM	SM 2540 D
Turbidity (Nephelometric)	0.340	I	NTU	0.2	0.8	6/25/2020	2:26 PM	EPA 180.1



Laboratory ID	AE52064	Collection date and time	6/24/2020 11:10 AM
Location Code	CRNEP_RS	Sample Collector	REISTADT/HORMUTH
Sample Description	Grid #418		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	7.62		mg/M3	0.5	2.0	7/2/2020	7:44 AM	SM21 10200 H
Pheophytin	2.02		mg/M3	0.5	2.0	7/2/2020	7:44 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	1.2	I	mg/L	0.3	1.2	6/25/2020	12:02 PM	SM 5210 B
Color	46.9		CU	1.6	6.4	6/25/2020	2:31 PM	SM21 2120 C
Oxygen, Dissolved, Electrode, by Client	7.11		mg/L			6/24/2020	11:10 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		6/24/2020	2:47 PM	Enterolert®
E.coli Enumeration	10	U	MPN/100mL	10		6/24/2020	2:55 PM	Colilert-18®
Ammonia	0.014	U	mg/L as N	0.014	0.056	6/25/2020	10:50 AM	EPA 350.1
Nitrite	0.003	I	mg/L as N	0.003	0.012	6/25/2020	8:31 AM	EPA 353.2
Nitrate	0.010	U	mg/L as N	0.01	0.04	6/25/2020	8:31 AM	EPA 353.2
Nitrate + Nitrite	0.010	U	mg/L as N	0.01	0.04	6/25/2020	8:31 AM	EPA 353.2
Nitrogen, Organic	0.84		mg/L as N	0.05	0.2	7/8/2020	9:00 AM	TKN - NH3
Phosphorus, Ortho	0.065		mg/L as P	0.004	0.016	6/25/2020	2:16 PM	EPA 365.1
Salinity by meter by Client	6.94		SU			6/24/2020	11:10 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	1.45		meters			6/24/2020	11:10 AM	FDEP FT 1700
Silica, dissolved as SiO2	6.8		mg/L as SiO2	0.1	0.4	6/25/2020	3:35 PM	SM4500-SiO2 C
Depth of Water Body	3.6		Meters			6/24/2020	11:10 AM	FS2100
Nitrogen, Kjeldahl, Total	0.84		mg/L as N	0.05	0.2	7/8/2020	9:00 AM	EPA 351.2
Nitrogen, Total	0.84		mg/L as N	0.05	0.2	7/8/2020	9:00 AM	TKN + NOX
Total Organic Carbon	13		mg/L	1	4	7/8/2020	2:14 PM	SM 5310 B
Phosphorus, Total	0.10		mg/L as P	0.006	0.024	7/8/2020	9:06 AM	EPA 365.1
Total Suspended Solids	1.80	I	mg/L	0.6	2.4	6/25/2020	10:39 AM	SM 2540 D
Turbidity (Nephelometric)	0.760	I	NTU	0.2	0.8	6/25/2020	2:26 PM	EPA 180.1

Laboratory ID	AE52065	Collection date and time	6/24/2020 11:25 AM
Location Code	CRNEP_RSBOT	Sample Collector	REISTADT/HORMUTH
Sample Description	Grid #418 Bottom		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	2.85		mg/M3	0.5	2.0	7/2/2020	7:44 AM	SM21 10200 H
Pheophytin	1.65	I	mg/M3	0.5	2.0	7/2/2020	7:44 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	0.9	I	mg/L	0.3	1.2	6/25/2020	12:02 PM	SM 5210 B
Color	40.4		CU	1.6	6.4	6/25/2020	2:31 PM	SM21 2120 C
Oxygen, Dissolved, Electrode, by Client	5.44		mg/L			6/24/2020	11:25 AM	FDEP FT1500

Report Format: NELAC

DOH #E45049



Laboratory ID	AE52065	Collection date and time	6/24/2020 11:25 AM
Location Code	CRNEP_RSBOT	Sample Collector	REISTADT/HORMUTH
Sample Description	Grid #418 Bottom		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Enterococci	10	U	MPN/100mL	10		6/24/2020	2:47 PM	Enterolert®
E.coli Enumeration	10	U	MPN/100mL	10		6/24/2020	2:55 PM	Colilert-18®
Ammonia	0.022	I	mg/L as N	0.014	0.056	6/25/2020	10:50 AM	EPA 350.1
Nitrite	0.003	U	mg/L as N	0.003	0.012	6/25/2020	8:31 AM	EPA 353.2
Nitrate	0.010	U	mg/L as N	0.01	0.04	6/25/2020	8:31 AM	EPA 353.2
Nitrate + Nitrite	0.010	U	mg/L as N	0.01	0.04	6/25/2020	8:31 AM	EPA 353.2
Nitrogen, Organic	0.79		mg/L as N	0.05	0.2	7/8/2020	9:00 AM	TKN - NH3
Phosphorus, Ortho	0.063		mg/L as P	0.004	0.016	6/25/2020	2:16 PM	EPA 365.1
Salinity by meter by Client	9.79		SU			6/24/2020	11:25 AM	FDEP FT 1300
Silica, dissolved as SiO2	6.4		mg/L as SiO2	0.1	0.4	6/25/2020	3:35 PM	SM4500-SiO2 C
Depth of Water Body	3.6		Meters			6/24/2020	11:25 AM	FS2100
Nitrogen, Kjeldahl, Total	0.81		mg/L as N	0.05	0.2	7/8/2020	9:00 AM	EPA 351.2
Nitrogen, Total	0.81		mg/L as N	0.05	0.2	7/8/2020	9:00 AM	TKN + NOX
Total Organic Carbon	11		mg/L	1	4	7/8/2020	2:14 PM	SM 5310 B
Phosphorus, Total	0.098		mg/L as P	0.006	0.024	7/8/2020	9:06 AM	EPA 365.1
Total Suspended Solids	3.75		mg/L	0.6	2.4	6/25/2020	9:41 AM	SM 2540 D
Turbidity (Nephelometric)	2.51		NTU	0.2	0.8	6/25/2020	2:26 PM	EPA 180.1

Laboratory ID	AE52066	Collection date and time	6/24/2020 12:00 PM
Location Code	CRNEP_RS	Sample Collector	REISTADT/HORMUTH
Sample Description	Grid #443		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	9.49		mg/M3	0.5	2.0	7/2/2020	7:44 AM	SM21 10200 H
Pheophytin	6.14		mg/M3	0.5	2.0	7/2/2020	7:44 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	1.3		mg/L	0.3	1.2	6/25/2020	12:02 PM	SM 5210 B
Color	86.0		CU	1.6	6.4	6/25/2020	2:31 PM	SM21 2120 C
Oxygen, Dissolved, Electrode, by Client	6.74		mg/L			6/24/2020	12:00 PM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		6/24/2020	2:47 PM	Enterolert®
E.coli Enumeration	10	U	MPN/100mL	10		6/24/2020	2:55 PM	Colilert-18®
Ammonia	0.014	U	mg/L as N	0.014	0.056	6/25/2020	10:50 AM	EPA 350.1
Nitrite	0.012		mg/L as N	0.003	0.012	6/25/2020	8:31 AM	EPA 353.2
Nitrate	0.092		mg/L as N	0.01	0.04	6/25/2020	8:31 AM	EPA 353.2
Nitrate + Nitrite	0.104		mg/L as N	0.01	0.04	6/25/2020	8:31 AM	EPA 353.2

Report Format: NELAC

DOH #E45049



Laboratory ID	AE52066	Collection date and time	6/24/2020 12:00 PM
Location Code	CRNEP_RS	Sample Collector	REISTADT/HORMUTH
Sample Description	Grid #443		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Nitrogen, Organic	1.1		mg/L as N	0.05	0.2	7/8/2020	9:00 AM	TKN - NH3
Phosphorus, Ortho	0.113		mg/L as P	0.004	0.016	6/25/2020	2:16 PM	EPA 365.1
Salinity by meter by Client	2.39		SU			6/24/2020	12:00 PM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	0.95		meters			6/24/2020	12:00 PM	FDEP FT 1700
Silica, dissolved as SiO2	10.0		mg/L as SiO2	0.1	0.4	6/25/2020	3:35 PM	SM4500-SiO2 C
Depth of Water Body	2.2		Meters			6/24/2020	12:00 PM	FS2100
Nitrogen, Kjeldahl, Total	1.1		mg/L as N	0.05	0.2	7/8/2020	9:00 AM	EPA 351.2
Nitrogen, Total	1.2		mg/L as N	0.05	0.2	7/8/2020	9:00 AM	TKN + NOX
Total Organic Carbon	17		mg/L	1	4	7/8/2020	2:14 PM	SM 5310 B
Phosphorus, Total	0.16		mg/L as P	0.006	0.024	7/8/2020	9:06 AM	EPA 365.1
Total Suspended Solids	2.70		mg/L	0.6	2.4	6/25/2020	9:41 AM	SM 2540 D
Turbidity (Nephelometric)	2.38		NTU	0.2	0.8	6/25/2020	2:26 PM	EPA 180.1

Laboratory ID	AE52067	Collection date and time	6/24/2020 10:25 AM
Location Code	CRNEP_RS	Sample Collector	REISTADT/HORMUTH
Sample Description	Grid #393		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	1.64	I	mg/M3	0.5	2.0	7/2/2020	7:44 AM	SM21 10200 H
Pheophytin	0.90	I	mg/M3	0.5	2.0	7/2/2020	7:44 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	1.1	I	mg/L	0.3	1.2	6/25/2020	12:02 PM	SM 5210 B
Color	35.0		CU	1.6	6.4	6/25/2020	2:31 PM	SM21 2120 C
Oxygen, Dissolved, Electrode, by Client	6.02		mg/L			6/24/2020	10:25 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		6/24/2020	2:47 PM	Enterolert®
E.coli Enumeration	10	U	MPN/100mL	10		6/24/2020	2:55 PM	Colilert-18®
Ammonia	0.014	U	mg/L as N	0.014	0.056	6/25/2020	10:50 AM	EPA 350.1
Nitrite	0.003	U	mg/L as N	0.003	0.012	6/25/2020	8:31 AM	EPA 353.2
Nitrate	0.010	U	mg/L as N	0.01	0.04	6/25/2020	8:31 AM	EPA 353.2
Nitrate + Nitrite	0.010	U	mg/L as N	0.01	0.04	6/25/2020	8:31 AM	EPA 353.2
Nitrogen, Organic	0.72		mg/L as N	0.05	0.2	7/8/2020	9:00 AM	TKN - NH3
Phosphorus, Ortho	0.047		mg/L as P	0.004	0.016	6/25/2020	2:16 PM	EPA 365.1
Salinity by meter by Client	13.86		SU			6/24/2020	10:25 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	1.4	S	meters			6/24/2020	10:25 AM	FDEP FT 1700
Silica, dissolved as SiO2	5.4		mg/L as SiO2	0.1	0.4	6/25/2020	3:35 PM	SM4500-SiO2 C

Report Format: NELAC

DOH #E45049



Laboratory ID	AE52067	Collection date and time	6/24/2020 10:25 AM
Location Code	CRNEP_RS	Sample Collector	REISTADT/HORMUTH
Sample Description	Grid #393		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Depth of Water Body	1.4		Meters			6/24/2020	10:25 AM	FS2100
Nitrogen, Kjeldahl, Total	0.72		mg/L as N	0.05	0.2	7/8/2020	9:00 AM	EPA 351.2
Nitrogen, Total	0.72		mg/L as N	0.05	0.2	7/8/2020	9:00 AM	TKN + NOX
Total Organic Carbon	9.8		mg/L	1	4	7/8/2020	2:14 PM	SM 5310 B
Phosphorus, Total	0.069		mg/L as P	0.006	0.024	7/8/2020	9:06 AM	EPA 365.1
Total Suspended Solids	0.6	U	mg/L	0.6	2.4	6/25/2020	9:41 AM	SM 2540 D
Turbidity (Nephelometric)	0.820		NTU	0.2	0.8	6/25/2020	2:26 PM	EPA 180.1

Laboratory ID	AE52068	Collection date and time	6/24/2020 12:15 PM
Location Code	CRNEP_EQ	Sample Collector	REISTADT/HORMUTH
Sample Description	EB Site #443		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	0.50	U	mg/M3	0.5	2.0	7/2/2020	7:44 AM	SM21 10200 H
Pheophytin	2.26		mg/M3	0.5	2.0	7/2/2020	7:44 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	0.3	U	mg/L	0.3	1.2	6/25/2020	12:02 PM	SM 5210 B
Color	1.6	U	CU	1.6	6.4	6/25/2020	2:31 PM	SM21 2120 C
Oxygen, Dissolved, Electrode, by Client	7.6		mg/L			6/24/2020	12:15 PM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		6/24/2020	2:47 PM	Enterolert®
E.coli Enumeration	10	U	MPN/100mL	10		6/24/2020	2:55 PM	Colilert-18®
Ammonia	0.014	U	mg/L as N	0.014	0.056	6/25/2020	10:50 AM	EPA 350.1
Nitrite	0.003	U	mg/L as N	0.003	0.012	6/25/2020	8:31 AM	EPA 353.2
Nitrate	0.010	U	mg/L as N	0.01	0.04	6/25/2020	8:31 AM	EPA 353.2
Nitrate + Nitrite	0.010	U	mg/L as N	0.01	0.04	6/25/2020	8:31 AM	EPA 353.2
Nitrogen, Organic	0.050	U	mg/L as N	0.05	0.2	7/8/2020	9:00 AM	TKN - NH3
Phosphorus, Ortho	0.004	U	mg/L as P	0.004	0.016	6/25/2020	2:16 PM	EPA 365.1
Salinity by meter by Client	0.0		SU			6/24/2020	12:15 PM	FDEP FT 1300
Silica, dissolved as SiO2	0.1	U	mg/L as SiO2	0.1	0.4	6/25/2020	3:35 PM	SM4500-SiO2 C
Nitrogen, Kjeldahl, Total	0.05	U	mg/L as N	0.05	0.2	7/8/2020	9:00 AM	EPA 351.2
Nitrogen, Total	0.050	U	mg/L as N	0.05	0.2	7/8/2020	9:00 AM	TKN + NOX
Total Organic Carbon	1.000	U	mg/L	1	4	7/8/2020	2:14 PM	SM 5310 B
Phosphorus, Total	0.006	U	mg/L as P	0.006	0.024	7/8/2020	9:06 AM	EPA 365.1
Total Suspended Solids	0.6	U	mg/L	0.6	2.4	6/25/2020	9:41 AM	SM 2540 D
Turbidity (Nephelometric)	0.20	U	NTU	0.2	0.8	6/25/2020	2:26 PM	EPA 180.1

Report Format: NELAC

DOH #E45049



Qualifiers:

- I The value is less than, or equal to, the laboratory's practical quantitation limit (PQL) and greater than the minimum detection limit (MDL).
- S Secchi disk visible to bottom of waterbody. Value reported is the depth of the waterbody at the location of Secchi disk measurement.
- U Indicates that the compound was analyzed for but not detected.

Unless noted otherwise, these test results meet all the requirements of the 2016 NELAC/ TNI Standards.

The results provided herein relate only to the samples cited as they were received by the laboratory. All questions regarding this report should be directed to Rick Armstrong, Laboratory Manager.



Rick Armstrong
Lab Manager
Lee County Environmental Lab



LCEL

Lee County Environmental Laboratory
60 S Danley Dr Unit 2
Fort Myers, FL 33907
Phone: (239) 533-8600

Analysis Request & Chain of Custody Record

Lab Certification: E45049
LCEL F COC 20150828R1

LCEL does not accept any samples used for evidentiary purposes

Report/Result Information

Billing/Invoice Information

Page 1 of 1

Name: FDEP - South ATTN: Kirby Wolfe Address: 2295 Victoria Ave, Suite 364 PO Box 2549 Ft Myers FL 33901 Phone: (239) 344-5719	Name: DNRM RE: CCHMN-Tidal Caloosa Address: 1500 Monroe St Ft Myers, FL 33901 Phone: (239) 533-8109	Matrix Codes: DW-Drinking water GW- Ground water WW-Waste water SW-Surface water WWS-Wastewater Sludge S-Sediment O-Other	Preservative Codes: NP-No Preservative N-Nitric Acid S-Sulfuric Acid H-Hydrochloric Acid SH-Sodium Hydroxide ST-Sodium Thiosulfate O-Other
---	--	---	--

Sample Collector(s) (please print):

Nicole Reistadt/Miranda Carroll/Chris Hormuth

Sample Collector Signature:

[Signature]

Analyses Required

Relinquished By: (signature) <i>[Signature]</i>	Date 06/24/20	Time 14:36	Received By: (signature) <i>[Signature]</i>	\$Chloro, _prep	O-P04, Color, NOX	TOC	NH3, TKN, TN, T-P04, NO3, ONIT	Turb, NO2, TSS, Silica, Bod, Bodi	Mug2QT, Entero	
Relinquished By: (signature)	Date	Time	Received By: (signature)							
Relinquished By: (signature)	Date	Time	Received By: (signature)							

Sample(s) on ice ☒ Yes or ☐ No? Temperature °C: 1.9

NP NPF S S NP ST

Preservatives (see codes)

Collection Date	Time	Sample Description & Location	Matrix (see codes)	# of Sample Containers Submitted						Lab ID #
06/24/20	1000	CRNEP_RS #388	SWE	1	1	1	1	2	1	AE52062
//	0935	CRNEP_RS #386	SWE	1	1	1	1	2	1	AE52063
//	1110	CRNEP_RS #418	SWE	1	1	1	1	2	1	AE52064
//	1125	CRNEP_RSBOT #418 Bottom	SWE	1	1	1	1	2	1	AE52065
//	1200	CRNEP_RS #443	SWE	1	1	1	1	2	1	AE52066
//	1025	CRNEP_RS #393	SWE	1	1	1	1	2	1	AE52067
//	1215	CRNEP_EQ # @ 443	SWE	1	1	1	1	2	1	AE52068
//										
//										

**SAMPLES SHOULD BE IN WET ICE & LESS THAN 6° C (42.8°F)
OR THEY MAYBE QUALIFIED***

*Qualified = the data may not be accurate and regulatory agencies may not accept qualified data.