

Laboratory Results

Lee County Environmental Laboratory

60-2 Danley Drive
Fort Myers, FL 33907
239-533-8600



To: Natural Resources Management
1500 Monroe St
Fort Myers FL 33901
RE: Tidal Caloosa

Report Date: 9/16/2020

Below are the results of samples submitted to this laboratory on 8/31/2020

Laboratory ID	AE58028	Collection date and time	8/31/2020 10:50 AM
Location Code	CRNEP_RS	Sample Collector	REISTADT/WOLFE
Sample Description	Grid #405X		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	3.36		mg/M3	0.5	2.0	9/3/2020	7:43 AM	SM21 10200 H
Pheophytin	5.89		mg/M3	0.5	2.0	9/3/2020	7:43 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	1.2	I	mg/L	0.3	1.2	9/1/2020	12:11 PM	SM 5210 B
Color	88.6		CU	1.6	6.4	9/1/2020	9:46 AM	SM21 2120 C
Oxygen, Dissolved, Electrode, by Client	4.10		mg/L			8/31/2020	10:50 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		8/31/2020	2:47 PM	Enterolert®
E.coli Enumeration	10	U	MPN/100mL	10		8/31/2020	2:57 PM	Colilert-18®
Ammonia	0.199		mg/L as N	0.014	0.056	9/4/2020	9:15 AM	EPA 350.1
Nitrite	0.014		mg/L as N	0.003	0.012	9/1/2020	11:31 AM	EPA 353.2
Nitrate	0.188		mg/L as N	0.01	0.04	9/1/2020	11:31 AM	EPA 353.2
Nitrate + Nitrite	0.202		mg/L as N	0.01	0.04	9/1/2020	11:31 AM	EPA 353.2
Nitrogen, Organic	0.90		mg/L as N	0.05	0.2	9/10/2020	9:10 AM	TKN - NH3
Phosphorus, Ortho	0.104		mg/L as P	0.004	0.016	9/1/2020	9:15 AM	EPA 365.1
Salinity by meter by Client	4.8		SU			8/31/2020	10:50 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	0.65		meters			8/31/2020	10:50 AM	FDEP FT 1700
Silica, dissolved as SiO2	9.6		mg/L as SiO2	0.1	0.4	9/1/2020	9:13 AM	SM4500-SiO2 C
Depth of Water Body	1.9		Meters			8/31/2020	10:50 AM	FS2100
Nitrogen, Kjeldahl, Total	1.1		mg/L as N	0.05	0.2	9/10/2020	9:10 AM	EPA 351.2
Nitrogen, Total	1.3		mg/L as N	0.05	0.2	9/10/2020	9:10 AM	TKN + NOX
Total Organic Carbon	15		mg/L	1	4	9/4/2020	1:50 PM	SM 5310 B
Phosphorus, Total	0.17		mg/L as P	0.006	0.024	9/10/2020	9:18 AM	EPA 365.1

Report Format: NELAC

DOH #E45049



Laboratory ID	AE58028	Collection date and time	8/31/2020 10:50 AM
Location Code	CRNEP_RS	Sample Collector	REISTADT/WOLFE
Sample Description	Grid #405X		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Total Suspended Solids	5.10		mg/L	0.6	2.4	9/1/2020	10:25 AM	SM 2540 D
Turbidity (Nephelometric)	4.36		NTU	0.2	0.8	9/1/2020	3:50 PM	EPA 180.1

Laboratory ID	AE58029	Collection date and time	8/31/2020 10:10 AM
Location Code	CRNEP_RS	Sample Collector	REISTADT/WOLFE
Sample Description	Grid #387		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	2.76		mg/M3	0.5	2.0	9/8/2020	8:03 AM	SM21 10200 H
Pheophytin	2.03		mg/M3	0.5	2.0	9/8/2020	8:03 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	1.3		mg/L	0.3	1.2	9/1/2020	12:11 PM	SM 5210 B
Color	61.7		CU	1.6	6.4	9/1/2020	9:46 AM	SM21 2120 C
Oxygen, Dissolved, Electrode, by Client	5.44		mg/L			8/31/2020	10:10 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		8/31/2020	2:47 PM	Enterolert®
E.coli Enumeration	10	U	MPN/100mL	10		8/31/2020	2:57 PM	Colilert-18®
Ammonia	0.078		mg/L as N	0.014	0.056	9/4/2020	9:15 AM	EPA 350.1
Nitrite	0.011	I	mg/L as N	0.003	0.012	9/1/2020	11:31 AM	EPA 353.2
Nitrate	0.139		mg/L as N	0.01	0.04	9/1/2020	11:31 AM	EPA 353.2
Nitrate + Nitrite	0.150		mg/L as N	0.01	0.04	9/1/2020	11:31 AM	EPA 353.2
Nitrogen, Organic	0.82		mg/L as N	0.05	0.2	9/10/2020	9:10 AM	TKN - NH3
Phosphorus, Ortho	0.073		mg/L as P	0.004	0.016	9/1/2020	9:15 AM	EPA 365.1
Salinity by meter by Client	10.03		SU			8/31/2020	10:10 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	0.95		meters			8/31/2020	10:10 AM	FDEP FT 1700
Silica, dissolved as SiO2	7.2		mg/L as SiO2	0.1	0.4	9/1/2020	9:13 AM	SM4500-SiO2 C
Depth of Water Body	2.5		Meters			8/31/2020	10:10 AM	FS2100
Nitrogen, Kjeldahl, Total	0.90		mg/L as N	0.05	0.2	9/10/2020	9:10 AM	EPA 351.2
Nitrogen, Total	1.1		mg/L as N	0.05	0.2	9/10/2020	9:10 AM	TKN + NOX
Total Organic Carbon	12		mg/L	1	4	9/4/2020	1:50 PM	SM 5310 B
Phosphorus, Total	0.11		mg/L as P	0.006	0.024	9/10/2020	9:18 AM	EPA 365.1
Total Suspended Solids	0.6	U	mg/L	0.6	2.4	9/1/2020	10:25 AM	SM 2540 D
Turbidity (Nephelometric)	1.78		NTU	0.2	0.8	9/1/2020	3:50 PM	EPA 180.1



Laboratory ID	AE58031	Collection date and time	8/31/2020 11:20 AM
Location Code	CRNEP_RS	Sample Collector	REISTADT/WOLFE
Sample Description	Grid #418		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	3.37		mg/M3	0.5	2.0	9/8/2020	8:03 AM	SM21 10200 H
Pheophytin	4.90		mg/M3	0.5	2.0	9/8/2020	8:03 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	0.9	I	mg/L	0.3	1.2	9/1/2020	12:11 PM	SM 5210 B
Color	115		CU	3.2	12.8	9/1/2020	9:46 AM	SM21 2120 C
Oxygen, Dissolved, Electrode, by Client	5.03		mg/L			8/31/2020	11:20 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		8/31/2020	2:47 PM	Enterolert®
E.coli Enumeration	10	U	MPN/100mL	10		8/31/2020	2:57 PM	Colilert-18®
Ammonia	0.165		mg/L as N	0.014	0.056	9/4/2020	9:15 AM	EPA 350.1
Nitrite	0.017		mg/L as N	0.003	0.012	9/1/2020	11:31 AM	EPA 353.2
Nitrate	0.226		mg/L as N	0.01	0.04	9/1/2020	11:31 AM	EPA 353.2
Nitrate + Nitrite	0.243		mg/L as N	0.01	0.04	9/1/2020	11:31 AM	EPA 353.2
Nitrogen, Organic	0.84		mg/L as N	0.05	0.2	9/10/2020	9:10 AM	TKN - NH3
Phosphorus, Ortho	0.120		mg/L as P	0.004	0.016	9/1/2020	9:15 AM	EPA 365.1
Salinity by meter by Client	2.78		SU			8/31/2020	11:20 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	0.7		meters			8/31/2020	11:20 AM	FDEP FT 1700
Silica, dissolved as SiO2	10		mg/L as SiO2	0.1	0.4	9/1/2020	9:13 AM	SM4500-SiO2 C
Depth of Water Body	1.7		Meters			8/31/2020	11:20 AM	FS2100
Nitrogen, Kjeldahl, Total	1.0		mg/L as N	0.05	0.2	9/10/2020	9:10 AM	EPA 351.2
Nitrogen, Total	1.2		mg/L as N	0.05	0.2	9/10/2020	9:10 AM	TKN + NOX
Total Organic Carbon	16		mg/L	1	4	9/4/2020	1:50 PM	SM 5310 B
Phosphorus, Total	0.17		mg/L as P	0.006	0.024	9/10/2020	9:18 AM	EPA 365.1
Total Suspended Solids	5.75		mg/L	0.6	2.4	9/1/2020	10:25 AM	SM 2540 D
Turbidity (Nephelometric)	4.65		NTU	0.2	0.8	9/1/2020	3:50 PM	EPA 180.1

Laboratory ID	AE58032	Collection date and time	8/31/2020 9:40 AM
Location Code	CRNEP_RS	Sample Collector	REISTADT/WOLFE
Sample Description	Grid #386		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	2.75		mg/M3	0.5	2.0	9/8/2020	8:03 AM	SM21 10200 H
Pheophytin	6.40		mg/M3	0.5	2.0	9/8/2020	8:03 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	1.3		mg/L	0.3	1.2	9/1/2020	12:11 PM	SM 5210 B
Color	61.1		CU	1.6	6.4	9/1/2020	9:46 AM	SM21 2120 C
Oxygen, Dissolved, Electrode, by Client	5.18		mg/L			8/31/2020	9:40 AM	FDEP FT1500

Report Format: NELAC

DOH #E45049



Laboratory ID AE58032
 Location Code CRNEP_RS
 Sample Description Grid #386

Collection date and time 8/31/2020 9:40 AM
 Sample Collector REISTADT/WOLFE

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Enterococci	10	U	MPN/100mL	10		8/31/2020	2:47 PM	Enterolert®
E.coli Enumeration	10	U	MPN/100mL	10		8/31/2020	2:57 PM	Colilert-18®
Ammonia	0.092		mg/L as N	0.014	0.056	9/4/2020	9:15 AM	EPA 350.1
Nitrite	0.011	I	mg/L as N	0.003	0.012	9/1/2020	11:31 AM	EPA 353.2
Nitrate	0.135		mg/L as N	0.01	0.04	9/1/2020	11:31 AM	EPA 353.2
Nitrate + Nitrite	0.146		mg/L as N	0.01	0.04	9/1/2020	11:31 AM	EPA 353.2
Nitrogen, Organic	0.83		mg/L as N	0.05	0.2	9/10/2020	9:10 AM	TKN - NH3
Phosphorus, Ortho	0.068		mg/L as P	0.004	0.016	9/1/2020	9:15 AM	EPA 365.1
Salinity by meter by Client	12.20		SU			8/31/2020	9:40 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	1.5		meters			8/31/2020	9:40 AM	FDEP FT 1700
Silica, dissolved as SiO2	6.9		mg/L as SiO2	0.1	0.4	9/1/2020	9:13 AM	SM4500-SiO2 C
Depth of Water Body	1.8		Meters			8/31/2020	9:40 AM	FS2100
Nitrogen, Kjeldahl, Total	0.92		mg/L as N	0.05	0.2	9/10/2020	9:10 AM	EPA 351.2
Nitrogen, Total	1.1		mg/L as N	0.05	0.2	9/10/2020	9:10 AM	TKN + NOX
Total Organic Carbon	12		mg/L	1	4	9/4/2020	1:50 PM	SM 5310 B
Phosphorus, Total	0.10		mg/L as P	0.006	0.024	9/10/2020	9:18 AM	EPA 365.1
Total Suspended Solids	1.10	I	mg/L	0.6	2.4	9/1/2020	10:25 AM	SM 2540 D
Turbidity (Nephelometric)	1.45		NTU	0.2	0.8	9/1/2020	3:50 PM	EPA 180.1

Laboratory ID AE58033
 Location Code CRNEP_RS
 Sample Description Grid #429

Collection date and time 8/31/2020 11:40 AM
 Sample Collector REISTADT/WOLFE

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	6.93		mg/M3	0.5	2.0	9/8/2020	8:03 AM	SM21 10200 H
Pheophytin	6.53		mg/M3	0.5	2.0	9/8/2020	8:03 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	1.2	I	mg/L	0.3	1.2	9/1/2020	12:11 PM	SM 5210 B
Color	139		CU	3.2	12.8	9/1/2020	9:46 AM	SM21 2120 C
Oxygen, Dissolved, Electrode, by Client	5.95		mg/L			8/31/2020	11:40 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		8/31/2020	2:47 PM	Enterolert®
E.coli Enumeration	10	U	MPN/100mL	10		8/31/2020	2:57 PM	Colilert-18®
Ammonia	0.076		mg/L as N	0.014	0.056	9/4/2020	9:15 AM	EPA 350.1
Nitrite	0.019		mg/L as N	0.003	0.012	9/1/2020	11:31 AM	EPA 353.2
Nitrate	0.288		mg/L as N	0.01	0.04	9/1/2020	11:31 AM	EPA 353.2

Report Format: NELAC

DOH #E45049



Laboratory ID	AE58033	Collection date and time	8/31/2020 11:40 AM
Location Code	CRNEP_RS	Sample Collector	REISTADT/WOLFE
Sample Description	Grid #429		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Nitrate + Nitrite	0.307		mg/L as N	0.01	0.04	9/1/2020	11:31 AM	EPA 353.2
Nitrogen, Organic	0.81		mg/L as N	0.05	0.2	9/11/2020	8:52 AM	TKN - NH3
Phosphorus, Ortho	0.136		mg/L as P	0.004	0.016	9/1/2020	9:15 AM	EPA 365.1
Salinity by meter by Client	1.53		SU			8/31/2020	11:40 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	0.55		meters			8/31/2020	11:40 AM	FDEP FT 1700
Silica, dissolved as SiO2	11		mg/L as SiO2	0.1	0.4	9/1/2020	9:13 AM	SM4500-SiO2 C
Depth of Water Body	3.4		Meters			8/31/2020	11:40 AM	FS2100
Nitrogen, Kjeldahl, Total	0.89		mg/L as N	0.05	0.2	9/11/2020	8:52 AM	EPA 351.2
Nitrogen, Total	1.2		mg/L as N	0.05	0.2	9/11/2020	8:52 AM	TKN + NOX
Total Organic Carbon	16		mg/L	1	4	9/4/2020	1:50 PM	SM 5310 B
Phosphorus, Total	0.20		mg/L as P	0.006	0.024	9/11/2020	9:01 AM	EPA 365.1
Total Suspended Solids	6.45		mg/L	0.6	2.4	9/1/2020	10:25 AM	SM 2540 D
Turbidity (Nephelometric)	5.01		NTU	0.2	0.8	9/1/2020	3:50 PM	EPA 180.1

Laboratory ID	AE58034	Collection date and time	8/31/2020 11:50 AM
Location Code	CRNEP_RSBOT	Sample Collector	REISTADT/WOLFE
Sample Description	Grid #429 Bottom		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	5.51		mg/M3	0.5	2.0	9/8/2020	8:03 AM	SM21 10200 H
Pheophytin	13.69		mg/M3	0.5	2.0	9/8/2020	8:03 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	1.1	I	mg/L	0.3	1.2	9/1/2020	12:11 PM	SM 5210 B
Color	133		CU	3.2	12.8	9/1/2020	9:46 AM	SM21 2120 C
Oxygen, Dissolved, Electrode, by Client	5.21		mg/L			8/31/2020	11:50 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		8/31/2020	2:47 PM	Enterolert®
E.coli Enumeration	10	U	MPN/100mL	10		8/31/2020	2:57 PM	Colilert-18®
Ammonia	0.084		mg/L as N	0.014	0.056	9/4/2020	9:15 AM	EPA 350.1
Nitrite	0.018		mg/L as N	0.003	0.012	9/1/2020	11:31 AM	EPA 353.2
Nitrate	0.283		mg/L as N	0.01	0.04	9/1/2020	11:31 AM	EPA 353.2
Nitrate + Nitrite	0.301		mg/L as N	0.01	0.04	9/1/2020	11:31 AM	EPA 353.2
Nitrogen, Organic	1.3		mg/L as N	0.05	0.2	9/11/2020	8:52 AM	TKN - NH3
Phosphorus, Ortho	0.123		mg/L as P	0.004	0.016	9/1/2020	9:15 AM	EPA 365.1
Salinity by meter by Client	1.68		SU			8/31/2020	11:50 AM	FDEP FT 1300
Silica, dissolved as SiO2	11		mg/L as SiO2	0.1	0.4	9/1/2020	9:13 AM	SM4500-SiO2 C

Report Format: NELAC

DOH #E45049



Laboratory ID	AE58034	Collection date and time	8/31/2020 11:50 AM
Location Code	CRNEP_RSBOT	Sample Collector	REISTADT/WOLFE
Sample Description	Grid #429 Bottom		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Depth of Water Body	3.4		Meters			8/31/2020	11:50 AM	FS2100
Nitrogen, Kjeldahl, Total	1.4		mg/L as N	0.05	0.2	9/11/2020	8:52 AM	EPA 351.2
Nitrogen, Total	1.7		mg/L as N	0.05	0.2	9/11/2020	8:52 AM	TKN + NOX
Total Organic Carbon	19		mg/L	1	4	9/4/2020	1:50 PM	SM 5310 B
Phosphorus, Total	0.26		mg/L as P	0.006	0.024	9/11/2020	9:01 AM	EPA 365.1
Total Suspended Solids	28.8		mg/L	0.6	2.4	9/1/2020	10:25 AM	SM 2540 D
Turbidity (Nephelometric)	15.9		NTU	0.2	0.8	9/1/2020	3:50 PM	EPA 180.1

Laboratory ID	AE58035	Collection date and time	8/31/2020 12:00 PM
Location Code	CRNEP_EQ	Sample Collector	REISTADT/WOLFE
Sample Description	EB Site #429		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	0.50	U	mg/M3	0.5	2.0	9/3/2020	7:43 AM	SM21 10200 H
Pheophytin	0.50	U	mg/M3	0.5	2.0	9/3/2020	7:43 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	0.3	U	mg/L	0.3	1.2	9/1/2020	12:11 PM	SM 5210 B
Color	1.6	U	CU	1.6	6.4	9/1/2020	9:46 AM	SM21 2120 C
Enterococci	10	U	MPN/100mL	10		8/31/2020	2:47 PM	Enterolert®
E.coli Enumeration	10	U	MPN/100mL	10		8/31/2020	2:57 PM	Colilert-18®
Ammonia	0.014	U	mg/L as N	0.014	0.056	9/4/2020	9:15 AM	EPA 350.1
Nitrite	0.003	U	mg/L as N	0.003	0.012	9/1/2020	11:31 AM	EPA 353.2
Nitrate	0.010	U	mg/L as N	0.01	0.04	9/1/2020	11:31 AM	EPA 353.2
Nitrate + Nitrite	0.010	U	mg/L as N	0.01	0.04	9/1/2020	11:31 AM	EPA 353.2
Nitrogen, Organic	0.050	U	mg/L as N	0.05	0.2	9/10/2020	9:10 AM	TKN - NH3
Phosphorus, Ortho	0.004	U	mg/L as P	0.004	0.016	9/1/2020	9:15 AM	EPA 365.1
Silica, dissolved as SiO2	0.1	U	mg/L as SiO2	0.1	0.4	9/1/2020	9:13 AM	SM4500-SiO2 C
Nitrogen, Kjeldahl, Total	0.05	U	mg/L as N	0.05	0.2	9/10/2020	9:10 AM	EPA 351.2
Nitrogen, Total	0.050	U	mg/L as N	0.05	0.2	9/10/2020	9:10 AM	TKN + NOX
Total Organic Carbon	1.000	U	mg/L	1	4	9/4/2020	1:50 PM	SM 5310 B
Phosphorus, Total	0.006	U	mg/L as P	0.006	0.024	9/10/2020	9:18 AM	EPA 365.1
Total Suspended Solids	0.6	U	mg/L	0.6	2.4	9/1/2020	10:25 AM	SM 2540 D
Turbidity (Nephelometric)	0.20	U	NTU	0.2	0.8	9/1/2020	3:50 PM	EPA 180.1



Qualifiers:

I The value is less than, or equal to, the laboratory's practical quantitation limit (PQL) and greater than the minimum detection limit (MDL).

U Indicates that the compound was analyzed for but not detected.

Unless noted otherwise, these test results meet all the requirements of the 2016 NELAC/ TNI Standards.

The results provided herein relate only to the samples cited as they were received by the laboratory. All questions regarding this report should be directed to Rick Armstrong, Laboratory Manager.



Rick Armstrong

Lab Manager

Lee County Environmental Lab



LCEL

Lee County Environmental Laboratory
60 S Danley Dr Unit 2
Fort Myers, FL 33907
Phone: (239) 533-8600

Analysis Request & Chain of Custody Record

Lab Certification: E45049
LCEL F COC 20150828R1

LCEL does not accept any samples used for evidentiary purposes

Page 1 of 1

Report/Result Information			Billing/Invoice Information								
Name: FDEP - South			Name: DNRM								
ATTN: Kirby Wolfe			RE: CCHMN-Tidal Caloosa								
Address: 2295 Victoria Ave, Suite 364 PO Box 2549 Ft Myers FL 33901			Address: 1500 Monroe St Ft Myers, FL 33901								
Phone: (239) 344-5719			Phone: (239) 533-8109								
Sample Collector(s) (please print): Nicole Reistadt/Chris Hornuth/Kirby Wolfe			Sample Collector Signature:								
Relinquished By: (signature)	Date	Time	Received By: (signature)								
Relinquished By: (signature)	Date	Time	Received By: (signature)								
Relinquished By: (signature)	Date	Time	Received By: (signature)								
Sample(s) on ice ☒ Yes or ☐ No? Temperature °C: 0.9°C						NP	NPF	S	S	NP	ST
Collection	Time	Sample Description & Location	Matrix (see codes)	# of Sample Containers Submitted						Lab ID #	
08/31/20	1050	CRNEP_RS #405x	SWE	1	1	1	1	2	1	AE58028	
08/31/20	1010	CRNEP_RS #387	SWE	1	1	1	1	2	1	AE58029	
		CRNEP_RSBOT #387 Bottom <i>DID NOT SAMPLE</i>	SWE	1	1	1	1	2	1	AE58030	
08/31/20	1120	CRNEP_RS #418	SWE	1	1	1	1	2	1	AE58031	
08/31/20	0940	CRNEP_RS #386	SWE	1	1	1	1	2	1	AE58032	
08/31/20	1140	CRNEP_RS #429	SWE	1	1	1	1	2	1	AE58033	
08/31/20	1150	CRNEP_RSBOT #429 Bottom	SWE	1	1	1	1	2	1	AE58034	
08/31/20	1200	CRNEP_EQ # @429	SWE	1	1	1	1	2	1	AE58035	

**SAMPLES SHOULD BE IN WET ICE & LESS THAN 6° C (42.8°F)
OR THEY MAYBE QUALIFIED***

*Qualified = the data may not be accurate and regulatory agencies may not accept qualified data.