

Laboratory Results

Lee County Environmental Laboratory

60-2 Danley Drive
Fort Myers, FL 33907
239-533-8600



To: Natural Resources Management
1500 Monroe St
Fort Myers FL 33901
RE: Tidal Caloosa

Report Date: 2/28/2022

Below are the results of samples submitted to this laboratory on 2/16/2022

Laboratory ID	AF15055	Collection date and time	2/16/2022 11:35 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #443		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	3.31		mg/M3	0.5	2.0	2/22/2022	8:00 AM	SM21 10200 H
Pheophytin	12.65		mg/M3	0.5	2.0	2/22/2022	8:00 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	0.8	I	mg/L	0.3	1.2	2/17/2022	10:14 AM	SM 5210 B
Color	69.4		CU	1.25	5.00	2/16/2022	2:50 PM	SM21 2120 C
Specific Conductance, By Client	1600		µmhos/cm			2/16/2022	11:35 AM	FDEP FT1200
Oxygen, Dissolved, Electrode, by Client	9.28		mg/L			2/16/2022	11:35 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		2/16/2022	2:52 PM	Enterolert®
Ammonia	0.014	U	mg/L as N	0.014	0.056	2/18/2022	9:46 AM	EPA 350.1
Nitrite	0.007	I	mg/L as N	0.003	0.012	2/17/2022	9:52 AM	EPA 353.2
Nitrate	0.031	I	mg/L as N	0.01	0.04	2/17/2022	1:19 PM	EPA 353.2
Nitrate + Nitrite	0.038	I	mg/L as N	0.01	0.04	2/17/2022	1:19 PM	EPA 353.2
Nitrogen, Organic	1.1		mg/L as N	0.10	0.4	2/21/2022	8:35 AM	TKN - NH3
Phosphorus, Ortho	0.035		mg/L as P	0.005	0.020	2/17/2022	11:00 AM	EPA 365.1
pH, Field (electrometric) by Client	8.19		units			2/16/2022	11:35 AM	FDEP FT1100
Salinity by meter by Client	0.78		SU			2/16/2022	11:35 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	0.35		meters			2/16/2022	11:35 AM	FDEP FT 1700
Silica, dissolved as SiO2	5.0		mg/L as SiO2	0.1	0.4	2/17/2022	8:45 AM	SM4500-SiO2 C
Depth of Water Body	0.7		Meters			2/16/2022	11:35 AM	FS2100
Field Temperature by client	19.2		°C			2/16/2022	11:35 AM	FDEP FT1400
Nitrogen, Kjeldahl, Total	1.1		mg/L as N	0.10	0.4	2/21/2022	8:35 AM	EPA 351.2
Nitrogen, Total	1.1		mg/L as N	0.10	0.4	2/21/2022	8:35 AM	TKN + NOX
Total Organic Carbon (NPOC)	15		mg/L	1	4	2/24/2022	4:00 PM	SM 5310 B
Phosphorus, Total	0.12		mg/L as P	0.006	0.024	2/21/2022	8:37 AM	EPA 365.1

Report Format: NELAC

DOH #E45049



Laboratory ID	AF15055	Collection date and time	2/16/2022 11:35 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #443		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Total Suspended Solids	27.4		mg/L	0.6	2.4	2/17/2022	8:20 AM	SM 2540 D
Turbidity (Nephelometric)	15.1		NTU	0.2	0.8	2/17/2022	6:38 AM	EPA 180.1

Laboratory ID	AF15056	Collection date and time	2/16/2022 9:20 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #412		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	1.50	I	mg/M3	0.5	2.0	2/22/2022	8:00 AM	SM21 10200 H
Pheophytin	1.09	I	mg/M3	0.5	2.0	2/22/2022	8:00 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	0.8	I	mg/L	0.3	1.2	2/17/2022	10:14 AM	SM 5210 B
Color	44.9		CU	1.25	5.00	2/16/2022	2:50 PM	SM21 2120 C
Specific Conductance, By Client	14100		µmhos/cm			2/16/2022	9:20 AM	FDEP FT1200
Oxygen, Dissolved, Electrode, by Client	8.97		mg/L			2/16/2022	9:20 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		2/16/2022	2:52 PM	Enterolert®
Ammonia	0.014	U	mg/L as N	0.014	0.056	2/18/2022	9:46 AM	EPA 350.1
Nitrite	0.004	I	mg/L as N	0.003	0.012	2/17/2022	9:52 AM	EPA 353.2
Nitrate	0.010	U	mg/L as N	0.01	0.04	2/17/2022	1:19 PM	EPA 353.2
Nitrate + Nitrite	0.010	U	mg/L as N	0.01	0.04	2/17/2022	1:19 PM	EPA 353.2
Nitrogen, Organic	0.78		mg/L as N	0.10	0.4	2/21/2022	8:35 AM	TKN - NH3
Phosphorus, Ortho	0.023		mg/L as P	0.005	0.020	2/17/2022	11:00 AM	EPA 365.1
pH, Field (electrometric) by Client	8.11		units			2/16/2022	9:20 AM	FDEP FT1100
Salinity by meter by Client	8.21		SU			2/16/2022	9:20 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	1.45		meters			2/16/2022	9:20 AM	FDEP FT 1700
Silica, dissolved as SiO2	2.5		mg/L as SiO2	0.1	0.4	2/17/2022	8:45 AM	SM4500-SiO2 C
Depth of Water Body	4.8		Meters			2/16/2022	9:20 AM	FS2100
Field Temperature by client	17.6		°C			2/16/2022	9:20 AM	FDEP FT1400
Nitrogen, Kjeldahl, Total	0.78		mg/L as N	0.10	0.4	2/21/2022	8:35 AM	EPA 351.2
Nitrogen, Total	0.78		mg/L as N	0.10	0.4	2/21/2022	8:35 AM	TKN + NOX
Total Organic Carbon (NPOC)	12		mg/L	1	4	2/24/2022	4:00 PM	SM 5310 B
Phosphorus, Total	0.047		mg/L as P	0.006	0.024	2/21/2022	8:37 AM	EPA 365.1
Total Suspended Solids	2.30	I	mg/L	0.6	2.4	2/17/2022	8:20 AM	SM 2540 D
Turbidity (Nephelometric)	1.48		NTU	0.2	0.8	2/17/2022	6:38 AM	EPA 180.1



Laboratory ID	AF15057	Collection date and time	2/16/2022 9:35 AM
Location Code	CRNEP_RSBOT	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #412 Bottom		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	0.75	I	mg/M3	0.5	2.0	2/22/2022	8:00 AM	SM21 10200 H
Pheophytin	2.36		mg/M3	0.5	2.0	2/22/2022	8:00 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	0.8	I	mg/L	0.3	1.2	2/17/2022	10:14 AM	SM 5210 B
Color	44.5		CU	1.25	5.00	2/16/2022	2:50 PM	SM21 2120 C
Specific Conductance, By Client	22400		µmhos/cm			2/16/2022	9:35 AM	FDEP FT1200
Oxygen, Dissolved, Electrode, by Client	8.40		mg/L			2/16/2022	9:35 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		2/16/2022	2:52 PM	Enterolert®
Ammonia	0.014	U	mg/L as N	0.014	0.056	2/18/2022	9:46 AM	EPA 350.1
Nitrite	0.005	I	mg/L as N	0.003	0.012	2/17/2022	9:52 AM	EPA 353.2
Nitrate	0.010	U	mg/L as N	0.01	0.04	2/17/2022	1:19 PM	EPA 353.2
Nitrate + Nitrite	0.010	U	mg/L as N	0.01	0.04	2/17/2022	1:19 PM	EPA 353.2
Nitrogen, Organic	0.75		mg/L as N	0.10	0.4	2/21/2022	8:35 AM	TKN - NH3
Phosphorus, Ortho	0.024		mg/L as P	0.005	0.020	2/17/2022	11:00 AM	EPA 365.1
pH, Field (electrometric) by Client	8.11		units			2/16/2022	9:35 AM	FDEP FT1100
Salinity by meter by Client	13.56		SU			2/16/2022	9:35 AM	FDEP FT 1300
Silica, dissolved as SiO2	2.4		mg/L as SiO2	0.1	0.4	2/17/2022	8:45 AM	SM4500-SiO2 C
Depth of Water Body	4.8		Meters			2/16/2022	9:35 AM	FS2100
Field Temperature by client	17.9		°C			2/16/2022	9:35 AM	FDEP FT1400
Nitrogen, Kjeldahl, Total	0.75		mg/L as N	0.10	0.4	2/21/2022	8:35 AM	EPA 351.2
Nitrogen, Total	0.75		mg/L as N	0.10	0.4	2/21/2022	8:35 AM	TKN + NOX
Total Organic Carbon (NPOC)	12		mg/L	1	4	2/24/2022	4:00 PM	SM 5310 B
Phosphorus, Total	0.044		mg/L as P	0.006	0.024	2/21/2022	8:37 AM	EPA 365.1
Total Suspended Solids	3.50		mg/L	0.6	2.4	2/17/2022	8:20 AM	SM 2540 D
Turbidity (Nephelometric)	1.19		NTU	0.2	0.8	2/17/2022	6:38 AM	EPA 180.1

Laboratory ID	AF15058	Collection date and time	2/16/2022 10:50 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #435		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	3.36		mg/M3	0.5	2.0	2/22/2022	8:00 AM	SM21 10200 H
Pheophytin	8.36		mg/M3	0.5	2.0	2/22/2022	8:00 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	0.9	I	mg/L	0.3	1.2	2/17/2022	10:14 AM	SM 5210 B
Color	53.4		CU	1.25	5.00	2/16/2022	2:50 PM	SM21 2120 C
Specific Conductance, By Client	6600		µmhos/cm			2/16/2022	10:50 AM	FDEP FT1200
Oxygen, Dissolved, Electrode, by Client	9.69		mg/L			2/16/2022	10:50 AM	FDEP FT1500

Report Format: NELAC

DOH #E45049



Laboratory ID	AF15058	Collection date and time	2/16/2022 10:50 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #435		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Enterococci	20		MPN/100mL	10		2/16/2022	2:52 PM	Enterolert®
Ammonia	0.014	U	mg/L as N	0.014	0.056	2/18/2022	9:46 AM	EPA 350.1
Nitrite	0.004	I	mg/L as N	0.003	0.012	2/17/2022	9:52 AM	EPA 353.2
Nitrate	0.010	U	mg/L as N	0.01	0.04	2/17/2022	1:19 PM	EPA 353.2
Nitrate + Nitrite	0.010	U	mg/L as N	0.01	0.04	2/17/2022	1:19 PM	EPA 353.2
Nitrogen, Organic	0.93		mg/L as N	0.10	0.4	2/21/2022	8:35 AM	TKN - NH3
Phosphorus, Ortho	0.022		mg/L as P	0.005	0.020	2/17/2022	11:00 AM	EPA 365.1
pH, Field (electrometric) by Client	8.21		units			2/16/2022	10:50 AM	FDEP FT1100
Salinity by meter by Client	3.60		SU			2/16/2022	10:50 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	0.65		meters			2/16/2022	10:50 AM	FDEP FT 1700
Silica, dissolved as SiO2	6.9		mg/L as SiO2	0.1	0.4	2/17/2022	8:45 AM	SM4500-SiO2 C
Depth of Water Body	1.1		Meters			2/16/2022	10:50 AM	FS2100
Field Temperature by client	18.4		°C			2/16/2022	10:50 AM	FDEP FT1400
Nitrogen, Kjeldahl, Total	0.93		mg/L as N	0.10	0.4	2/21/2022	8:35 AM	EPA 351.2
Nitrogen, Total	0.93		mg/L as N	0.10	0.4	2/21/2022	8:35 AM	TKN + NOX
Total Organic Carbon (NPOC)	14		mg/L	1	4	2/24/2022	4:00 PM	SM 5310 B
Phosphorus, Total	0.071		mg/L as P	0.006	0.024	2/21/2022	8:37 AM	EPA 365.1
Total Suspended Solids	14.3		mg/L	0.6	2.4	2/17/2022	8:20 AM	SM 2540 D
Turbidity (Nephelometric)	7.83		NTU	0.2	0.8	2/17/2022	6:38 AM	EPA 180.1

Laboratory ID	AF15059	Collection date and time	2/16/2022 10:10 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #423		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	1.97	I	mg/M3	0.5	2.0	2/23/2022	7:33 AM	SM21 10200 H
Pheophytin	3.33		mg/M3	0.5	2.0	2/23/2022	7:33 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	0.9	I	mg/L	0.3	1.2	2/17/2022	10:14 AM	SM 5210 B
Color	50.8		CU	1.25	5.00	2/16/2022	2:50 PM	SM21 2120 C
Specific Conductance, By Client	9100		µmhos/cm			2/16/2022	10:10 AM	FDEP FT1200
Oxygen, Dissolved, Electrode, by Client	9.18		mg/L			2/16/2022	10:10 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		2/16/2022	2:52 PM	Enterolert®
Ammonia	0.014	U	mg/L as N	0.014	0.056	2/18/2022	9:46 AM	EPA 350.1
Nitrite	0.004	I	mg/L as N	0.003	0.012	2/17/2022	9:52 AM	EPA 353.2
Nitrate	0.010	U	mg/L as N	0.01	0.04	2/17/2022	1:19 PM	EPA 353.2
Nitrate + Nitrite	0.010	U	mg/L as N	0.01	0.04	2/17/2022	1:19 PM	EPA 353.2

Report Format: NELAC

DOH #E45049



Laboratory ID	AF15059	Collection date and time	2/16/2022 10:10 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #423		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Nitrogen, Organic	0.98		mg/L as N	0.10	0.4	2/21/2022	8:35 AM	TKN - NH3
Phosphorus, Ortho	0.023		mg/L as P	0.005	0.020	2/17/2022	11:00 AM	EPA 365.1
pH, Field (electrometric) by Client	8.19		units			2/16/2022	10:10 AM	FDEP FT1100
Salinity by meter by Client	5.10		SU			2/16/2022	10:10 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	1.0		meters			2/16/2022	10:10 AM	FDEP FT 1700
Silica, dissolved as SiO2	3.1		mg/L as SiO2	0.1	0.4	2/17/2022	8:45 AM	SM4500-SiO2 C
Depth of Water Body	1.7		Meters			2/16/2022	10:10 AM	FS2100
Field Temperature by client	17.8		°C			2/16/2022	10:10 AM	FDEP FT1400
Nitrogen, Kjeldahl, Total	0.98		mg/L as N	0.10	0.4	2/21/2022	8:35 AM	EPA 351.2
Nitrogen, Total	0.98		mg/L as N	0.10	0.4	2/21/2022	8:35 AM	TKN + NOX
Total Organic Carbon (NPOC)	14		mg/L	1	4	2/24/2022	4:00 PM	SM 5310 B
Phosphorus, Total	0.053		mg/L as P	0.006	0.024	2/21/2022	8:37 AM	EPA 365.1
Total Suspended Solids	3.95		mg/L	0.6	2.4	2/17/2022	8:20 AM	SM 2540 D
Turbidity (Nephelometric)	2.09		NTU	0.2	0.8	2/17/2022	6:38 AM	EPA 180.1

Laboratory ID	AF15060	Collection date and time	2/16/2022 12:20 PM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #450		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	4.81		mg/M3	0.5	2.0	2/23/2022	7:33 AM	SM21 10200 H
Pheophytin	2.36		mg/M3	0.5	2.0	2/23/2022	7:33 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	0.9	I	mg/L	0.3	1.2	2/17/2022	10:14 AM	SM 5210 B
Color	70.0		CU	1.25	5.00	2/16/2022	2:50 PM	SM21 2120 C
Specific Conductance, By Client	700		µmhos/cm			2/16/2022	12:20 PM	FDEP FT1200
Oxygen, Dissolved, Electrode, by Client	8.78		mg/L			2/16/2022	12:20 PM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		2/16/2022	2:52 PM	Enterolert®
Ammonia	0.030	I	mg/L as N	0.014	0.056	2/18/2022	9:46 AM	EPA 350.1
Nitrite	0.008	I	mg/L as N	0.003	0.012	2/17/2022	9:52 AM	EPA 353.2
Nitrate	0.041		mg/L as N	0.01	0.04	2/17/2022	1:19 PM	EPA 353.2
Nitrate + Nitrite	0.049		mg/L as N	0.01	0.04	2/17/2022	1:19 PM	EPA 353.2
Nitrogen, Organic	0.93		mg/L as N	0.10	0.4	2/21/2022	8:35 AM	TKN - NH3
Phosphorus, Ortho	0.028		mg/L as P	0.005	0.020	2/17/2022	11:00 AM	EPA 365.1
pH, Field (electrometric) by Client	8.06		units			2/16/2022	12:20 PM	FDEP FT1100
Salinity by meter by Client	0.33		SU			2/16/2022	12:20 PM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	0.95		meters			2/16/2022	12:20 PM	FDEP FT 1700

Report Format: NELAC

DOH #E45049



Laboratory ID	AF15060	Collection date and time	2/16/2022 12:20 PM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #450		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Silica, dissolved as SiO2	5.4		mg/L as SiO2	0.1	0.4	2/17/2022	8:45 AM	SM4500-SiO2 C
Depth of Water Body	1.5		Meters			2/16/2022	12:20 PM	FS2100
Field Temperature by client	20.4		°C			2/16/2022	12:20 PM	FDEP FT1400
Nitrogen, Kjeldahl, Total	0.96		mg/L as N	0.10	0.4	2/21/2022	8:35 AM	EPA 351.2
Nitrogen, Total	1.0		mg/L as N	0.10	0.4	2/21/2022	8:35 AM	TKN + NOX
Total Organic Carbon (NPOC)	16		mg/L	1	4	2/24/2022	4:00 PM	SM 5310 B
Phosphorus, Total	0.064		mg/L as P	0.006	0.024	2/21/2022	8:37 AM	EPA 365.1
Total Suspended Solids	3.00		mg/L	0.6	2.4	2/17/2022	8:20 AM	SM 2540 D
Turbidity (Nephelometric)	3.22		NTU	0.2	0.8	2/17/2022	6:38 AM	EPA 180.1

Laboratory ID	AF15061	Collection date and time	2/16/2022 1:30 PM
Location Code	CRNEP_EQ	Sample Collector	REISTAD/JAEGER
Sample Description	EB Site #		


Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	0.50	U	mg/M3	0.5	2.0	2/22/2022	8:00 AM	SM21 10200 H
Pheophytin	0.50	U	mg/M3	0.5	2.0	2/22/2022	8:00 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	0.3	U	mg/L	0.3	1.2	2/17/2022	10:14 AM	SM 5210 B
Color	1.25	U	CU	1.25	5.00	2/16/2022	2:50 PM	SM21 2120 C
Enterococci	1	U	MPN/100mL	1		2/16/2022	2:52 PM	Enterolert®
Ammonia	0.014	U	mg/L as N	0.014	0.056	2/18/2022	9:46 AM	EPA 350.1
Nitrite	0.003	U	mg/L as N	0.003	0.012	2/17/2022	9:52 AM	EPA 353.2
Nitrate	0.010	U	mg/L as N	0.01	0.04	2/17/2022	1:19 PM	EPA 353.2
Nitrate + Nitrite	0.010	U	mg/L as N	0.01	0.04	2/17/2022	1:19 PM	EPA 353.2
Nitrogen, Organic	0.100	U	mg/L as N	0.10	0.4	2/21/2022	8:35 AM	TKN - NH3
Phosphorus, Ortho	0.005	U	mg/L as P	0.005	0.020	2/17/2022	11:00 AM	EPA 365.1
Silica, dissolved as SiO2	0.1	U	mg/L as SiO2	0.1	0.4	2/17/2022	8:45 AM	SM4500-SiO2 C
Nitrogen, Kjeldahl, Total	0.10	U	mg/L as N	0.10	0.4	2/21/2022	8:35 AM	EPA 351.2
Nitrogen, Total	0.100	U	mg/L as N	0.10	0.4	2/21/2022	8:35 AM	TKN + NOX
Total Organic Carbon (NPOC)	1.000	U	mg/L	1	4	2/24/2022	4:00 PM	SM 5310 B
Phosphorus, Total	0.006	U	mg/L as P	0.006	0.024	2/21/2022	8:37 AM	EPA 365.1
Total Suspended Solids	0.6	U	mg/L	0.6	2.4	2/17/2022	8:20 AM	SM 2540 D
Turbidity (Nephelometric)	0.20	U	NTU	0.2	0.8	2/17/2022	6:38 AM	EPA 180.1



Qualifiers:

- I The value is less than, or equal to, the laboratory's practical quantitation limit (PQL) and greater than the minimum detection limit (MDL).
U Indicates that the compound was analyzed for but not detected.

Unless noted otherwise, these test results meet all the requirements of the 2016 NELAC/ TNI Standards.
The results provided herein relate only to the samples cited as they were received by the laboratory. All questions regarding this report should be directed to Rick Armstrong, Laboratory Manager.


Rick Armstrong
Lab Manager
Lee County Environmental Lab



LCEL

Lee County Environmental Laboratory
60 S Danley Dr Unit 2
Fort Myers, FL 33907
Phone: (239) 533-8600

Analysis Request & Chain of Custody Record

Lab Certification: E45049
LCEL F COC 20150828R1

LCEL does not accept any samples used for evidentiary purposes

Report/Result Information

Billing/Invoice Information

Page 1 of 1

Name: FDEP - South	Name: DNRM	Matrix Codes: DW-Drinking water GW- Ground water WW-Waste water SW-Surface water WWS-Wastewater Sludge S-Sediment O-Other	Preservative Codes: NP-No Preservative N-Nitric Acid S-Sulfuric Acid H-Hydrochloric Acid SH-Sodium Hydroxide ST-Sodium Thiosulfate O-Other
ATTN: Kirby Wolfe	RE: CCHMN-Tidal Caloosa		
Address: 2295 Victoria Ave, Suite 364 PO Box 2549 Ft Myers FL 33901	Address: 1500 Monroe St Ft Myers, FL 33901		
Phone: (239) 344-5719	Phone: (239) 533-8109		

Sample Collector(s) (please print): Nicole Reistad/Monica Jaeger		Sample Collector Signature:		Analyses Required						
Relinquished By: (signature)	Date	Time	Received By: (signature)							
Relinquished By: (signature)	Date	Time	Received By: (signature)	\$Chloroa, _prep	O-PO4, Color, NOX	TOC	NH3, TKN, TN, T-PO4, NO3, ONIT	Turb, NO2, TSS, Silica, Bod, Bodi	Mug2QT, Entero	
Relinquished By: (signature)	Date	Time	Received By: (signature)							

Sample(s) on ice ☒ Yes or ☐ No? Temperature °C: 4.02

Collection		Sample Description & Location	Matrix (see codes)	Preservatives (see codes)						Lab ID #
Date	Time			NP	NPF	S	S	NP	ST	
02/16/22	1135	CRNEP_RS #443	SWE	1	1	1	1	2	1	AF15055
02/16/22	0920	CRNEP_RS #412	SWE	1	1	1	1	2	1	AF15056
02/16/22	0935	CRNEP_RSBOT #412 Bottom	SWE	1	1	1	1	2	1	AF15057
02/16/22	1050	CRNEP_RS #435	SWE	1	1	1	1	2	1	AF15058
02/16/22	1010	CRNEP_RS #423	SWE	1	1	1	1	2	1	AF15059
02/16/22	1220	CRNEP_RS #450	SWE	1	1	1	1	2	1	AF15060
02/16/22	1330	CRNEP_EQ #	SWE	1	1	1	1	2	1	AF15061

**SAMPLES SHOULD BE IN WET ICE & LESS THAN 6° C (42.8°F)
OR THEY MAYBE QUALIFIED***

*Qualified = the data may not be accurate and regulatory agencies may not accept qualified data.