

Laboratory Results

Lee County Environmental Laboratory

60-2 Danley Drive
Fort Myers, FL 33907
239-533-8600



To: Natural Resources Management
1500 Monroe St
Fort Myers FL 33901
RE: Tidal Caloosa

Report Date: 11/16/2022

Below are the results of samples submitted to this laboratory on 10/26/2022

Laboratory ID	AF40085	Collection date and time	10/26/2022 12:15 PM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #442		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	1.52	I	mg/M3	0.5	2.0	11/15/2022	7:26 AM	SM21 10200 H
Pheophytin	1.92	I	mg/M3	0.5	2.0	11/15/2022	7:26 AM	SM21 10200 H
Dissolved Oxygen % Saturation by Client	78.4		%	0.1		10/26/2022	12:15 PM	FDEP FT1500
Biochemical Oxygen Demand 5 day	0.7	I J3	mg/L	0.3	1.2	10/27/2022	11:33 AM	SM 5210 B
Color	151		CU	1.25	5.00	10/26/2022	2:54 PM	SM21 2120 C
Specific Conductance, By Client	2000		µmhos/cm			10/26/2022	12:15 PM	FDEP FT1200
Oxygen, Dissolved, Electrode, by Client	6.46		mg/L			10/26/2022	12:15 PM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		10/26/2022	2:22 PM	Enterolert®
Ammonia as N	0.014	U	mg/L as N	0.014	0.056	10/27/2022	8:58 AM	EPA 350.1
Nitrite as N	0.027		mg/L as N	0.003	0.012	10/27/2022	1:45 PM	EPA 353.2
Nitrate as N	0.297		mg/L as N	0.01	0.04	10/27/2022	1:45 PM	EPA 353.2
Nitrate + Nitrite as N	0.324		mg/L as N	0.01	0.04	10/27/2022	1:45 PM	EPA 353.2
Nitrogen, Organic	0.80		mg/L as N	0.10	0.4	11/1/2022	8:43 AM	TKN - NH3
Phosphorus, Ortho as P	0.097		mg/L as P	0.005	0.020	10/26/2022	3:45 PM	EPA 365.1
pH, Field (electrometric) by Client	7.97		units			10/26/2022	12:15 PM	FDEP FT1100
Salinity by meter by Client	1.00		SU			10/26/2022	12:15 PM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	0.65		meters			10/26/2022	12:15 PM	FDEP FT 1700
Silica, dissolved as SiO2	9.7		mg/L as SiO2	0.1	0.4	10/26/2022	2:20 PM	SM4500-SiO2 C
Depth of Water Body	2.5		Meters			10/26/2022	12:15 PM	FS2100
Field Temperature by client	24.8		°C			10/26/2022	12:15 PM	FDEP FT1400
Nitrogen, Kjeldahl, Total	0.80		mg/L as N	0.10	0.4	11/1/2022	8:43 AM	EPA 351.2
Nitrogen, Total	1.1		mg/L as N	0.10	0.4	11/1/2022	8:43 AM	TKN + NOX
Total Organic Carbon (NPOC)	17		mg/L	1	4	11/9/2022	2:01 PM	SM 5310 B

Report Format: NELAC

DOH #E45049



Laboratory ID	AF40085	Collection date and time	10/26/2022 12:15 PM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #442		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Phosphorus, Total as P	0.14		mg/L as P	0.006	0.024	11/1/2022	8:45 AM	EPA 365.1
Total Suspended Solids	0.6	U	mg/L	0.6	2.4	10/27/2022	7:50 AM	SM 2540 D
Turbidity (Nephelometric)	2.03		NTU	0.2	0.8	10/27/2022	7:43 AM	EPA 180.1

Laboratory ID	AF40087	Collection date and time	10/26/2022 11:35 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #429		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	1.29	I	mg/M3	0.5	2.0	11/15/2022	7:26 AM	SM21 10200 H
Pheophytin	2.68		mg/M3	0.5	2.0	11/15/2022	7:26 AM	SM21 10200 H
Dissolved Oxygen % Saturation by Client	81.3		%	0.1		10/26/2022	11:35 AM	FDEP FT1500
Biochemical Oxygen Demand 5 day	0.7	I J3	mg/L	0.3	1.2	10/27/2022	11:33 AM	SM 5210 B
Color	143		CU	1.25	5.00	10/26/2022	2:54 PM	SM21 2120 C
Specific Conductance, By Client	5200		µmhos/cm			10/26/2022	11:35 AM	FDEP FT1200
Oxygen, Dissolved, Electrode, by Client	6.67		mg/L			10/26/2022	11:35 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		10/26/2022	2:22 PM	Enterolert®
Ammonia as N	0.040	I	mg/L as N	0.014	0.056	10/27/2022	8:58 AM	EPA 350.1
Nitrite as N	0.021		mg/L as N	0.003	0.012	10/27/2022	1:45 PM	EPA 353.2
Nitrate as N	0.292		mg/L as N	0.01	0.04	10/27/2022	1:45 PM	EPA 353.2
Nitrate + Nitrite as N	0.313		mg/L as N	0.01	0.04	10/27/2022	1:45 PM	EPA 353.2
Nitrogen, Organic	0.79		mg/L as N	0.10	0.4	11/1/2022	8:43 AM	TKN - NH3
Phosphorus, Ortho as P	0.105		mg/L as P	0.005	0.020	10/26/2022	3:45 PM	EPA 365.1
pH, Field (electrometric) by Client	7.97		units			10/26/2022	11:35 AM	FDEP FT1100
Salinity by meter by Client	2.79		SU			10/26/2022	11:35 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	0.95		meters			10/26/2022	11:35 AM	FDEP FT 1700
Silica, dissolved as SiO2	9.1		mg/L as SiO2	0.1	0.4	10/26/2022	2:20 PM	SM4500-SiO2 C
Depth of Water Body	2.3		Meters			10/26/2022	11:35 AM	FS2100
Field Temperature by client	24.5		°C			10/26/2022	11:35 AM	FDEP FT1400
Nitrogen, Kjeldahl, Total	0.83		mg/L as N	0.10	0.4	11/1/2022	8:43 AM	EPA 351.2
Nitrogen, Total	1.1		mg/L as N	0.10	0.4	11/1/2022	8:43 AM	TKN + NOX
Total Organic Carbon (NPOC)	16		mg/L	1	4	11/9/2022	2:01 PM	SM 5310 B
Phosphorus, Total as P	0.14		mg/L as P	0.006	0.024	11/1/2022	8:45 AM	EPA 365.1
Total Suspended Solids	0.6	U	mg/L	0.6	2.4	10/27/2022	7:50 AM	SM 2540 D
Turbidity (Nephelometric)	1.94		NTU	0.2	0.8	10/27/2022	7:43 AM	EPA 180.1



Laboratory ID	AF40088	Collection date and time	10/26/2022 10:55 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #413		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	0.85	I	mg/M3	0.5	2.0	11/15/2022	7:26 AM	SM21 10200 H
Pheophytin	6.43		mg/M3	0.5	2.0	11/15/2022	7:26 AM	SM21 10200 H
Dissolved Oxygen % Saturation by Client	84.6		%	0.1		10/26/2022	10:55 AM	FDEP FT1500
Biochemical Oxygen Demand 5 day	0.4	I J3	mg/L	0.3	1.2	10/27/2022	11:33 AM	SM 5210 B
Color	131		CU	1.25	5.00	10/26/2022	2:54 PM	SM21 2120 C
Specific Conductance, By Client	12000		µmhos/cm			10/26/2022	10:55 AM	FDEP FT1200
Oxygen, Dissolved, Electrode, by Client	6.78		mg/L			10/26/2022	10:55 AM	FDEP FT1500
Enterococci	10		MPN/100mL	10		10/26/2022	2:22 PM	Enterolert®
Ammonia as N	0.034	I	mg/L as N	0.014	0.056	10/27/2022	8:58 AM	EPA 350.1
Nitrite as N	0.017		mg/L as N	0.003	0.012	10/27/2022	1:45 PM	EPA 353.2
Nitrate as N	0.281		mg/L as N	0.01	0.04	10/27/2022	1:45 PM	EPA 353.2
Nitrate + Nitrite as N	0.298		mg/L as N	0.01	0.04	10/27/2022	1:45 PM	EPA 353.2
Nitrogen, Organic	0.77		mg/L as N	0.10	0.4	11/1/2022	8:43 AM	TKN - NH3
Phosphorus, Ortho as P	0.102		mg/L as P	0.005	0.020	10/26/2022	3:45 PM	EPA 365.1
pH, Field (electrometric) by Client	7.94		units			10/26/2022	10:55 AM	FDEP FT1100
Salinity by meter by Client	6.81		SU			10/26/2022	10:55 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	0.85		meters			10/26/2022	10:55 AM	FDEP FT 1700
Silica, dissolved as SiO2	8.6		mg/L as SiO2	0.1	0.4	10/26/2022	2:20 PM	SM4500-SiO2 C
Depth of Water Body	2.3		Meters			10/26/2022	10:55 AM	FS2100
Field Temperature by client	24.6		°C			10/26/2022	10:55 AM	FDEP FT1400
Nitrogen, Kjeldahl, Total	0.80		mg/L as N	0.10	0.4	11/1/2022	8:43 AM	EPA 351.2
Nitrogen, Total	1.1		mg/L as N	0.10	0.4	11/1/2022	8:43 AM	TKN + NOX
Total Organic Carbon (NPOC)	16		mg/L	1	4	11/9/2022	2:01 PM	SM 5310 B
Phosphorus, Total as P	0.15		mg/L as P	0.006	0.024	11/1/2022	8:45 AM	EPA 365.1
Total Suspended Solids	1.45	I	mg/L	0.6	2.4	10/27/2022	7:50 AM	SM 2540 D
Turbidity (Nephelometric)	2.26		NTU	0.2	0.8	10/27/2022	7:43 AM	EPA 180.1

Laboratory ID	AF40089	Collection date and time	10/26/2022 9:45 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #386		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	1.13	I	mg/M3	0.5	2.0	11/15/2022	7:26 AM	SM21 10200 H
Pheophytin	10.54		mg/M3	0.5	2.0	11/15/2022	7:26 AM	SM21 10200 H
Dissolved Oxygen % Saturation by Client	86.3		%	0.1		10/26/2022	9:45 AM	FDEP FT1500
Biochemical Oxygen Demand 5 day	1.2	I J3	mg/L	0.3	1.2	10/27/2022	11:33 AM	SM 5210 B

Report Format: NELAC

DOH #E45049



Laboratory ID	AF40089	Collection date and time	10/26/2022 9:45 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #386		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Color	81.8		CU	1.25	5.00	10/26/2022	2:54 PM	SM21 2120 C
Specific Conductance, By Client	23000		µmhos/cm			10/26/2022	9:45 AM	FDEP FT1200
Oxygen, Dissolved, Electrode, by Client	6.71		mg/L			10/26/2022	9:45 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		10/26/2022	2:22 PM	Enterolert®
Ammonia as N	0.027	I	mg/L as N	0.014	0.056	10/27/2022	8:58 AM	EPA 350.1
Nitrite as N	0.010	I	mg/L as N	0.003	0.012	10/27/2022	1:45 PM	EPA 353.2
Nitrate as N	0.142		mg/L as N	0.01	0.04	10/27/2022	1:45 PM	EPA 353.2
Nitrate + Nitrite as N	0.152		mg/L as N	0.01	0.04	10/27/2022	1:45 PM	EPA 353.2
Nitrogen, Organic	0.80		mg/L as N	0.10	0.4	11/1/2022	8:43 AM	TKN - NH3
Phosphorus, Ortho as P	0.067		mg/L as P	0.005	0.020	10/26/2022	3:45 PM	EPA 365.1
pH, Field (electrometric) by Client	7.89		units			10/26/2022	9:45 AM	FDEP FT1100
Salinity by meter by Client	13.73		SU			10/26/2022	9:45 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	0.95		meters			10/26/2022	9:45 AM	FDEP FT 1700
Silica, dissolved as SiO2	5.2		mg/L as SiO2	0.1	0.4	10/26/2022	2:20 PM	SM4500-SiO2 C
Depth of Water Body	1.2		Meters			10/26/2022	9:45 AM	FS2100
Field Temperature by client	24.1		°C			10/26/2022	9:45 AM	FDEP FT1400
Nitrogen, Kjeldahl, Total	0.83		mg/L as N	0.10	0.4	11/1/2022	8:43 AM	EPA 351.2
Nitrogen, Total	0.98		mg/L as N	0.10	0.4	11/1/2022	8:43 AM	TKN + NOX
Total Organic Carbon (NPOC)	10		mg/L	1	4	11/9/2022	2:01 PM	SM 5310 B
Phosphorus, Total as P	0.11		mg/L as P	0.006	0.024	11/1/2022	8:45 AM	EPA 365.1
Total Suspended Solids	5.30		mg/L	0.6	2.4	10/27/2022	7:50 AM	SM 2540 D
Turbidity (Nephelometric)	4.33		NTU	0.2	0.8	10/27/2022	7:43 AM	EPA 180.1

Laboratory ID	AF40090	Collection date and time	10/26/2022 10:30 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #404		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	0.50	U	mg/M3	0.5	2.0	11/15/2022	7:26 AM	SM21 10200 H
Pheophytin	5.40		mg/M3	0.5	2.0	11/15/2022	7:26 AM	SM21 10200 H
Dissolved Oxygen % Saturation by Client	87.9		%	0.1		10/26/2022	10:30 AM	FDEP FT1500
Biochemical Oxygen Demand 5 day	0.3	U J3	mg/L	0.3	1.2	11/1/2022	1:18 PM	SM 5210 B
Color	120		CU	1.25	5.00	10/26/2022	2:54 PM	SM21 2120 C
Specific Conductance, By Client	13200		µmhos/cm			10/26/2022	10:30 AM	FDEP FT1200
Oxygen, Dissolved, Electrode, by Client	7.04		mg/L			10/26/2022	10:30 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		10/26/2022	2:22 PM	Enterolert®

Report Format: NELAC

DOH #E45049



Laboratory ID	AF40090	Collection date and time	10/26/2022 10:30 AM
Location Code	CRNEP_RS	Sample Collector	REISTAD/JAEGER
Sample Description	Grid #404		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Ammonia as N	0.027	I	mg/L as N	0.014	0.056	10/27/2022	8:58 AM	EPA 350.1
Nitrite as N	0.016		mg/L as N	0.003	0.012	10/27/2022	1:45 PM	EPA 353.2
Nitrate as N	0.253		mg/L as N	0.01	0.04	10/27/2022	1:45 PM	EPA 353.2
Nitrate + Nitrite as N	0.269		mg/L as N	0.01	0.04	10/27/2022	1:45 PM	EPA 353.2
Nitrogen, Organic	0.75		mg/L as N	0.10	0.4	11/1/2022	8:43 AM	TKN - NH3
Phosphorus, Ortho as P	0.095		mg/L as P	0.005	0.020	10/26/2022	3:45 PM	EPA 365.1
pH, Field (electrometric) by Client	7.97		units			10/26/2022	10:30 AM	FDEP FT1100
Salinity by meter by Client	7.59		SU			10/26/2022	10:30 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	0.75		meters			10/26/2022	10:30 AM	FDEP FT 1700
Silica, dissolved as SiO2	7.8		mg/L as SiO2	0.1	0.4	10/26/2022	2:20 PM	SM4500-SiO2 C
Depth of Water Body	2.3		Meters			10/26/2022	10:30 AM	FS2100
Field Temperature by client	24.4		°C			10/26/2022	10:30 AM	FDEP FT1400
Nitrogen, Kjeldahl, Total	0.78		mg/L as N	0.10	0.4	11/1/2022	8:43 AM	EPA 351.2
Nitrogen, Total	1.0		mg/L as N	0.10	0.4	11/1/2022	8:43 AM	TKN + NOX
Total Organic Carbon (NPOC)	14		mg/L	1	4	11/9/2022	2:01 PM	SM 5310 B
Phosphorus, Total as P	0.14		mg/L as P	0.006	0.024	11/1/2022	8:45 AM	EPA 365.1
Total Suspended Solids	2.50		mg/L	0.6	2.4	10/27/2022	7:50 AM	SM 2540 D
Turbidity (Nephelometric)	2.75		NTU	0.2	0.8	10/27/2022	7:43 AM	EPA 180.1

Laboratory ID	AF40091	Collection date and time	10/26/2022 1:20 PM
Location Code	CRNEP_EQ	Sample Collector	REISTAD/JAEGER
Sample Description	EB Site #442		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	0.50	U	mg/M3	0.5	2.0	11/15/2022	7:26 AM	SM21 10200 H
Pheophytin	0.50	U	mg/M3	0.5	2.0	11/15/2022	7:26 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	0.3	U J3	mg/L	0.3	1.2	10/27/2022	11:33 AM	SM 5210 B
Color	1.25	U	CU	1.25	5.00	10/26/2022	2:54 PM	SM21 2120 C
Enterococci	1	U	MPN/100mL	1		10/26/2022	2:22 PM	Enterolert®
Ammonia as N	0.014	U	mg/L as N	0.014	0.056	10/27/2022	8:58 AM	EPA 350.1
Nitrite as N	0.003	U	mg/L as N	0.003	0.012	10/27/2022	1:45 PM	EPA 353.2
Nitrate as N	0.010	U	mg/L as N	0.01	0.04	10/27/2022	1:45 PM	EPA 353.2
Nitrate + Nitrite as N	0.010	U	mg/L as N	0.01	0.04	10/27/2022	1:45 PM	EPA 353.2
Nitrogen, Organic	0.100	U	mg/L as N	0.10	0.4	11/1/2022	8:43 AM	TKN - NH3
Phosphorus, Ortho as P	0.005	U	mg/L as P	0.005	0.020	10/26/2022	3:45 PM	EPA 365.1
Silica, dissolved as SiO2	0.1	U	mg/L as SiO2	0.1	0.4	10/26/2022	2:20 PM	SM4500-SiO2 C

Report Format: NELAC

DOH #E45049



Laboratory ID AF40091
Location Code CRNEP_EQ
Sample Description EB Site #442

Collection date and time 10/26/2022 1:20 PM
Sample Collector REISTAD/JAEGER

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Nitrogen, Kjeldahl, Total	0.10	U	mg/L as N	0.10	0.4	11/1/2022	8:43 AM	EPA 351.2
Nitrogen, Total	0.100	U	mg/L as N	0.10	0.4	11/1/2022	8:43 AM	TKN + NOX
Total Organic Carbon (NPOC)	1.000	U	mg/L	1	4	11/9/2022	2:01 PM	SM 5310 B
Phosphorus, Total as P	0.006	U	mg/L as P	0.006	0.024	11/1/2022	8:45 AM	EPA 365.1
Total Suspended Solids	0.6	U	mg/L	0.6	2.4	10/27/2022	7:50 AM	SM 2540 D
Turbidity (Nephelometric)	0.20	U	NTU	0.2	0.8	10/27/2022	7:43 AM	EPA 180.1

Qualifiers:

- I The value is less than, or equal to, the laboratory's practical quantitation limit (PQL) and greater than the minimum detection limit (MDL).
I J3 The value is < or = to the PQL and > the MDL. The reported value failed to meet the established quality control criteria for either precision or accuracy.
U Indicates that the compound was analyzed for but not detected.
U J3 Indicates that the compound was analyzed for but not detected. Value failed to meet QC criteria for precision or accuracy.

Unless noted otherwise, these test results meet all the requirements of the 2016 NELAC/ TNI Standards.
The results provided herein relate only to the samples cited as they were received by the laboratory. All questions regarding this report should be directed to Rick Armstrong, Laboratory Manager.


Rick Armstrong
Lab Manager
Lee County Environmental Lab



LCEL

Lee County Environmental Laboratory
60 S Danley Dr Unit 2
Fort Myers, FL 33907
Phone: (239) 533-8600

Analysis Request

&

Chain of Custody Record

Lab Certification: E45049

LCEL F COC 20150828R1

LCEL does not accept any samples used for evidentiary purposes

Report/Result Information

Billing/Invoice Information

Page 1 of 1

Name: FDEP - South		Name: DNRM		Matrix Codes: DW-Drinking water GW- Ground water WW-Waste water SW-Surface water WWS-Wastewater Sludge S-Sediment O-Other		Preservative Codes: NP-No Preservative N-Nitric Acid S-Sulfuric Acid H-Hydrochloric Acid SH-Sodium Hydroxide ST-Sodium Thiosulfate O-Other					
ATTN: Kirby Wolfe		RE: CCHMN-Tidal Caloosa									
Address: 2295 Victoria Ave, Suite 364 PO Box 2549 Ft Myers FL 33901		Address: 1500 Monroe St Ft Myers, FL 33901									
Phone: (239) 344-5719		Phone: (239) 533-8109									
Sample Collector(s) (please print): Nicole Reistad/Monica Jaeger		Sample Collector Signature: 		Analyses Required							
Relinquished By: (signature) 	Date 10/26/22	Time 1415	Received By: (signature) 	\$Chloroa, _prep	O-PO4, Color, NOX	TOC	NH3, TKN, TN, T-PO4, NO3, ONIT	Turb, NO2, TSS, Silica, Bod, Bodi	Mug2QT, Entero		
Relinquished By: (signature)	Date	Time	Received By: (signature)								
Relinquished By: (signature)	Date	Time	Received By: (signature)								
Sample(s) on ice ☒ Yes or ☐ No? Temperature °C: 39.2				NP	NPF	S	S	NP	ST		
Collection Date Time		Sample Description & Location		Matrix (see codes)	# of Sample Containers Submitted					Lab ID #	
10/26/22	1215	CRNEP_RS #442		SWE	1	1	1	1	2	1	AF40085
		CRNEP_RSBOT #442 Bottom DID NOT SAMPLE		SWE	1	1	1	1	2	1	AF40086
10/26/22	1135	CRNEP_RS #429		SWE	1	1	1	1	2	1	AF40087
10/26/22	1055	CRNEP_RS #413		SWE	1	1	1	1	2	1	AF40088
10/26/22	0945	CRNEP_RS #386		SWE	1	1	1	1	2	1	AF40089
10/26/22	1030	CRNEP_RS #404		SWE	1	1	1	1	2	1	AF40090
10/26/22	1320	CRNEP_EQ # 442		SWE	1	1	1	1	2	1	AF40091

**SAMPLES SHOULD BE IN WET ICE & LESS THAN 6° C (42.8°F)
OR THEY MAYBE QUALIFIED***

*Qualified = the data may not be accurate and regulatory agencies may not accept qualified data.